

Princeton University

COS 217: Introduction to Programming Systems

Pointer-Related Operators

Key

p, p1, p2 Pointer variables
i An integral expression

Operators Meaningful for Any Pointer Variable

Dereference Operator

*p The contents of the memory referenced by p.

Equality and Inequality Relational Operators

p1 == p2 1 if p1 is equal to p2, and 0 otherwise.
p1 != p2 1 if p1 is unequal to p2, and 0 otherwise.

Assignment Operator

p1 = p2 Side effect: Assign p2 to p1. The new value of p1.

Operators Meaningful for Pointers that Reference Array Elements

Arithmetic Operators

p + i The address of the ith element after the one referenced by p.
i + p The address of the ith element after the one referenced by p.
p - i The address of the ith element before the one referenced by p.
p++ Side effect: Increment p to point to the next element.
 The previous value of p.
++p Side effect: Increment p to point to the next element.
 The new value of p.
p-- Side effect: Decrement p to point to the previous element.
 The previous value of p.
--p Side effect: Decrement p to point to the previous element.
 The new value of p.

Arithmetic Operators

p1 - p2 The "span" of p1 and p2.

Relational Operators

p1 < p2 1 if p1 is less than p2, and 0 otherwise.
p1 <= p2 1 if p1 is less than or equal to p2, and 0 otherwise.
p1 > p2 1 if p1 is greater than p2, and 0 otherwise.
p1 >= p2 1 if p1 is greater than or equal to p2, and 0 otherwise.

Assignment Operators

`p += i` Side effect: Increment `p` so its value is the address of the `i`th element after the one referenced by `p`.
The new value of `p`.

`p -= i` Side effect: Decrement `p` so its value is the address of the `i`th element before the one referenced by `p`.
The new value of `p`.

Disallowed

`p1 + p2`
`i - p`
`i += p`
`i -= p`
`p == i`

Array Subscripting Operator

`p[i]` `*(p + i)`, that is, the contents of memory at the address that is `i` elements after the address referenced by `p`.

Copyright © 2005 by Robert M. Dondero, Jr.