



# Optimizing Malloc and Free

Prof. David August

COS 217

Reading: Section 8.7 in K&R book

<http://gee.cs.oswego.edu/dl/html/malloc.html>



# Goals of This Lecture


- Brief review of K&R implementation
  - Circular linked list of free chunks, with pointer and size in header
    - Malloc: first-fit algorithm, with splitting
    - Free: coalescing with adjacent chunks, if they are free
  - Limitations
    - Fragmentation of memory due to first-fit strategy
    - Linear time to scan the list during `malloc` and `free`
- Optimizations related to assignment #4
  - Placement choice, splitting, and coalescing
  - Faster free
    - Size information in both header and footer
    - Next and previous free-list pointers in header and footer
  - Faster malloc
    - Separate free list for free chunks of different sizes
    - One bin per chunk size, or one bin for a range of sizes



# Free Chunk: Pointer, Size, Data

- Free chunk in memory

- Pointer to the next chunk
  - Size of the chunk
  - User data
- } header






# Free List: Circular Linked List

- Free chunks, linked together
  - Example: circular linked list
- Keep list in order of increasing addresses
  - Makes it easier to coalesce adjacent free chunks


Free list





# Malloc: First-Fit Algorithm


- Start at the beginning of the list
- Sequence through the list
  - Keep a pointer to the previous element
- Stop when reaching first chunk that is big enough
  - Patch up the list
  - Return a chunk to the user



# Malloc: First Case, A Perfect Fit




- Suppose the first fit is a perfect fit
  - Remove the chunk from the list
  - Link the previous free chunk with the next free chunk
  - Return the current to the user (skipping header)



# Malloc: Second Case: Big Chunk




- Suppose the chunk is bigger than requested
  - Divide the free chunk into two chunks
  - Keep first (now smaller) chunk in the free list
  - Allocate the second chunk to the user





# Free

- User passes a pointer to the memory chunk
  - `void free(void *ap);`
- Free function inserts chunk into the list
  - Identify the start of entry
  - Find the location in the free list
  - Add to the list, coalescing entries, if needed








# Free: Finding Location to Insert


- Start at the beginning
- Sequence through the list
- Stop at last entry before the to-be-freed element





# Free: Handling Corner Cases


- Check for wrap-around in memory
  - To-be-freed chunk is before first entry in the free list, or
  - To-be-freed chunk is after the last entry in the free list





# Free: Inserting Into Free List


- New element to add to free list
- Insert in between previous and next entries
- But, there may be opportunities to coalesce





# Coalescing With Neighbors


- Scanning the list finds the location for inserting
  - Pointer to to-be-freed element: **bp**
  - Pointer to previous element in free list: **p**
- Coalescing into larger free chunks
  - Check if contiguous to upper and lower neighbors





# Coalesce With Upper Neighbor




- Check if next part of memory is in the free list
- If so, make into one bigger chunk
- Else, simply point to the next free element





# Coalesce With Lower Neighbor

- Check if previous part of memory is in the free list
- If so, make into one bigger chunk





# K&R Malloc and Free

- Advantages

- Simplicity of the code

- Optimizations

- Roving free-list pointer is left at the last place a chunk was allocated
- Splitting large free chunks to avoid wasting space
- Coalescing contiguous free chunks to reduce fragmentation

- Limitations


- Inefficient use of memory: fragmentation
  - Best-fit policy can leave lots of “holes” of free chunks in memory
- Long execution times: linear-time overhead
  - Malloc scans the free list to find a big-enough chunk
  - Free scans the free list to find where to insert a chunk



# Improvements: Placement

- **Placement:** reducing fragmentation
  - Deciding which free chunk to use to satisfy a `malloc()` request
  - K&R uses “first fit” (really, “next fit”)
    - Example: `malloc(8)` would choose the 20-byte chunk
  - *Alternative:* “best fit” or “good fit” to avoid wasting space
    - Example: `malloc(8)` would choose the 8-byte chunk

Free list








# Improvements: Splitting

- **Splitting:** avoiding wasted memory
  - Subdividing a large free chunk, and giving part to the user
  - K&R `malloc()` does splitting whenever the free chunk is too big
    - Example: `malloc(14)` splits the 20-byte chunk
  - *Alternative:* selective splitting, only when the savings is big enough
    - Example: `malloc(14)` allocates the entire 20-byte chunk


Free list





# Improvements: Coalescing

- **Coalescing:** reducing fragmentation
  - Combining contiguous free chunks into a larger free chunk
  - K&R does coalescing in `free()` whenever possible
    - Example: combine free chunk with lower and upper neighbors
  - *Alternative:* deferred coalescing, done only intermittently
    - Example: wait, and coalesce many entries at a time later





# Improvements: Faster Free


- Performance problems with K&R `free()`
  - Scanning the free list to know where to insert
  - Keeping track of the “previous” node to do the insertion
- Doubly-linked, non-circular list
  - Header
    - Size of the chunk (in # of units)
    - Flag indicating whether the chunk is free or in use
    - If free, a pointer to the next free chunk
  - Footer in all chunks
    - Size of the chunk (in # of units)
    - If free, a pointer to the previous free chunk

h		f
e		o
a		o
d		t



# Size: Finding Next Chunk


- Go quickly to next chunk in memory
  - Start with the user's data portion of the chunk
  - Go backwards to the head of the chunk
    - Easy, since you know the size of the header
  - Go forward to the head of the next chunk
    - Easy, since you know the size of the current chunk





# Size: Finding Previous Chunk


- Go quickly to previous chunk in memory
  - Start with the user's data portion of the chunk
  - Go backwards to the head of the chunk
    - Easy, since you know the size of the header
  - Go backwards to the footer of the previous chunk
    - Easy, since you know the size of the footer
  - Go backwards to the header of the previous chunk
    - Easy, since you know the chunk size from the footer





# Pointers: Next Free Chunk


- Go quickly to next free chunk in memory
  - Start with the user's data portion of the chunk
  - Go backwards to the head of the chunk
    - Easy, since you know the size of the header
  - Go forwards to the next free chunk
    - Easy, since you have the next free pointer





# Pointers: Previous Free Chunk

- Go quickly to previous free chunk in memory
  - Start with the user's data portion of the chunk
  - Go backwards to the head of the chunk
    - Easy, since you know the size of the header
  - Go forwards to the footer of the chunk
    - Easy, since you know the chunk size from the header
  - Go backwards to the previous free chunk
    - Easy, since you have the previous free pointer





# Efficient Free


- **Before: K&R**
  - Scan the free list till you find the place to insert
    - Needed to see if you can coalesce adjacent chunks
  - Expensive for loop with several pointer comparisons
- **After: with header/footer and doubly-linked list**
  - Coalescing with the previous chunk in memory
    - Check if previous chunk in memory is also free
    - If so, coalesce
  - Coalescing with the next chunk in memory the same way
  - Add the new, larger chunk to the front of the linked list





# But Malloc is Still Slow...


- Still need to scan the free list
  - To find the first, or best, chunk that fits
- Root of the problem
  - Free chunks have a wide range of sizes
- Solution: binning
  - Separate free lists by chunk size
  - Implemented as an array of free-list pointers





# Binning Strategies: Exact Fit


- Have a bin for each chunk size, up to a limit
  - Advantages: no search for requests up to that size
  - Disadvantages: many bins, each storing a pointer
- Except for a final bin for all larger free chunks
  - For allocating larger amounts of memory
  - For splitting to create smaller chunks, when needed





# Binning Strategies: Range

- Have a bin cover a range of sizes, up to a limit
  - Advantages: fewer bins
  - Disadvantages: need to search for a big enough chunk
- Except for a final bin for all larger free chunks
  - For allocating larger amounts of memory
  - For splitting to create smaller chunks, when needed





# Stupid Programmer Tricks

- Reducing small allocs, especially strings

```
typedef struct Entry {  
    struct Entry *e_next;  
  
    int e_count;  
  
    char e_string[1];  
  
} Entry;
```



# Stupid Programmer Tricks

- Inside the malloc library

```
if (size < 32)
    size = 32;
else if (size > 2048)
    size = 4096 * ((size+4095)/4096);
else if (size & (size-1)) {
    find next larger power-of-two
}
```



# Stupid Programmer Tricks

- Defeating your malloc library

```
typedef struct MyData {
    struct MyData *md_nextFree;

    ...
} MyData;

MyData *mdFreePtr;

void MyData_Free(MyData *ent) {ent->md_nextFree = mdFreePtr;
    mdFreePtr = ent;}

MyData *MyData_Alloc(void) {
    if (mdFreePtr != NULL)
        manipulate list, return first item
    else
        allocate array of items, add all to free list
}
```

# Suggestions for Assignment #4



- Debugging memory management code is hard
  - A bug in your code might stomp on the headers or footers
  - ... making it very hard to understand where you are in memory
- Suggestion: debug carefully as you go along
  - Write little bits of code at a time, and test as you go
  - Use assertion checks very liberally to catch mistakes early
  - Use functions to apply higher-level checks on your list
    - E.g., all free-list elements are marked as free
    - E.g., each chunk pointer is within the heap range
    - E.g., the chunk size in header and footer are the same
- Suggestion: working in pairs
  - Think (and discuss) how to collaborate together
- Suggestion: draw lots and lots of pictures



# Conclusions

- **K&R `malloc` and `free` have limitations**
  - Fragmentation of the free space
    - Due to the first-first strategy
  - Linear time for `malloc` and `free`
    - Due to the need to scan the free list
- **Optimizations**
  - **Faster `free`**
    - Headers and footers
    - Size information and doubly-linked free list
  - **Faster `malloc`**
    - Multiple free lists, one per size (or range of sizes)