

Programming with Javascript

Programming language components

- **statements: instructions that say what to do**
 - compute values, make decisions, repeat sequences of operations
- **variables: places to hold data in memory while program is running**
 - numbers, text, ...
- **syntax: grammar rules for defining legal statements**
 - what's grammatically legal? how are things built up from smaller things?
- **semantics: what things mean**
 - what do they compute?
- **most languages are higher-level and more expressive than the assembly language for the toy machine**
 - statements are much richer, more varied, more expressive
 - variables are much richer, more varied
 - grammar rules are more complicated
 - semantics are more complicated
- **but it's basically the same idea**

Why study / use Javascript?

- **all browsers process Javascript**
 - many web services rely on Javascript in browser
 - can use it in your own web pages
 - can understand what other web pages are doing (and steal from them)
- **easy to start with**
- **easy to do useful things with it**
- **programming ideas carry over into other languages**
- **Javascript has limitations:**
 - no use outside of web pages
 - many irregularities and surprising behaviors
 - no browser matches ostensible standards exactly
 - doesn't illustrate much about how big programs are built

Javascript components

- **Javascript language**
 - statements that tell the computer what to do
 - get user input, display output,
 - set values, do arithmetic,
 - test conditions, repeat groups of statements, ...
- **libraries, built-in functions**
 - pre-fabricated pieces that you don't have to create yourself
 - math functions, text manipulation
- **access to browser and web pages**
 - buttons, text areas, images, page contents, ...
- **you are not expected to remember syntax or other details**
- **you are not expected to write code in exams**
 - (though a bit in problem sets and labs)
- **you are expected to understand the ideas**
 - how programming and programs work

Basic example #1: join 2 names (name2.html)

- **Javascript code appears in HTML file between <script> tags**
 - <script language=javascript> ... </script>
- **shows variables, dialog boxes, an operator**

```
<html>
<body>
<P> name2.html: joins 2 names
<script>
  var firstname, secondname, result
  firstname = prompt("Enter first name")
  secondname = prompt("Enter last name")
  result = firstname + " " + secondname // + means "join"
  here
  alert("hello, " + result) // and here
</script>
```

Basic example #2: add 2 numbers (add2.html)

- **dialog boxes, variables, arithmetic, conversion**

```
<html>
<body>
<P> add2.html: adds 2 numbers
<script>
  var num1, num2, sum
  num1 = prompt("Enter first number")
  num2 = prompt("Enter second number")
  sum = parseInt(num1) + parseInt(num2) // "+" means "add"
  alert(sum)
</script>
```

parseInt(...) converts a sequence of characters into its integer value
there's also parseFloat(...) for floating point numbers

Adding up numbers: addup.html

- variables, operators, expressions, assignment statements
- while loop, relational operator (`!=` "not equal to")

```
<html>
<body>
<script>
  var sum = 0
  var num
  num = prompt("Enter new value, or 0 to end")
  while (num != 0) {
    sum = sum + parseInt(num)
    num = prompt("Enter new value, or 0 to end")
  }
  alert("Sum = " + sum)
</script>
```

Find the largest number: max.html

- needs an `if` to test whether new number is bigger
- needs another relational operator
- needs `parseInt` or `parseFloat` to treat input as a number

```
var max = 0
var num
num = prompt("Enter new value, or 0 to end")
while (num != 0) {
  if (parseFloat(num) > max)
    max = num
  num = prompt("Enter new value, or 0 to end")
}
document.write("<P> Max = " + max)
```

Variables, constants, expressions, operators

- a **variable** is a place in memory that holds a value
 - has a **name** that the programmer gave it, like `sum` or `Area` or `n`
 - in Javascript, can hold any of multiple types, most often numbers like 1 or 3.14, or sequences of characters like "Hello" or "Enter new value"
 - always has a **value**
 - has to be set to some value initially before it can be used
 - its value will generally change as the program runs
 - ultimately corresponds to a location in memory
 - but it's easier to think of it just as a name for information
- a **constant** is an unchanging literal value like 3 or "hello"
- an **expression** uses operators, variables and constants to compute a value
 - `3.14 * rad * rad`
- **operators** include `+` `-` `*` `/`

Types, declarations, conversions

- variables have to be declared in a `var` statement
- each variable holds information of a specific **type**
 - really means that bits are to be interpreted as info of that type
 - internally, 3 and 3.00 and "3.00" are represented differently
- Javascript usually infers types from context, does conversions automatically
 - `"Sum = " + sum`
- sometimes we have to be explicit:
 - `parseInt(...)` if can't tell from context that string is meant as an integer
 - `parseFloat(...)` if it could have a fractional part

Computing area: area.html

```
var rad, area;
rad = prompt("Enter radius")
while (rad != null) {
  area = 3.14 * rad * rad
  document.write("<P> radius = " + rad + ", area = " + area)
  rad = prompt("Enter radius")
}
```

- how to terminate the loop
 - 0 is a valid data value
 - `prompt()` returns null for Cancel and "" for OK without typing any text
- string concatenation to build up output line
- no exponentiation operator so we use multiplication

Making decisions and repeating statements

- **if-else** statement makes decisions
 - the Javascript version of decisions written with `ifzero`, `ifpos`, ...
- ```
if (condition is true) {
 do this group of statements
} else {
 do this group of statements instead
}
```
- **while** statement repeats groups of statements
  - a Javascript version of loops written with `ifzero` and `goto`
- ```
while (condition is true) {
  do this group of statements
}
```

if-else examples (sign.html)

- can include else-if sections for a series of decisions:

```
var num = prompt("Enter number")
while (num != null) {
  num = parseInt(num)
  if (num > 0) {
    alert(num + " is positive")
  } else if (num < 0) {
    alert(num + " is negative")
  } else {
    alert(num + " is zero")
  }
  num = prompt("Enter number")
}
```

"while loop" examples

- counting or "indexed" loop:

```
i = 1
while (i <= 10) {
  // do something (maybe using the current value of i)
  i = i + 1
}
```

- "nested" loops (while.html):

```
var n = prompt("Enter number")
while (n != null) { // "!=" means "is not equal to"
  i = 0
  while (i <= n) {
    document.write("<br>" + i + " " + i*i)
    i = i + 1
  }
  n = prompt("Enter number")
}
```

Functions

- a function is a group of statements that does some computation

- the statements are collected into one place and given a name
- other parts of the program can "call" the function that is, use it as a part of whatever they are doing
- can give it values to use in its computation (arguments or parameters)
- computes a value that can be used in expressions
- the value need not be used

- Javascript provides some useful built-in functions

- e.g., prompt, alert, ...

- you can write your own functions

Function examples

- syntax

```
function name (list of "arguments") {
  the statements of the function
}
```

- function definition:

```
function area(r) {
  return 3.14 * r * r
}
```

- function uses:

```
rad = prompt("Enter radius")
alert("radius = " + rad + ", area = " + area(rad))

alert("area of ring = " + area(1.75) - area(0.6))
```

Ring.html

```
var r1, r2;
r1 = prompt("Enter radius 1")
while (r1 != null) {
  r2 = prompt("Enter radius 2")
  alert("area = " + (area(r1) - area(r2))) // parens needed!
  r1 = prompt("Enter radius 1")
}

function area(r) {
  return 3.14 * r * r
}
```

Why use functions?

- if a computation appears several times in one program
 - a function collects it into one place
- breaks a big job into smaller, manageable pieces
 - that are separate from each other
- defines an interface
 - implementation details can be changed as long as it still does the same job
 - different implementations can interoperate
- multiple people can work on the program
- a way to use code written by others long ago and far away
 - most of Javascript's library of useful stuff is accessed through functions
- a good library encourages use of the language

Summary: elements of (most) programming languages

- **constants:** literal values like 1, 3.14, "Error!"
- **variables:** places to store data and results during computing
- **declarations:** specify name (and type) of variables, etc.
- **expressions:** operations on variables and constants to produce new values
- **assignment:** store a new value in a variable
- **statements:** assignment, input/output, loop, conditional, call
- **conditionals:** compare and branch; if-else
- **loops:** repeat statements while a condition is true
- **functions:** package a group of statements so they can be called/used from other places in a program
- **libraries:** functions already written for you

How Javascript works

- **recall the compiler -> assembler -> machine instructions process for Fortran, C, etc.**
- **Javascript is analogous, but differs significantly in details**
- **when the browser sees Javascript in a web page** (<script> tags)
 - passes the Javascript program to a Javascript compiler
- **Javascript compiler**
 - checks for errors
 - compiles the program into instructions for something like the toy machine, but richer, more complicated, higher level
 - runs a simulator program (like the toy) that interprets these instructions
- **simulator is often called an "interpreter" or a "virtual machine"**
 - often written in C or C++ but can be written in anything
- **browser and simulator interact**
 - when an event like click happens, browser tells Javascript ("onClick")
 - Javascript tells browser to do things (pop up dialog box)

The process of programming

- **what we saw with Javascript or Toy is like reality, but very small**
- **figure out what to do**
 - start with a broad specification
 - break into smaller pieces that will work together
 - spell out precise computational steps in a programming language
- **build on a foundation (rarely start from scratch)**
 - a programming language that's suitable for expressing the steps
 - components that others have written for you
 - functions from libraries, major components, ...
 - which in turn rest on others, often for several layers
 - runs on software (the operating system) that manages the machine
- **it rarely works the first time**
 - test to be sure it works, debug if it doesn't
 - evolve as get a better idea of what to do, or as requirements change

Real-world programming

- **the same thing, but on a grand scale**
 - programs may be millions of lines of code
 - typical productivity: 1-10K lines/year/programmer
 - thousands of people working on them
 - lifetimes measured in years or even decades
- **big programs need teams, management, coordination, meetings, ...**
- **schedules and deadlines**
- **constraints on how fast the program must run, how much memory it can use**
- **external criteria for reliability, safety, security, interoperability with other systems, ...**
- **maintenance of old ("legacy") programs is hard**
 - programs must evolve to meet changing environments and requirements
 - machines and tools and languages become obsolete
 - expertise disappears