


4.2 DIRECTED GRAPHS



- ▶ digraph API
- ▶ digraph search
- ▶ topological sort
- ▶ strong components


Directed graphs

Digraph. Set of vertices connected pairwise by **directed** edges.




Road network

Vertex = intersection; edge = one-way street.



Political blogosphere graph


Vertex = political blog; edge = link.



The Political Blogosphere and the 2004 U.S. Election: Divided They Blog, Adamic and Glance, 2005

Overnight interbank loan graph

Vertex = bank; edge = overnight loan.




The Topology of the Federal Funds Market, Bech and Atalay, 2008

5

Implication graph


Vertex = variable; edge = logical implication.



6

Combinational circuit


Vertex = logical gate; edge = wire.



7


WordNet graph

Vertex = synset; edge = hypernym relationship.



<http://wordnet.princeton.edu>

8



digraph	vertex	directed edge
transportation	street intersection	one-way street
web	web page	hyperlink
food web	species	predator-prey relationship
WordNet	synset	hypernym
scheduling	task	precedence constraint
financial	bank	transaction
cell phone	person	placed call
infectious disease	person	infection
game	board position	legal move
citation	journal article	citation
object graph	object	pointer
inheritance hierarchy	class	inherits from
control flow	code block	jump

Some digraph problems

Path. Is there a directed path from s to t ?

Shortest path. What is the shortest directed path from s to t ?

Topological sort. Can you draw the digraph so that all edges point upwards?

Strong connectivity. Is there a directed path between all pairs of vertices?

Transitive closure. For which vertices v and w is there a path from v to w ?

PageRank. What is the importance of a web page?

- ▶ digraph API
- ▶ digraph search
- ▶ topological sort
- ▶ strong components

Digraph API

public class Digraph	
<code>Digraph(int V)</code>	<i>create an empty digraph with V vertices</i>
<code>Digraph(In in)</code>	<i>create a digraph from input stream</i>
<code>void addEdge(int v, int w)</code>	<i>add a directed edge v→w</i>
<code>Iterable<Integer> adj(int v)</code>	<i>vertices pointing from v</i>
<code>int V()</code>	<i>number of vertices</i>
<code>int E()</code>	<i>number of edges</i>
<code>Digraph reverse()</code>	<i>reverse of this digraph</i>
<code>String toString()</code>	<i>string representation</i>

```
In in = new In(args[0]);
Digraph G = new Digraph(in);
```

← read digraph from input stream


```
for (int v = 0; v < G.V(); v++)
  for (int w : G.adj(v))
    StdOut.println(v + "->" + w);
```

← print out each edge (once)

13

Digraph API

```
V → 13
      22 ← E
4 2
2 3
3 2
6 0
0 1
2 0
11 12
12 9
9 10
9 11
8 9
10 12
11 4
4 3
3 5
7 8
8 7
5 4
0 5
6 4
6 9
7 6
```



```
% java TestDigraph tinyDG.txt
0->5
0->1
2->0
2->3
2->4
3->5
4->3
4->2
5->4
6->9
6->4
6->0
...
11->4
11->12
12->9
```

```
In in = new In(args[0]);
Digraph G = new Digraph(in);
```

← read digraph from input stream


```
for (int v = 0; v < G.V(); v++)
  for (int w : G.adj(v))
    StdOut.println(v + "->" + w);
```

← print out each edge (once)

14

Adjacency-lists digraph representation

Maintain vertex-indexed array of lists (use `Bag` abstraction).



15

Adjacency-lists digraph representation: Java implementation

Same as `Graph`, but only insert one copy of each edge.

```
public class Digraph
{
  private final int V;
  private final Bag<Integer>[] adj; ← adjacency lists

  public Digraph(int V)
  {
    this.V = V;
    adj = (Bag<Integer>[]) new Bag[V]; ← create empty graph with V vertices
    for (int v = 0; v < V; v++)
      adj[v] = new Bag<Integer>();
  }

  public void addEdge(int v, int w) ← add edge from v to w
  { adj[v].add(w); }

  public Iterable<Integer> adj(int v) ← iterator for vertices pointing from v
  { return adj[v]; }
}
```

16

Digraph representations

In practice. Use adjacency-lists representation.

- Algorithms based on iterating over vertices pointing from v .
- Real-world digraphs tend to be sparse.

↖ huge number of vertices,
small average vertex degree

representation	space	insert edge from v to w	edge from v to w ?	iterate over vertices pointing from v ?
list of edges	E	1	E	E
adjacency matrix	V^2	1 †	1	V
adjacency lists	$E + V$	1	outdegree(v)	outdegree(v)

† disallows parallel edges

17

▶ digraph API

▶ digraph search


▶ topological sort

▶ strong components

18

Reachability

Problem. Find all vertices reachable from s along a directed path.



19

Depth-first search in digraphs


Same method as for undirected graphs.

- Every undirected graph is a digraph (with edges in both directions).
- DFS is a **digraph** algorithm.

DFS (to visit a vertex v)

Mark v as visited.

Recursively visit all unmarked
vertices w pointing from v .



20

Recall code for **undirected** graphs.

```

public class DepthFirstSearch
{
    private boolean[] marked;

    public DepthFirstSearch(Graph G, int s)
    {
        marked = new boolean[G.V()];
        dfs(G, s);
    }

    private void dfs(Graph G, int v)
    {
        marked[v] = true;
        for (int w : G.adj(v))
            if (!marked[w]) dfs(G, w);
    }

    public boolean visited(int v)
    { return marked[v]; }
}
    
```

Annotations:

- true if path to s
- constructor marks vertices connected to s
- recursive DFS does the work
- client can ask whether any vertex is connected to s

Code for **directed** graphs identical to undirected one.
[substitute `Digraph` for `Graph`]

```

public class DirectedDFS
{
    private boolean[] marked;

    public DirectedDFS(Digraph G, int s)
    {
        marked = new boolean[G.V()];
        dfs(G, s);
    }

    private void dfs(Digraph G, int v)
    {
        marked[v] = true;
        for (int w : G.adj(v))
            if (!marked[w]) dfs(G, w);
    }

    public boolean visited(int v)
    { return marked[v]; }
}
    
```

Annotations:

- true if path from s
- constructor marks vertices reachable from s
- recursive DFS does the work
- client can ask whether any vertex is reachable from s

Every program is a digraph.


- Vertex = basic block of instructions (straight-line program).
- Edge = jump.

Dead-code elimination.

Find (and remove) unreachable code.

Infinite-loop detection.

Determine whether exit is unreachable.




Every data structure is a digraph.

- Vertex = object.
- Edge = reference.

Roots. Objects known to be directly accessible by program (e.g., stack).

Reachable objects. Objects indirectly accessible by program (starting at a root and following a chain of pointers).




25

Mark-sweep algorithm. [McCarthy, 1960]

- **Mark:** mark all reachable objects.
- **Sweep:** if object is unmarked, it is garbage (so add to free list).

Memory cost. Uses 1 extra mark bit per object, plus DFS stack.



26

Depth-first search in digraphs summary

DFS enables direct solution of simple digraph problems.

- ✓ • Reachability.
- Path finding.
- Topological sort.
- Directed cycle detection.
- Transitive closure.

Basis for solving difficult digraph problems.

- Directed Euler path.
- Strongly-connected components.

27

Breadth-first search in digraphs

Same method as for undirected graphs.


- Every undirected graph is a digraph (with edges in both directions).
- BFS is a **digraph** algorithm.

BFS (from source vertex s)

Put s onto a FIFO queue, and mark s as visited.

Repeat until the queue is empty:

- remove the least recently added vertex v
- for each unmarked vertex pointing from v :
add to queue and mark as visited..




Proposition. BFS computes shortest paths (fewest number of edges).

28

Multiple-source shortest paths

Multiple-source shortest paths. Given a digraph and a **set** of source vertices, find shortest path from any vertex in the set to a target vertex v .

Ex. Shortest path from $\{1, 7, 10\}$ to 5 is $7 \rightarrow 6 \rightarrow 4 \rightarrow 3 \rightarrow 5$.



Q. How to implement multi-source constructor?

A. Use BFS, but initialize by enqueueing all source vertices.

29


Breadth-first search in digraphs application: web crawler

Goal. Crawl web, starting from some root web page, say `www.princeton.edu`.

Solution. BFS with implicit graph.

BFS.

- Choose root web page as source s .
- Maintain a `Queue` of websites to explore.
- Maintain a `SET` of discovered websites.
- Dequeue the next website and enqueue websites to which it links (provided you haven't done so before).



Q. Why not use DFS?

30

Bare-bones web crawler: Java implementation

```
Queue<String> queue = new Queue<String>();  
SET<String> visited = new SET<String>();  
  
String s = "http://www.princeton.edu";  
queue.enqueue(s);  
visited.add(s);  
  
while (!queue.isEmpty())  
{  
    String v = queue.dequeue();  
    StdOut.println(v);  
    In in = new In(v);  
    String input = in.readAll();  
  
    String regexp = "http://(\\w+\\.\\w+)*\\.\\w+";  
    Pattern pattern = Pattern.compile(regexp);  
    Matcher matcher = pattern.matcher(input);  
    while (matcher.find())  
    {  
        String w = matcher.group();  
        if (!visited.contains(w))  
        {  
            visited.add(w);  
            queue.enqueue(w);  
        }  
    }  
}
```

← queue of websites to crawl
← set of visited websites

← start crawling from website s

← read in raw html from next website in queue

← use regular expression to find all URLs in website of form `http://xxx.yyy.zzz`

← if unvisited, mark as visited and put on queue

31

- ▶ digraph API
- ▶ digraph search
- ▶ **topological sort**
- ▶ strong components

32


Precedence scheduling

Goal. Given a set of tasks to be completed with precedence constraints, in which order should we schedule the tasks?


Graph model. vertex = task; edge = precedence constraint.

0. Algorithms
1. Complexity Theory
2. Artificial Intelligence
3. Intro to CS
4. Cryptography
5. Scientific Computing
6. Advanced Programming

tasks



precedence constraint graph



feasible schedule

33


Topological sort

DAG. Directed **acyclic** graph.


Topological sort. Redraw DAG so all edges point up.

```
0→5 0→2
0→1 3→6
3→5 3→4
5→4 6→4
6→0 3→2
1→4
```

directed edges



DAG



topological order

34

Solution. DFS. What else?

Topological sort demo

Depth-first search order

```
public class DepthFirstOrder
{
    private boolean[] marked;
    private Stack<Integer> reversePost;

    public DepthFirstOrder(Digraph G)
    {
        reversePost = new Stack<Integer>();
        marked = new boolean[G.V()];
        for (int v = 0; v < G.V(); v++)
            if (!marked[v]) dfs(G, v);
    }

    private void dfs(Digraph G, int v)
    {
        marked[v] = true;
        for (int w : G.adj(v))
            if (!marked[w]) dfs(G, w);
        reversePost.push(v);
    }


    public Iterable<Integer> reversePost()
    { return reversePost; }
}
```

returns all vertices in
"reverse DFS postorder"

35


36

Reverse DFS postorder in a DAG



0→5
0→2
0→1
3→6
3→5
3→4
5→4
6→4
6→0
3→2
1→4

	marked[]	reversePost
dfs(0)	1 0 0 0 0 0 0	-
dfs(1)	1 1 0 0 0 0 0	-
dfs(4)	1 1 0 0 1 0 0	-
4 done	1 1 0 0 1 0 0	4
1 done	1 1 0 0 1 0 0	4 1
dfs(2)	1 1 1 0 1 0 0	4 1
2 done	1 1 1 0 1 0 0	4 1 2
dfs(5)	1 1 1 0 1 1 0	4 1 2
check 2	1 1 1 0 1 1 0	4 1 2
5 done	1 1 1 0 1 1 0	4 1 2 5
0 done	1 1 1 0 1 1 0	4 1 2 5 0
check 1	1 1 1 0 1 1 0	4 1 2 5 0
check 2	1 1 1 0 1 1 0	4 1 2 5 0
dfs(3)	1 1 1 1 1 1 0	4 1 2 5 0
check 2	1 1 1 1 1 1 0	4 1 2 5 0
check 4	1 1 1 1 1 1 0	4 1 2 5 0
check 5	1 1 1 1 1 1 0	4 1 2 5 0
dfs(6)	1 1 1 1 1 1 1	4 1 2 5 0
6 done	1 1 1 1 1 1 1	4 1 2 5 0 6
3 done	1 1 1 1 1 1 1	4 1 2 5 0 6 3
check 4	1 1 1 1 1 1 0	4 1 2 5 0 6 3
check 5	1 1 1 1 1 1 0	4 1 2 5 0 6 3
check 6	1 1 1 1 1 1 0	4 1 2 5 0 6 3
done	1 1 1 1 1 1 1	4 1 2 5 0 6 3




reverse DFS postorder is a topological order!

Topological sort in a DAG: correctness proof

Proposition. Reverse DFS postorder of a DAG is a topological order.

Pf. Consider any edge $v \rightarrow w$. When $\text{dfs}(G, v)$ is called:

- Case 1: $\text{dfs}(G, w)$ has already been called and returned. Thus, w was done before v .
- Case 2: $\text{dfs}(G, w)$ has not yet been called. It will get called directly or indirectly by $\text{dfs}(G, v)$ and will finish before $\text{dfs}(G, v)$. Thus, w will be done before v .
- Case 3: $\text{dfs}(G, w)$ has already been called, but has not returned. Can't happen in a DAG: function call stack contains path from w to v , so $v \rightarrow w$ would complete a cycle.



all vertices adjacent from 3 are done before 3 is done, so they appear after 3 in topological order


Directed cycle detection

Proposition. A digraph has a topological order iff no directed cycle.

Pf.

- If directed cycle, topological order impossible.
- If no directed cycle, DFS-based algorithm finds a topological order.

Goal. Given a digraph, find a directed cycle.



Solution. DFS. What else? See textbook.

Directed cycle detection application: precedence scheduling

Scheduling. Given a set of tasks to be completed with precedence constraints, in what order should we schedule the tasks?

DEPARTMENT	COURSE	DESCRIPTION	PREREQS
COMPUTER SCIENCE	CPSC 432	INTERMEDIATE COMPILER DESIGN, WITH A FOCUS ON DEPENDENCY RESOLUTION.	CPSC 432

<http://xkcd.com/754>

Remark. A directed cycle implies scheduling problem is infeasible.

Directed cycle detection application: cyclic inheritance

The Java compiler does cycle detection.

```
public class A extends B
{
    ...
}
```

```
public class B extends C
{
    ...
}
```


```
public class C extends A
{
    ...
}
```

```
% javac A.java
A.java:1: cyclic inheritance
involving A
public class A extends B { }
      ^
1 error
```

41

Directed cycle detection application: spreadsheet recalculation

Microsoft Excel does cycle detection (and has a circular reference toolbar!)



42

Directed cycle detection application: symbolic links

The Linux file system does **not** do cycle detection.

```
% ln -s a.txt b.txt
% ln -s b.txt c.txt
% ln -s c.txt a.txt
```

```
% more a.txt
```

```
a.txt: Too many levels of symbolic links
```

43

Directed cycle detection application: WordNet

The WordNet database (occasionally) has directed cycles.

WordNet Search - 3.0 - [WordNet home page](#) - [Glossary](#) - [Help](#)

Word to search for:

Display Options:

Key: 'S' = Show Synset (semantic) relations, 'W' = Show Word (lexical) relations

Verb

- [S: \(v\)](#) [stifle, dampen](#) (smother or suppress) "Stifle your curiosity"
 - [direct troponym / full troponym](#)
 - [direct hypernym / inherited hypernym / sister term](#)
 - [S: \(v\)](#) [suppress, stamp down, inhibit, subdue, conquer, curb](#) (to put down by force or authority) "suppress a nascent uprising"; "stamp down on littering"; "conquer one's desires"
 - [direct troponym / full troponym](#)
 - [direct hypernym / inherited hypernym / sister term](#)
 - [S: \(v\)](#) [control, hold in, hold, contain, check, curb, moderate](#) (lessen the intensity of; temper, hold in restraint; hold or keep within limits) "moderate your alcohol intake"; "hold your tongue"; "hold your temper"; "control your anger"
 - [direct troponym / full troponym](#)
 - [direct hypernym / inherited hypernym / sister term](#)
 - [S: \(v\)](#) [restrain, keep, keep back, hold back](#) (keep under control; keep in check) "suppress a smile"; "Keep your temper"; "keep your cool"
 - [direct troponym / full troponym](#)
 - [direct hypernym / inherited hypernym / sister term](#)
 - [S: \(v\)](#) [inhibit, bottle up, suppress](#) (control and refrain from showing, of emotions, desires, impulses, or behavior)
 - [direct troponym / full troponym](#)
 - [direct hypernym / inherited hypernym / sister term](#)
 - [S: \(v\)](#) [restrain, keep, keep back, hold back](#) (keep under control; keep in check) "suppress a smile"; "Keep your temper"; "keep your cool"
 - [direct troponym / full troponym](#)
 - [direct hypernym / inherited hypernym / sister term](#)
 - [S: \(v\)](#) [inhibit, bottle up, suppress](#) (control and refrain from showing, of emotions, desires, impulses, or behavior)
 - [derivationally related form](#)
 - [sentence frame](#)
 - [derivationally related form](#)

44

- ▶ digraph API
- ▶ digraph search
- ▶ topological sort
- ▶ **strong components**

45


Strongly-connected components

Def. Vertices v and w are **strongly connected** if there is a directed path from v to w **and** a directed path from w to v .

Key property. Strong connectivity is an **equivalence relation**:

- v is strongly connected to v .
- If v is strongly connected to w , then w is strongly connected to v .
- If v is strongly connected to w and w to x , then v is strongly connected to x .


Def. A **strong component** is a maximal subset of strongly-connected vertices.



46

Connected components vs. strongly-connected components

v and w are **connected** if there is a path between v and w




connected component id (easy to compute with DFS)

	0	1	2	3	4	5	6	7	8	9	10	11	12
cc[]	0	0	0	0	0	0	1	1	1	2	2	2	2

```
public int connected(int v, int w)
{ return cc[v] == cc[w]; }
```

constant-time client connectivity query

v and w are **strongly connected** if there is a directed path from v to w and a directed path from w to v



strongly-connected component id (how to compute?)

	0	1	2	3	4	5	6	7	8	9	10	11	12
scc[]	1	0	1	1	1	1	3	4	4	2	2	2	2


```
public int stronglyConnected(int v, int w)
{ return scc[v] == scc[w]; }
```

constant-time client strong-connectivity query

47

Strong component application: ecological food webs

Food web graph. Vertex = species; edge = from producer to consumer.



<http://www.twingroves.district96.k12.il.us/Wetlands/Salamander/SalGraphics/salfoodweb.gif>


Strong component. Subset of species with common energy flow.

48


Strong component application: software modules

Software module dependency graph.

- Vertex = software module.
- Edge: from module to dependency.



Firefox



Internet Explorer

Strong component. Subset of mutually interacting modules.

Approach 1. Package strong components together.

Approach 2. Use to improve design!

Strong components algorithms: brief history

1960s: Core OR problem.

- Widely studied; some practical algorithms.
- Complexity not understood.

1972: linear-time DFS algorithm (Tarjan).

- Classic algorithm.
- Level of difficulty: Algs4++.
- Demonstrated broad applicability and importance of DFS.

1980s: easy two-pass linear-time algorithm (Kosaraju).

- Forgot notes for lecture; developed algorithm in order to teach it!
- Later found in Russian scientific literature (1972).

1990s: more easy linear-time algorithms.

- Gabow: fixed old OR algorithm.
- Cheriyan-Mehlhorn: needed one-pass algorithm for LEDA.

Kosaraju's algorithm: intuition


Reverse graph. Strong components in G are same as in G^R .

Kernel DAG. Contract each strong component into a single vertex.


Idea.

- Compute topological order (reverse postorder) in kernel DAG.
- Run DFS, considering vertices in reverse topological order.

how to compute?



digraph G and its strong components




kernel DAG of G


Kosaraju's algorithm

Simple (but mysterious) algorithm for computing strong components.

- Run DFS on G^R to compute reverse postorder.
- Run DFS on G , considering vertices in order given by first DFS.



check unmarked vertices in the order
0 1 2 3 4 5 6 7 8 9 10 11 12



1 0 2 4 5 3 11 9 12 10 6 7 8


reverse postorder

```
dfs(0)
  dfs(6)
    dfs(7)
      dfs(8)
        | check 7
        | 8 done
        | 7 done
        | 6 done
      dfs(2)
        dfs(4)
          dfs(11)
            dfs(9)
              dfs(12)
                | check 11
                | ...
```

Kosaraju's algorithm

Simple (but mysterious) algorithm for computing strong components.

- Run DFS on G^R to compute reverse postorder.
- Run DFS on G , considering vertices in order given by first DFS.



Proposition. Second DFS gives strong components. (!!)