



Performance Improvement Revisited

1



Goals of this Lecture

- **Help you learn how to:**
 - Improve program performance by exploiting knowledge of underlying system
 - Compiler capabilities
 - Hardware architecture
 - Program execution
- **And thereby:**
 - Help you to write efficient programs
 - Review material from the second half of the course

2

Improving Program Performance



- Most programs are already “fast enough”
 - No need to optimize performance at all
 - Save your time, and keep the program simple/readable
- Most parts of a program are already “fast enough”
 - Usually only a small part makes the program run slowly
 - Optimize *only* this portion of the program, as needed
- Steps to improve execution (time) efficiency
 - Do timing studies (e.g., gprof)
 - Identify hot spots
 - **Optimize that part of the program**
 - Repeat as needed

3

Ways to Optimize Performance



- Better data structures and algorithms
 - Improves the “*asymptotic complexity*”
 - Better scaling of computation/storage as input grows
 - E.g., going from $O(n^2)$ sorting algorithm to $O(n \log n)$
 - Clearly important if large inputs are expected
 - Requires understanding data structures and algorithms
- Better source code the compiler can optimize
 - Improves the “*constant factors*”
 - Faster computation during each iteration of a loop
 - E.g., going from $1000n$ to $10n$ running time
 - Clearly important if a portion of code is running slowly
 - Requires understanding hardware, compiler, execution

4



Helping the Compiler Do Its Job

5



Optimizing Compilers

- Provide efficient mapping of program to machine
 - Register allocation
 - Code selection and ordering
 - Eliminating minor inefficiencies
- Don't (usually) improve asymptotic efficiency
 - Up to the programmer to select best overall algorithm
- Have difficulty overcoming “optimization blockers”
 - Potential function side-effects
 - Potential memory aliasing

6

Limitations of Optimizing Compilers


- **Fundamental constraint**
 - Compiler must not change program behavior
 - Even under rare pathological inputs
- **Behavior that may be obvious to the programmer can be obfuscated by languages and coding styles**
 - Data ranges more limited than variable types suggest
 - Array elements remain unchanged by function calls
- **Most analysis is performed only within functions**
 - Whole-program analysis is too expensive in most cases
- **Most analysis is based only on static information**
 - Compiler has difficulty anticipating run-time inputs

7

Avoiding Repeated Computation

- **A good compiler recognizes simple optimizations**
 - Avoiding redundant computations in simple loops
 - Still, programmer may still want to make it explicit
- **Example**
 - Repetition of computation: $n * i$

```
for (i = 0; i < n; i++)  
  for (j = 0; j < n; j++)  
    a[n*i + j] = b[j];
```



```
for (i = 0; i < n; i++) {  
  int ni = n * i;  
  for (j = 0; j < n; j++)  
    a[ni + j] = b[j];  
}
```

8

Worrying About Side Effects



- Is this transformation okay?

```
int func1(int x) {  
    return f(x) + f(x) + f(x) + f(x);  
}
```

```
int func1(int x) {  
    return 4 * f(x);  
}
```

- Not necessarily, if

```
int counter = 0;  
  
int f(int x) {  
    return counter++;  
}
```

And this function may be defined in another file known only at link time

- Compiler cannot always avoid repeated computation
 - May not know if the code has a “side effect”
 - ... that makes the transformation change the code’s behavior

9

Another Example on Side Effects



- Is this optimization okay for compiler to do?

```
for (i = 0; i < strlen(s); i++) {  
    /* Do something with s[i] */  
}
```

```
length = strlen(s);  
for (i = 0; i < length; i++) {  
    /* Do something with s[i] */  
}
```

- Short answer: it depends
 - Compiler often cannot tell
 - Most compilers do not try to identify side effects
- Programmer knows best
 - And can decide whether the optimization is safe


10

Memory Aliasing



- Is this optimization okay?

```
void twiddle(int *xp, int *yp) {  
    *xp += *yp;  
    *xp += *yp;  
}
```



```
void twiddle(int *xp, int *yp) {  
    *xp += 2 * *yp;  
}
```


- Not necessarily, what if *xp* and *yp* are equal?
 - First version: result is 4 times **xp*
 - Second version: result is 3 times **xp*

11

Memory Aliasing



- Memory aliasing
 - Single data location accessed through multiple names
 - E.g., two pointers that point to the same memory location
- Modifying the data using one name
 - Implicitly modifies the values seen through other names



- Blocks optimization by the compiler
 - The compiler cannot tell when aliasing may occur
 - ... and so must forgo optimizing the code
- Programmer often *does* know
 - And *can* optimize the code accordingly


12

Another Aliasing Example



- Is this optimization okay?

```
int *x, *y;  
...  
*x = 5;  
*y = 10;  
printf("x=%d\n", *x);
```



```
printf("x=5\n");
```

- Not necessarily
 - If y and x point to the same location in memory...
 - ... the correct output is "x = 10\n"

13

Summary: Helping the Compiler



- Compiler can perform many optimizations
 - Register allocation
 - Code selection and ordering
 - Eliminating minor inefficiencies
- But often the compiler needs your help
 - Knowing if code is free of side effects
 - Knowing if memory aliasing will not happen
- Modifying the code can lead to better performance
 - Profile the code to identify the "hot spots"
 - Look at the assembly language the compiler produces
 - Rewrite the code to get the compiler to do the right thing

14



Exploiting the Hardware

15



Underlying Hardware

- **Implements a collection of instructions**
 - Instruction set varies from one architecture to another
 - Some instructions may be faster than others
- **Registers and caches are faster than main memory**
 - Number of registers and sizes of caches vary
 - Exploiting both spatial and temporal locality
- **Exploits opportunities for parallelism**
 - **Pipelining**: decoding one instruction while running another
 - Benefits from code that runs in a sequence
 - **Superscalar**: perform multiple operations per clock cycle
 - Benefits from operations that can run independently
 - **Speculative execution**: performing instructions before knowing they will be reached (e.g., without knowing outcome of a branch)

16

Addition Faster Than Multiplication



- Adding instead of multiplying
 - Addition is faster than multiplication
- Recognize sequences in products
 - Replace multiplication with repeated addition

```
for (i = 0; i < n; i++) {  
    int ni = n * i;  
    for (j = 0; j < n; j++)  
        a[ni + j] = b[j];  
}
```

```
int ni = 0;  
for (i = 0; i < n; i++) {  
    for (j = 0; j < n; j++)  
        a[ni + j] = b[j];  
    ni += n;  
}
```

17

Bit Operations Faster Than Arithmetic



- Use shifts to multiply/divide by powers of 2

- “x >> 3” is faster than “x/8”

- “x << 3” is faster than “x * 8”

53 0 0 1 1 0 1 0 1

53<<2 1 1 0 1 0 0 0 0

- Bit masking is faster than mod operation

- “x & 15” is faster than “x % 16”

53 0 0 1 1 0 1 0 1

& 15 0 0 0 0 1 1 1 1

5 0 0 0 0 0 1 0 1

18

Caching: Matrix Multiplication




- **Caches**
 - Slower than registers, but faster than main memory
 - Both instruction caches and data caches
- **Locality**
 - Temporal locality: recently-referenced items are likely to be referenced in near future
 - Spatial locality: Items with nearby addresses tend to be referenced close together in time
- **Matrix multiplication**
 - Multiply n-by-n matrices A and B, and store in matrix C
 - Performance heavily depends on effective use of caches₉

Matrix Multiply: Cache Effects



```
for (i=0; i<n; i++) {  
  for (j=0; j<n; j++) {  
    for (k=0; k<n; k++)  
      c[i][j] += a[i][k] * b[k][j];  
  }  
}
```

- **Reasonable cache effects**
 - Good spatial locality for A
 - Poor spatial locality for B
 - Good temporal locality for C



Matrix Multiply: Cache Effects




```

for (j=0; j<n; j++) {
  for (k=0; k<n; k++) {
    for (i=0; i<n; i++)
      c[i][j] += a[i][k] * b[k][j];
  }
}

```

- Rather poor cache effects
 - Bad spatial locality for A
 - Good temporal locality for B
 - Bad spatial locality for C



21

Matrix Multiply: Cache Effects




```

for (k=0; k<n; k++) {
  for (i=0; i<n; i++) {
    for (j=0; j<n; j++)
      c[i][j] += a[i][k] * b[k][j];
  }
}

```

- Good cache effects
 - Good temporal locality for A
 - Good spatial locality for B
 - Good spatial locality for C



22

Parallelism: Loop Unrolling



- What limits the performance?

```
for (i = 0; i < length; i++)  
    sum += data[i];
```

- Limited apparent parallelism
 - One main operation per iteration (plus book-keeping)
 - Not enough work to keep multiple functional units busy
 - Disruption of instruction pipeline from frequent branches
- Solution: unroll the loop
 - Perform multiple operations on each iteration

23

Parallelism: After Loop Unrolling



- Original code

```
for (i = 0; i < length; i++)  
    sum += data[i];
```

- After loop unrolling (by three)

```
/* Combine three elements at a time */  
limit = length - 2;  
for (i = 0; i < limit; i+=3)  
    sum += data[i] + data[i+1] + data[i+2];  
  
/* Finish any remaining elements */  
for ( ; i < length; i++)  
    sum += data[i];
```

24



Understanding Program Execution

25

Avoiding Function Calls



- **Function calls are expensive**
 - Caller saves registers and pushes arguments on stack
 - Callee saves registers and pushes local variables on stack
 - Call and return disrupt the sequence flow of the code
- **Function inlining:**

```
void g(void) {  
    /* Some code */  
}  
  
void f(void) {  
    ...  
    g();  
    ...  
}
```

Some compilers support
“inline” keyword directive.

```
void f(void) {  
    ...  
    /* Some code */  
    ...  
}
```

26

Writing Your Own Malloc and Free



- **Dynamic memory management**
 - `malloc()` to allocate blocks of memory
 - `free()` to free blocks of memory
- **Existing `malloc()` and `free()` implementations**
 - Designed to handle a wide range of request sizes
 - Good most of the time, but rarely the best for all workloads
- **Designing your own dynamic memory management**
 - Forego using traditional `malloc()` and `free()`, and write your own
 - E.g., if you know all blocks will be the same size
 - E.g., if you know blocks will usually be freed in the order allocated
 - E.g., <insert your known special property here>

27

Conclusion



- **Work smarter, not harder**
 - No need to optimize a program that is “fast enough”
 - Optimize only when, and where, necessary
- **Speeding up a program**
 - Better data structures and algorithms: better asymptotic behavior
 - Optimized code: smaller constants
- **Techniques for speeding up a program**
 - Coax the compiler
 - Exploit capabilities of the hardware
 - Capitalize on knowledge of program execution

28