



<http://algs4.cs.princeton.edu>

## 3.3 BALANCED SEARCH TREES

---

- ▶ *2-3 search trees*
- ▶ *red-black BSTs*
- ▶ *B-trees*

# Symbol table review

---

implementation	guarantee			average case			ordered ops?	key interface
	search	insert	delete	search hit	insert	delete		
<b>sequential search (unordered list)</b>	$N$	$N$	$N$	$N$	$N$	$N$		<code>equals()</code>
<b>binary search (ordered array)</b>	$\log N$	$N$	$N$	$\log N$	$N$	$N$	✓	<code>compareTo()</code>
<b>BST</b>	$N$	$N$	$N$	$\log N$	$\log N$	$\sqrt{N}$	✓	<code>compareTo()</code>
<b>goal</b>	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	✓	<code>compareTo()</code>

**Challenge.** Guarantee performance.

**This lecture.** 2-3 trees, **left-leaning red-black BSTs**, B-trees.



<http://algs4.cs.princeton.edu>

## 3.3 BALANCED SEARCH TREES

---

- ▶ *2-3 search trees*
- ▶ *red-black BSTs*
- ▶ *B-trees*


# 2-3 tree

Allow 1 or 2 keys per node.

- 2-node: one key, two children.
- 3-node: two keys, three children.

**Symmetric order.** Inorder traversal yields keys in ascending order.

**Perfect balance.** Every path from root to null link has same length.



## 2-3 tree demo


---

### Search.

- Compare search key against keys in node.
- Find interval containing search key.
- Follow associated link (recursively).



search for H





## 2-3 tree: insertion

---

Insertion into a 2-node at bottom.

- Add new key to 2-node to create a 3-node.

insert G




## 2-3 tree: insertion

---

### Insertion into a 3-node at bottom.

- Add new key to 3-node to create temporary 4-node.
- Move middle key in 4-node into parent.
- Repeat up the tree, as necessary.
- If you reach the root and it's a 4-node, split it into three 2-nodes.


insert Z



# 2-3 tree construction demo

---

insert S






# 2-3 tree construction demo

---

2-3 tree



## 2-3 tree: global properties

---

**Invariants.** Maintains symmetric order and perfect balance.


**Pf.** Each transformation maintains symmetric order and perfect balance.

root



parent is a 3-node

*left*




parent is a 2-node


*left*




*middle*



*right*




*right*



## 2-3 tree: performance

---

Splitting a 4-node is a **local** transformation: constant number of operations.



# Balanced search trees: quiz 1

---


What is the height of a 2-3 tree with  $N$  keys in the worst case?

- A.  $\sim \log_3 N$
- B.  $\sim \log_2 N$
- C.  $\sim 2 \log_2 N$
- D.  $\sim N$
- E. *I don't know.*

## 2-3 tree: performance

---

**Perfect balance.** Every path from root to null link has same length.




### Tree height.

- Worst case:  $\lg N$ . [all 2-nodes]
- Best case:  $\log_3 N \approx .631 \lg N$ . [all 3-nodes]
- Between 12 and 20 for a million nodes.
- Between 18 and 30 for a billion nodes.

**Bottom line.** Guaranteed **logarithmic** performance for search and insert.

# ST implementations: summary

implementation	guarantee			average case			ordered ops?	key interface
	search	insert	delete	search hit	insert	delete		
<b>sequential search (unordered list)</b>	$N$	$N$	$N$	$N$	$N$	$N$		<code>equals()</code>
<b>binary search (ordered array)</b>	$\log N$	$N$	$N$	$\log N$	$N$	$N$	✓	<code>compareTo()</code>
<b>BST</b>	$N$	$N$	$N$	$\log N$	$\log N$	$\sqrt{N}$	✓	<code>compareTo()</code>
<b>2-3 tree</b>	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	✓	<code>compareTo()</code>



but hidden constant  $c$  is large  
(depends upon implementation)

## 2-3 tree: implementation?

---

Direct implementation is complicated, because:

- Maintaining multiple node types is cumbersome.
- Need multiple compares to move down tree.
- Need to move back up the tree to split 4-nodes.
- Large number of cases for splitting.

fantasy code

```
public void put(Key key, Value val)
{
```

*“ Beautiful algorithms are not always the most useful. ”*

*— Donald Knuth*

```
    }
    if      (x.is2Node()) x.make3Node(key, val);
    else if (x.is3Node()) x.make4Node(key, val);
}
```

Bottom line. Could do it, but there's a better way.



<http://algs4.cs.princeton.edu>

## 3.3 BALANCED SEARCH TREES

---


- ▶ *2-3 search trees*
- ▶ *red-black BSTs*
- ▶ *B-trees*



# How to implement 2-3 trees with binary trees?


---

**Challenge.** How to represent a 3 node?




**Approach 1.** Regular BST.

- No way to tell a 3-node from a 2-node.
- Cannot map from BST back to 2-3 tree.




**Approach 2.** Regular BST with red "glue" nodes.

- Wastes space, wasted link.
- Code probably messy.





**Approach 3.** Regular BST with red "glue" links.

- Widely used in practice.
- Arbitrary restriction: red links lean left.



# Left-leaning red-black BSTs (Guibas-Sedgwick 1979 and Sedgwick 2007)


1. Represent 2–3 tree as a BST.
2. Use "internal" left-leaning links as "glue" for 3–nodes.




# Left-leaning red-black BSTs: 1-1 correspondence with 2-3 trees

Key property. 1-1 correspondence between 2-3 and LLRB.


red-black tree



horizontal red links



2-3 tree




# An equivalent definition

---

A BST such that:

- No node has two red links connected to it.
- Every path from root to null link has the same number of black links.
- Red links lean left.

↑  
"perfect black balance"




# Search implementation for red-black BSTs

**Observation.** Search is the same as for elementary BST (ignore color).

but runs faster  
because of better balance

```
public Val get(Key key)
{
    Node x = root;
    while (x != null)
    {
        int cmp = key.compareTo(x.key);
        if (cmp < 0) x = x.left;
        else if (cmp > 0) x = x.right;
        else if (cmp == 0) return x.val;
    }
    return null;
}
```



**Remark.** Most other ops (e.g., floor, iteration, selection) are also identical.

# Red-black BST representation


Each node is pointed to by precisely one link (from its parent)  $\Rightarrow$   
can encode color of links in nodes.

```
private static final boolean RED = true;  
private static final boolean BLACK = false;
```

```
private class Node  
{  
    Key key;  
    Value val;  
    Node left, right;  
    boolean color; // color of parent link  
}
```

```
private boolean isRed(Node x)  
{  
    if (x == null) return false;  
    return x.color == RED;  
}
```

null links are black




# Insertion into a LLRB tree: overview

---


**Basic strategy.** Maintain 1-1 correspondence with 2-3 trees.

**During internal operations, maintain:**


- Symmetric order.
  - Perfect black balance.
- [ but not necessarily color invariants ]




right-leaning  
red link



two red children  
(a temporary 4-node)



left-left red  
(a temporary 4-node)



left-right red  
(a temporary 4-node)


**How?** Apply elementary red-black BST operations: rotation and color flip.

# Elementary red-black BST operations

---

**Left rotation.** Orient a (temporarily) right-leaning red link to lean left.

rotate E left  
(before)



```
private Node rotateLeft(Node h)
{
    assert isRed(h.right);
    Node x = h.right;
    h.right = x.left;
    x.left = h;
    x.color = h.color;
    h.color = RED;
    return x;
}
```

**Invariants.** Maintains symmetric order and perfect black balance.




# Elementary red-black BST operations

---

**Left rotation.** Orient a (temporarily) right-leaning red link to lean left.

rotate E left  
(after)



```
private Node rotateLeft(Node h)
{
    assert isRed(h.right);
    Node x = h.right;
    h.right = x.left;
    x.left = h;
    x.color = h.color;
    h.color = RED;
    return x;
}
```


**Invariants.** Maintains symmetric order and perfect black balance.

# Elementary red-black BST operations

---

**Right rotation.** Orient a left-leaning red link to (temporarily) lean right.

rotate S right  
(before)



```
private Node rotateRight(Node h)
{
    assert isRed(h.left);
    Node x = h.left;
    h.left = x.right;
    x.right = h;
    x.color = h.color;
    h.color = RED;
    return x;
}
```


**Invariants.** Maintains symmetric order and perfect black balance.

# Elementary red-black BST operations

---

**Right rotation.** Orient a left-leaning red link to (temporarily) lean right.

rotate S right  
(after)




```
private Node rotateRight(Node h)
{
    assert isRed(h.left);
    Node x = h.left;
    h.left = x.right;
    x.right = h;
    x.color = h.color;
    h.color = RED;
    return x;
}
```

**Invariants.** Maintains symmetric order and perfect black balance.

# Elementary red-black BST operations

**Color flip.** Recolor to split a (temporary) 4-node.




```
private void flipColors(Node h)
{
    assert !isRed(h);
    assert isRed(h.left);
    assert isRed(h.right);
    h.color = RED;
    h.left.color = BLACK;
    h.right.color = BLACK;
}
```

**Invariants.** Maintains symmetric order and perfect black balance.

# Elementary red-black BST operations

**Color flip.** Recolor to split a (temporary) 4-node.





```
private void flipColors(Node h)
{
    assert !isRed(h);
    assert isRed(h.left);
    assert isRed(h.right);
    h.color = RED;
    h.left.color = BLACK;
    h.right.color = BLACK;
}
```

**Invariants.** Maintains symmetric order and perfect black balance.

# Insertion into a LLRB tree

Warmup 1. Insert into a tree with exactly 1 node.





# Insertion into a LLRB tree



## Case 1. Insert into a 2-node at the bottom.

- Do standard BST insert; color new link red. ← to maintain symmetric order and perfect black balance
- If new red link is a right link, rotate left. ← to fix color invariants

insert C






right link red  
so rotate left







# Insertion into a LLRB tree

Warmup 2. Insert into a tree with exactly 2 nodes.





larger



smaller



between





# Insertion into a LLRB tree


## Case 2. Insert into a 3-node at the bottom.

- Do standard BST insert; color new link red.
- Rotate to balance the 4-node (if needed).
- Flip colors to pass red link up one level.
- Rotate to make lean left (if needed).

← to maintain symmetric order and perfect black balance

← to fix color invariants

inserting H



# Insertion into a LLRB tree: passing red links up the tree


## Case 2. Insert into a 3-node at the bottom.

- Do standard BST insert; color new link red.
- Rotate to balance the 4-node (if needed).
- Flip colors to pass red link up one level.
- Rotate to make lean left (if needed).
- Repeat case 1 or case 2 up the tree (if needed).

to maintain symmetric order and perfect black balance

to fix color invariants

inserting P



# Red-black BST construction demo

---


insert S



# Red-black BST construction demo

---


red-black BST



# Insertion into a LLRB tree: Java implementation

Same code for all cases.

- Right child red, left child black: **rotate left**.
- Left child, left-left grandchild red: **rotate right**.
- Both children red: **flip colors**.



```
private Node put(Node h, Key key, Value val)
{
```

```
    if (h == null) return new Node(key, val, RED);
```

← insert at bottom  
(and color it red)

```
    int cmp = key.compareTo(h.key);
```

```
    if (cmp < 0) h.left = put(h.left, key, val);
```

```
    else if (cmp > 0) h.right = put(h.right, key, val);
```

```
    else if (cmp == 0) h.val = val;
```

```
    if (isRed(h.right) && !isRed(h.left)) h = rotateLeft(h);
```

← lean left

```
    if (isRed(h.left) && isRed(h.left.left)) h = rotateRight(h);
```

← balance 4-node  
split 4-node

```
    if (isRed(h.left) && isRed(h.right)) flipColors(h);
```

```
    return h;
```


↑ only a few extra lines of code provides near-perfect balance

```
}
```

# Insertion into a LLRB tree: visualization

---

N = 255  
max = 8  
avg = 7.0  
opt = 7.0




255 insertions in ascending order

# Insertion into a LLRB tree: visualization

---

N = 255  
max = 8  
avg = 7.0  
opt = 7.0



255 insertions in descending order

# Insertion into a LLRB tree: visualization

---

N = 255  
max = 10  
avg = 7.3  
opt = 7.0



255 random insertions



## Balanced search trees: quiz 2

---

What is the height of a LLRB tree with  $N$  keys in the worst case?

- A.  $\sim \log_3 N$
- B.  $\sim \log_2 N$
- C.  $\sim 2 \log_2 N$
- D.  $\sim N$
- E. *I don't know.*


# Balance in LLRB trees

---

**Proposition.** Height of tree is  $\leq 2 \lg N$  in the worst case.

**Pf.**


- Black height = height of corresponding 2-3 tree  $\leq \lg N$ .
- Never two red links in-a-row.



**Property.** Height of tree is  $\sim 1.0 \lg N$  in typical applications.

# ST implementations: summary

implementation	guarantee			average case			ordered ops?	key interface
	search	insert	delete	search hit	insert	delete		
<b>sequential search (unordered list)</b>	$N$	$N$	$N$	$N$	$N$	$N$		<code>equals()</code>
<b>binary search (ordered array)</b>	$\log N$	$N$	$N$	$\log N$	$N$	$N$	✓	<code>compareTo()</code>
<b>BST</b>	$N$	$N$	$N$	$\log N$	$\log N$	$\sqrt{N}$	✓	<code>compareTo()</code>
<b>2-3 tree</b>	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	✓	<code>compareTo()</code>
<b>red-black BST</b>	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	$\log N$	✓	<code>compareTo()</code>




hidden constant  $c$  is small  
(at most  $2 \lg N$  compares)

# RED-BLACK BST (WITHOUT USING A COLOR BIT)

Red-black BST representation. BST, where each node has a color bit.

Challenge. Represent without using extra memory for color.



# War story: why red-black?

---

## Xerox PARC innovations. [1970s]

- Alto.
- GUI.
- Ethernet.
- Smalltalk.
- InterPress.
- **Laser printing.**
- Bitmapped display.
- WYSIWYG text editor.
- ...



**Xerox Alto**

### A DICHROMATIC FRAMEWORK FOR BALANCED TREES

Leo J. Guibas  
*Xerox Palo Alto Research Center,*  
Palo Alto, California, and  
*Carnegie-Mellon University*

and

Robert Sedgwick\*  
Program in Computer Science  
*Brown University*  
Providence, R. I.

#### ABSTRACT

In this paper we present a uniform framework for the implementation and study of balanced tree algorithms. We show how to imbed in this

the way down towards a leaf. As we will see, this has a number of significant advantages over the older methods. We shall examine a number of variations on a common theme and exhibit full implementations which are notable for their brevity. One implementation is examined carefully, and some properties about its

# War story: red-black BSTs

---

Telephone company contracted with database provider to build real-time database to store customer information.

## Database implementation.

- Red-black BST search and insert; Hibbard deletion.
- Exceeding height limit of 80 triggered error-recovery process.


allows for up to  $2^{40}$  keys

## Extended telephone service outage.

Hibbard deletion was the problem

- Main cause = height bound exceeded!
- Telephone company sues database provider.
- Legal testimony:

*“ If implemented properly, the height of a red-black BST with  $N$  keys is at most  $2 \lg N$ . ” — expert witness*





<http://algs4.cs.princeton.edu>

## 3.3 BALANCED SEARCH TREES

---

- ▶ *2-3 search trees*
- ▶ *red-black BSTs*
- ▶ *B-trees*

# File system model


---

**Page.** Contiguous block of data (e.g., a file or 4,096-byte chunk).

**Probe.** First access to a page (e.g., from disk to memory).



slow



fast

**Property.** Time required for a probe is much larger than time to access data within a page.

**Cost model.** Number of probes.

**Goal.** Access data using minimum number of probes.




# B-trees (Bayer-McCreight, 1972)

**B-tree.** Generalize 2-3 trees by allowing up to  $M - 1$  key-link pairs per node.

- At least 2 key-link pairs at root.
- At least  $M / 2$  key-link pairs in other nodes.
- External nodes contain client keys.
- Internal nodes contain copies of keys to guide search.

choose  $M$  as large as possible so that  $M$  links fit in a page, e.g.,  $M = 1024$




Anatomy of a B-tree set ( $M = 6$ )

# Searching in a B-tree

- Start at root.
- Find interval for search key and take corresponding link.
- Search terminates in external node.


searching for E



Searching in a B-tree set (M = 6)

# Insertion in a B-tree

- Search for new key.
- Insert at bottom.
- Split nodes with  $M$  key-link pairs on the way up the tree.



Inserting a new key into a B-tree set

# Balance in B-tree

---

**Proposition.** A search or an insertion in a B-tree of order  $M$  with  $N$  keys requires between  $\log_{M-1} N$  and  $\log_{M/2} N$  probes.

**Pf.** All internal nodes (besides root) have between  $M/2$  and  $M - 1$  links.

**In practice.** Number of probes is at most 4.  $\longleftarrow$   $M = 1024$ ;  $N = 62$  billion  
 $\log_{M/2} N \leq 4$

**Optimization.** Always keep root page in memory.

# Building a large B tree



# Balanced trees in the wild

---

Red-black trees are widely used as system symbol tables.

- Java: `java.util.TreeMap`, `java.util.TreeSet`.
- C++ STL: `map`, `multimap`, `multiset`.
- Linux kernel: completely fair scheduler, `linux/rbtree.h`.
- Emacs: conservative stack scanning.


B-tree variants. B+ tree, B\*tree, B# tree, ...

B-trees (and variants) are widely used for file systems and databases.

- Windows: NTFS.
- Mac: HFS, HFS+.
- Linux: ReiserFS, XFS, Ext3FS, JFS.
- Databases: ORACLE, DB2, INGRES, SQL, PostgreSQL.

# Red-black BSTs in the wild

---



*Common sense. Sixth sense.  
Together they're the  
FBI's newest team.*

# Red-black BSTs in the wild

---

## ACT FOUR

FADE IN:

48 INT. FBI HQ - NIGHT

48

Antonio is at THE COMPUTER as Jess explains herself to Nicole and Pollock. The CONFERENCE TABLE is covered with OPEN REFERENCE BOOKS, TOURIST GUIDES, MAPS and REAMS OF PRINTOUTS.

JESS

It was the red door again.

POLLOCK

I thought the red door was the storage container.

JESS

But it wasn't red anymore. It was black.

ANTONIO

So red turning to black means... what?

POLLOCK

Budget deficits? Red ink, black ink?

NICOLE

Yes. I'm sure that's what it is. But maybe we should come up with a couple other options, just in case.

Antonio refers to his COMPUTER SCREEN, which is filled with mathematical equations.

ANTONIO

It could be an algorithm from a binary search tree. A red-black tree tracks every simple path from a node to a descendant leaf with the same number of black nodes.

JESS

Does that help you with girls?