



# The C Programming Language Part 1

"C is quirky, flawed, and an enormous success. While accidents of history surely helped, it evidently satisfied a need for a system implementation language efficient enough to displace assembly language, yet sufficiently abstract and fluent to describe algorithms and interactions in a wide variety of environments."

-- Dennis Ritchie



## What could go wrong?



### C

```
int i, x;
int a[];
struct foo {...};
struct foo *p;
```

```
a[i] = x;
p->f = x;
```

possible  
undefined  
behavior

### Java

```
int i, x;
int a[];
Class C {...};
C p;
```

```
a[i] = x;
p.f = x;
```

possible  
exception

What's the difference,  
why is it inherent in C/Java language designs,  
and why does it matter?

## Goals of this Lecture



### Help you learn about:

- The decisions that were made by the designers\* of C
- **Why** they made those decisions  
... and thereby...
- The fundamentals of C

### Why?

- Learning the design rationale of the C language provides a richer understanding of C itself
- A power programmer knows both the programming language and its design rationale

\* Dennis Ritchie, then later, members of standardization committees

## Historical context - 1972



Operating systems were programmed in assembly language (i.e., in machine instructions)

[Efficient; expressive; easy to translate to machine language; but not portable from one computer instruction set to another; hard to write programs, hard to debug, maintain...]

Application programs were in "high-level" languages such as Algol, COBOL, PL/1, (newly invented) Pascal

Goals of these languages: Ease of programming, expressiveness, structured programming, safety, data structures, portability

Not fully achieved: safety, expressiveness, portability

Not even attempted: modularity

## Goals for C language - 1972



### Program operating-systems in a "high-level" language

Need: ease of programming, (reasonable) expressiveness, structured programming, data structures, **modularity**, compilable on a 64-kilobyte computer

Don't even attempt: safety

When possible, have a bit of: portability

## Goals for C language - 1972



### Program operating-systems in a "high-level" language

Need: ease of programming, (reasonable) expressiveness, structured programming, data structures, **modularity**, compilability

Don't even attempt: safety

When possible, have a bit of: portability

## Goals for Java language - 1995

(reasonable) ease of programming, (reasonable) expressiveness, structured programming, data structures,

**modularity, safety, portability, automatic memory management**

It's not that Java was particularly innovative (in these respects). By 1995, decades of computer-science research had made it straightforward to achieve all these goals at once. In 1972, nobody knew how.

## Goals of C



Designers wanted C to:	But also:
Support system programming	Support application programming
Be low-level	Be portable
Run fast	Be portable
Be easy for people to handle	Be easy for computers to handle

Conflicting goals on multiple dimensions!

7

## Agenda



### Data Types

Operators

Statements

I/O Facilities

8

## Primitive Data Types



- **integer** data types
- **floating-point** data types
- **no character** data type (use small integer types instead)
- **no character string** data type (use arrays of small ints instead)
- **no logical or boolean** data types (use integers instead)

9

## Integer Data Types



- integer data types: **char**, **short**, **int**, **long**
- **char** is 1 byte
  - Number of bits per byte is unspecified!  
(but in the 21<sup>st</sup> century, pretty safe to assume it's 8)
- sizes of other integer type is not fully specified but *constrained*:
  - **int** is natural word size
  - $2 \leq \text{sizeof}(\text{short}) \leq \text{sizeof}(\text{int}) \leq \text{sizeof}(\text{long})$

### On CourseLab

- Natural word size: 4 bytes (but not really!)
- **char**: 1 byte
- **short**: 2 bytes
- **int**: 4 bytes
- **long**: 8 bytes

What decisions did the designers of Java make?

10

## Integer Literals



- Decimal: 123
- Octal: 0173 = 123
- Hexadecimal: 0x7B = 123
- Use "L" suffix to indicate **long** literal
- No suffix to indicate **short** literal; instead must use cast

### Examples

- **int**: 123, 0173, 0x7B
- **long**: 123L, 0173L, 0x7BL
- **short**: (short)123, (short)0173, (short)0x7B

11

## Unsigned Integer Data Types



### Both signed and unsigned integer data types

- signed integer types: **int**, **short**, **long**
- unsigned integer types: **unsigned char**, **unsigned short**, **unsigned int**, and **unsigned long**
- **char** might mean **signed char** or **unsigned char**;
- Define conversion rules for mixed-type expressions
  - Generally, mixing signed and unsigned converts signed to unsigned
  - See King book Section 7.4 for details

What decisions did the designers of Java make?

12

## Unsigned Integer Literals



### Decisions

- Default is signed
- Use "U" suffix to indicate unsigned literal

### Examples

- **unsigned int:**
  - 123U, 0173U, 0x7BU
  - 123, 0173, 0x7B will work just fine in practice; technically there is an implicit cast from signed to unsigned, but in these cases it shouldn't make a difference.
- **unsigned long:**
  - 123UL, 0173UL, 0x7BUL
- **unsigned short:**
  - (unsigned short)123, (unsigned short)0173, (unsigned short)0x7B

13

## Signed and Unsigned Integer Literals



### The rules:

The type is the first one that can represent the literal without overflow

Literal	Data Type
dd...d	int long unsigned long
Odd...d 0xdd...d	int unsigned int long unsigned long
dd...dU Odd...dU 0xdd...dU	unsigned int unsigned long
dd...dL Odd...dL 0xdd...dL	long unsigned long
dd...dUL Odd...dUL 0xdd...dUL	unsigned long

14

## Character Data Types



**Back in 1972, some computers had 6-bit bytes, some had 7-bit bytes, some had 8-bit bytes; the C language had to accommodate all these**

### By 1985, pretty much all computers had 8-bit bytes

- The ASCII character code fits in 7 bits
- One character per byte
- It would be a very strange 21<sup>st</sup>-century C compiler that supported other than 8-bit bytes

### The C character type

- **char** can hold an ASCII character
- **char** might be signed or unsigned, but since  $0 \leq \text{ASCII} \leq 127$  it doesn't really matter
- if you're using these for *arithmetic*, you might care to specify **signed char** or **unsigned char**

15

## Character Literals



- single quote syntax: 'a'
- Use backslash (the **escape character**) to express special characters

### Examples (with numeric equivalents in ASCII):

'a'	the a character (97, 01100001 <sub>B</sub> , 61 <sub>H</sub> )
'\o141'	the a character, octal character form
'\x61'	the a character, hexadecimal character form
'b'	the b character (98, 01100010 <sub>B</sub> , 62 <sub>H</sub> )
'A'	the A character (65, 01000001 <sub>B</sub> , 41 <sub>H</sub> )
'B'	the B character (66, 01000010 <sub>B</sub> , 42 <sub>H</sub> )
'\0'	the null character (0, 00000000 <sub>B</sub> , 0 <sub>H</sub> )
'0'	the zero character (48, 00110000 <sub>B</sub> , 30 <sub>H</sub> )
'1'	the one character (49, 00110001 <sub>B</sub> , 31 <sub>H</sub> )
'\n'	the newline character (10, 00001010 <sub>B</sub> , A <sub>H</sub> )
'\t'	the horizontal tab character (9, 00001001 <sub>B</sub> , 9 <sub>H</sub> )
'\'	the backslash character (92, 01011100 <sub>B</sub> , 5C <sub>H</sub> )
'\''	the single quote character (96, 01100000 <sub>B</sub> , 60 <sub>H</sub> )

16

## Strings and String Literals



**Issue: How should C represent strings and string literals?**

### Rationale:

- Natural to represent a string as a sequence of contiguous chars
- How to know where char sequence ends?
  - Store length before char sequence?
  - Store special "sentinel" char after char sequence?

17

## Strings and String Literals



### Decisions

- Adopt a convention
  - String is a sequence of contiguous chars
  - String is terminated with null char ('0')
- Use double-quote syntax (e.g. "hello") to represent a string literal
- Provide no other language features for handling strings
  - Delegate string handling to standard library functions

### Examples

- 'a' is a **char** literal
- "abcd" is a **string** literal
- "a" is a **string** literal

How many bytes?

What decisions did the designers of Java make?

18



## Floating-Point Data Types



**Back in 1972, each brand of computer had a different (and slightly incompatible) representation of floating-point numbers**

**This was standardized in 1985; now practically all computers use the IEEE 754 Floating Point standard, designed by Prof. William Kahan of the Univ. of California at Berkeley**

- three floating-point data types: `float`, `double`, and `long double`
- sizes unspecified, but constrained:  
`sizeof(float) ≤ sizeof(double) ≤ sizeof(long double)`

On CourseLab (and on pretty much any 21<sup>st</sup>-century computer)

- `float`: 4 bytes
- `double`: 8 bytes
- `long double`: 16 bytes

25

## Floating-Point Literals



- fixed-point or "scientific" notation
- Any literal that contains decimal point or "E" is floating-point
- The default floating-point type is `double`
- Append "F" to indicate `float`
- Append "L" to indicate `long double`

### Examples

- `double`: `123.456`, `1E-2`, `-1.23456E4`
- `float`: `123.456F`, `1E-2F`, `-1.23456E4F`
- `long double`: `123.456L`, `1E-2L`, `-1.23456E4L`

26

## Data Types Summary: C vs. Java



### Java only

- `boolean`, `byte`

### C only

- `unsigned char`, `unsigned short`, `unsigned int`, `unsigned long`

### Sizes

- **Java**: Sizes of all types are specified, and *portable*
- **C**: Sizes of all types except `char` are system-dependent

### Type char

- **Java**: `char` is 2 bytes (to hold all 1995-era Unicode values)
- **C**: `char` is 1 byte

27

Continued next lecture

28