

Agenda



Data Types

Operators

Statements

I/O Facilities

Operators



Computers represent integers as bits

Arithmetic operations: +, -, *, /, etc.

Bit operations: and, or, xor, shift, etc.

Typical language design (1970s): provide *abstraction* so that one does not confuse integers with their representation

The C language design: no abstraction,
revel in the “pun” between integers and their representation

Operators



Decisions

- Provide typical arithmetic operators: + - * / %
- Provide typical relational operators: == != < <= > >=
 - Each evaluates to 0 \Rightarrow FALSE or 1 \Rightarrow TRUE
- Provide typical logical operators: ! && ||
 - Each interprets 0 \Rightarrow FALSE, $\neq 0 \Rightarrow$ TRUE
 - Each evaluates to 0 \Rightarrow FALSE or 1 \Rightarrow TRUE
- Provide bitwise operators: ~ & | ^ >> <<
- Provide a cast operator: (type)



Aside: Logical vs. Bitwise Ops

Logical NOT (!) vs. bitwise NOT (~)

- ! 1 (TRUE) ⇒ 0 (FALSE)

Decimal	Binary
1	00000000 00000000 00000000 00000001
! 1	00000000 00000000 00000000 00000000

- ~ 1 (TRUE) ⇒ -2 (TRUE)

Decimal	Binary
1	00000000 00000000 00000000 00000001
~ 1	11111111 11111111 11111111 11111110

Implication:

- Use **logical** NOT to control flow of logic
- Use **bitwise** NOT only when doing bit-level manipulation



Aside: Logical vs. Bitwise Ops

Logical AND (&&) vs. bitwise AND (&)

- 2 (TRUE) && 1 (TRUE) \Rightarrow 1 (TRUE)

Decimal	Binary
2	00000000 00000000 00000000 00000010
&& 1	00000000 00000000 00000000 00000001
----	-----
1	00000000 00000000 00000000 00000001

- 2 (TRUE) & 1 (TRUE) \Rightarrow 0 (FALSE)

Decimal	Binary
2	00000000 00000000 00000000 00000010
& 1	00000000 00000000 00000000 00000001
----	-----
0	00000000 00000000 00000000 00000000

Aside: Logical vs. Bitwise Ops



Implication:

- Use **logical** AND to control flow of logic
- Use **bitwise** AND only when doing bit-level manipulation

Same for logical OR (||) and bitwise OR (|)

Assignment Operator



Typical programming language of 1970s:

Statements, Expressions

stmt ::=

- a:=exp
- | **if** exp **then** stmt **else** stmt
- | **while** exp **do** stmt
- | **begin** stmtlist **end**

stmtlist ::= stmt | stmtlist ; stmt

exp ::=

- id | exp+exp | exp-exp | -exp
- | (exp) | ...

C language: assignment is an *expression*!

stmt ::=

- exp ;
- | { stmtlist }
- | **if** (exp) stmt **else** stmt
- | **while** (exp) stmt

stmtlist ::= stmt | stmtlist stmt

exp ::=

- id | exp+exp | exp-exp | -exp
- | id=exp | exp,exp | exp?exp:exp
- | (exp) | ...

Assignment Operator



Decisions

- Provide assignment **operator**: =
 - Side effect: changes the value of a variable
 - Evaluates to the new value of the variable

Assignment Operator Examples



Examples

```
i = 0;
    /* Side effect: assign 0 to i.
       Evaluate to 0.

j = i = 0; /* Assignment op has R to L associativity */
    /* Side effect: assign 0 to i.
       Evaluate to 0.
       Side effect: assign 0 to j.
       Evaluate to 0. */

while ((i = getchar()) != EOF) ...
    /* Read a character.
       Side effect: assign that character to i.
       Evaluate to that character.
       Compare that character to EOF.
       Evaluate to 0 (FALSE) or 1 (TRUE). */
```

Special-Purpose Assignment Operators



Decisions

- Provide special-purpose assignment operators:
`+= -= *= /= ~= &= |= ^= <<= >>=`

Examples

```
i += j  same as i = i + j
i /= j  same as i = i / j
i |= j  same as i = i | j
i >>= j same as i = i >> j
```

Special-Purpose Assignment Operators



Design decision

- Is it worth mucking up the language definition with this feature?
Does it really make programs any faster, or easier to read?

`+= -= *= /= ~= &= |= ^= <<= >>=`

Answer:

- Not much. But consider this example:

```
p->data[i+j*10].first->next += 1;
```

Special-Purpose Assignment Operators



Increment and decrement operators: ++ --

- Prefix and postfix forms

Examples

```
(1) i = 5;  
    j = ++i;  
  
(2) i = 5;  
    j = i++;  
  
(3) i = 5;  
    j = ++i + ++i;  
  
(4) i = 5;  
    j = i++ + i++;
```

What is the value of i? Of j?



Memory allocation

Typical programming language of 1970s:

Special program statement to allocate a new object

stmt ::=

`new p`

This is not so different from Java's `p=new(MyClass)`

Difficulties:

1.system standard allocator could be slow, or inflexible

2.What about deallocation?

- Explicit “free” leads to bugs
- Automatic garbage collection too expensive?

C language

Nothing built-in

- *malloc*, *free* functions provided in standard library

- allow programmers to roll their own allocation systems

Difficulties:

1.System standard allocator could be slow, or inflexible
(but that's mitigated by roll-your-own)

2. Explicit “free” leads to bugs

- Turns out, by now we know, automatic garbage collection isn't too expensive after all!



Sizeof Operator

Malloc function needs to be told how many bytes to allocate

```
struct foo {int a, b; float c;} *p;
```

```
p = malloc(12); /* this is correct but not portable */
```

Issue: How can programmers determine data sizes?

Rationale:

- The sizes of most primitive types are unspecified
- Sometimes programmer must know sizes of primitive types
 - E.g. when allocating memory dynamically
- Hard code data sizes \Rightarrow program not portable
- C must provide a way to determine the size of a given data type programmatically



Sizeof Operator

Decisions

- Provide a **sizeof** operator
 - Applied at compile-time
 - Operand can be a **data type**
 - Operand can be an **expression**
 - Compiler infers a data type

Examples, on CourseLab

- **sizeof(int) ⇒ 4**
- When *i* is a variable of type `int`...
- **sizeof(i) ⇒ 4**
- **sizeof(i+1)** ←
- **sizeof(i++ * ++i - 5)** ←

What is the value?



Other Operators

Issue: What other operators should C have?

Decisions

- Function call operator
 - Should mimic the familiar mathematical notation
 - `function(arg1, arg2, ...)`
- Conditional operator: `?:`
 - The only ternary operator
 - See King book
- Sequence operator: `,`
 - See King book
- Pointer-related operators: `&` `*`
 - Described later in the course
- Structure-related operators: `.` `->`
 - Described later in the course

Operators Summary: C vs. Java



Java only

- `>>>` right shift with zero fill
- `new` create an object
- `instanceof` is left operand an object of class right operand?
- `p.f` object field select

C only

- `p.f` structure field select
- `*` dereference
- `p->f` dereference then structure member select: `(*p).f`
- `&` address of
- `,` sequence
- `sizeof` compile-time size of

Operators Summary: C vs. Java



Related to type `boolean`:

- **Java:** Relational and logical operators evaluate to type `boolean`
- **C:** Relational and logical operators evaluate to type `int`
- **Java:** Logical operators take operands of type `boolean`
- **C:** Logical operators take operands of any primitive type or memory address

Agenda



Data Types

Operators

Statements

I/O Facilities

Sequence Statement




Issue: How should C implement sequence?

Decision

- **Compound statement, alias block**

```
{  
    statement1  
    statement2  
    ...  
}
```



Selection Statements



Issue: How should C implement selection?

Decisions

- **if** statement, for one-path, two-path decisions

```
if (expr)  
    statement1
```

```
if (expr)  
    statement1  
else  
    statement2
```

```
0 ⇒ FALSE  
non-0 ⇒ TRUE
```

Selection Statements



Decisions (cont.)

- **switch** and **break** statements, for multi-path decisions on a single *integerExpr*

```
switch (integerExpr)
{ case integerLiteral1:
  ...
  break;
  case integerLiteral2:
  ...
  break;
  ...
  default:
  ...
}
```

What happens
if you forget
break?



Repetition Statements

Issue: How should C implement repetition?

Decisions

- **while** statement; test at leading edge

```
while (expr)  
    statement
```

- **for** statement; test at leading edge, increment at trailing edge

```
for (initialExpr; testExpr; incrementExpr)  
    statement
```

- **do...while** statement; test at trailing edge

```
do  
    statement  
while (expr);
```

```
0 ⇒ FALSE  
non-0 ⇒ TRUE
```


Declaring Variables



Issue: Should C require variable declarations?

Rationale:

- Declaring variables allows compiler to check spelling (compile-time error messages are easier for programmer than debugging strange behavior at run time!)
- Declaring variables allows compiler to allocate memory more efficiently

Where are variables declared?



Typical 1960s language:

- Global variables

Typical 1970s language:

- Global variables
- Local variables declared just before function body

C language:

- Global variables
- Local variables can be declared at beginning of any {block}, e.g.,

```
{int i=6, j;  
    j=7;  
    if (i>j)  
        {int x; x=i+j; return x;}  
    else {int y; y=i-j; return y;}  
}
```

scope of variable y ends
at matching close brace



Repetition Statements

Decisions (cont.)

- Cannot declare loop control variable in `for` statement

```
{  
  ...  
  for (int i = 0; i < 10; i++)  
    /* Do something */  
  ...  
}
```

Illegal in C
(nobody thought of that idea in 1970s)

```
{  
  int i;  
  ...  
  for (i = 0; i < 10; i++)  
    /* Do something */  
  ...  
}
```

Legal in C



Declaring Variables

Decisions (cont.):

- Declaration statements must appear before any other kind of statement in compound statement

```
{  
    int i;  
    /* Non-declaration  
       stmts that use i. */  
    i = i+1;  
    int j;  
    /* Non-declaration  
       stmts that use j. */  
    j = j+1;  
}
```

Illegal in C
(nobody thought of
that idea in 1970s)

```
{  
    int i;  
    int j;  
    ...  
    /* Non-declaration  
       stmts that use i. */  
    i = i+1;  
    /* Non-declaration  
       stmts that use j. */  
    j = j+1;  
}
```

Legal in C

Other Control Statements



Issue: What other control statements should C provide?

Decisions

- **break** statement (revisited)
 - Breaks out of closest enclosing `switch` or repetition statement
- **continue** statement
 - Skips remainder of current loop iteration
 - Continues with next loop iteration
 - When used within `for`, still executes *incrementExpr*
- **goto** statement
 - Jump to specified **label**



Declaring Variables

Decisions:

- Require variable declarations
- Provide **declaration statement**
- Programmer specifies type of variable (and other attributes too)

Examples

- `int i;`
- `int i, j;`
- `int i = 5;`
- `const int i = 5; /* value of i cannot change */`
- `static int i; /* covered later in course */`
- `extern int i; /* covered later in course */`

Computing with Expressions



Issue: How should C implement computing with expressions?

Decisions:

- Provide **expression statement**
expression ;

Computing with Expressions



Examples

```
i = 5;
    /* Side effect: assign 5 to i.
       Evaluate to 5. Discard the 5. */

j = i + 1;
    /* Side effect: assign 6 to j.
       Evaluate to 6. Discard the 6. */

printf("hello");
    /* Side effect: print hello.
       Evaluate to 5. Discard the 5. */

i + 1;
    /* Evaluate to 6. Discard the 6. */

5;
    /* Evaluate to 5. Discard the 5. */
```


Statements Summary: C vs. Java



Declaration statement:

- **Java:** Compile-time error to use a local variable before specifying its value
- **C:** Run-time error to use a local variable before specifying its value

`final` and `const`

- **Java:** Has `final` variables
- **C:** Has `const` variables

Expression statement

- **Java:** Only expressions that have a side effect can be made into expression statements
- **C:** Any expression can be made into an expression statement

Statements Summary: C vs. Java



Compound statement:

- **Java:** Declaration statements can be placed anywhere within compound statement
- **C:** Declaration statements must appear before any other type of statement within compound statement

if statement

- **Java:** Controlling *expr* must be of type **boolean**
- **C:** Controlling *expr* can be any primitive type or a memory address (0 ⇒ FALSE, non-0 ⇒ TRUE)

while statement

- **Java:** Controlling *expr* must be of type **boolean**
- **C:** Controlling *expr* can be any primitive type or a memory address (0 ⇒ FALSE, non-0 ⇒ TRUE)

Statements Summary: C vs. Java



do...while statement

- **Java:** Controlling *expr* must be of type **boolean**
- **C:** Controlling *expr* can be of any primitive type or a memory address (0 ⇒ FALSE, non-0 ⇒ TRUE)

for statement

- **Java:** Controlling *expr* must be of type **boolean**
- **C:** Controlling *expr* can be of any primitive type or a memory address (0 ⇒ FALSE, non-0 ⇒ TRUE)

Loop control variable

- **Java:** Can declare loop control variable in *initexpr*
- **C:** Cannot declare loop control variable in *initexpr*

Statements Summary: C vs. Java



break statement

- **Java:** Also has “labeled break” statement
- **C:** Does not have “labeled break” statement

continue statement

- **Java:** Also has “labeled continue” statement
- **C:** Does not have “labeled continue” statement

goto statement

- **Java:** Not provided
- **C:** Provided (but don't use it!)

Agenda



Data Types

Operators

Statements

I/O Facilities

I/O Facilities



Issue: Should C provide I/O facilities?

(many languages of the 1960s / 1970s had built-in special-purpose commands for input/output)

Thought process

- Unix provides the **file** abstraction
 - A file is a sequence of characters with an indication of the current position
- Unix provides 3 standard files
 - Standard input, standard output, standard error
- C should be able to use those files, and others
- I/O facilities are complex
- C should be small/simple

I/O Facilities



Decisions

- Do not provide I/O facilities in the **language**
- Instead provide I/O facilities in **standard library**
 - **Constant:** `EOF`
 - **Data type:** `FILE` (described later in course)
 - **Variables:** `stdin`, `stdout`, and `stderr`
 - **Functions:** ...

Reading Characters



Issue: What functions should C provide for reading characters?

Thought process

- Need function to read a single character from `stdin`
 - ... And indicate failure



Reading Characters

Decisions

- Provide `getchar()` function*
- Define `getchar()` to return `EOF` upon failure
 - `EOF` is a special non-character `int`
- Make return type of `getchar()` wider than `char`
 - Make it `int`; that's the natural word size

Reminder

- There is no such thing as “the EOF character”

*actually, a macro...

Writing Characters



Issue: What functions should C provide for writing characters?

Thought process

- Need function to write a single character to `stdout`

Decisions

- Provide `putchar ()` function
- Define `putchar ()` to have `int` parameter
 - For symmetry with `getchar ()`

Reading Other Data Types



Issue: What functions should C provide for reading data of other primitive types?

Thought process

- Must convert external form (sequence of character codes) to internal form
- Could provide `getshort()`, `getint()`, `getfloat()`, etc.
- Could provide parameterized function to read any primitive type of data

Reading Other Data Types



Decisions

- Provide `scanf ()` function
 - Can read any primitive type of data
 - First parameter is a **format string** containing **conversion specifications**

Writing Other Data Types



Issue: What functions should C provide for writing data of other primitive types?

Thought process

- Must convert internal form to external form (sequence of character codes)
- Could provide `putshort()`, `putint()`, `putfloat()`, etc.
- Could provide parameterized function to write any primitive type of data

Writing Other Data Types



Decisions

- Provide `printf()` function
 - Can write any primitive type of data
 - First parameter is a **format string** containing **conversion specifications**

Other I/O Facilities



Issue: What other I/O functions should C provide?

Decisions

- `fopen ()`: Open a stream
- `fclose ()`: Close a stream
- `fgetc ()`: Read a character from specified stream
- `fputc ()`: Write a character to specified stream
- ~~`gets ()`: Read a line from stdin.~~ **Brain-damaged, never use this!**
- `fgets ()`: Read a line/string from specified stream
- `fputs ()`: Write a line/string to specified stream
- `fscanf ()`: Read data from specified stream
- `fprintf ()`: Write data to specified stream

Described in King book, and later in the course after covering files, arrays, and strings

Summary



C design decisions and the goals that affected them

- Data types
- Operators
- Statements
- I/O facilities

Knowing the design goals and how they affected the design decisions can yield a rich understanding of C

Appendix: The Cast Operator



Cast operator has multiple meanings:

(1) Cast between integer type and floating point type:

- Compiler generates code
- At run-time, code performs conversion

f `11000001110110110000000000000000` **-27.375**

i = (int) f

i `1111111111111111111111111111111100101` **-27**

Appendix: The Cast Operator



(2) Cast between floating point types of different sizes:

- Compiler generates code
- At run-time, code performs conversion

f 11000001110110110000000000000000 **-27.375**

d = (double) f

d 11000000001110110110000000000000
 00000000000000000000000000000000 **-27.375**

Appendix: The Cast Operator



(3) Cast between integer types of different sizes:

- Compiler generates code
- At run-time, code performs conversion

i 00000000000000000000000000000000000010 **2**

c = (char) i

c 00000010 **2**

