Software: how we tell a computer what to do

hardware: a general purpose computer

- capable of doing instructions repetitively and very fast
- doesn't do anything itself unless we tell it what to do

software: the instructions we want it to perform

- different set of instructions
 - => different program
 - => machine behaves differently
- program and data are stored in the same memory and manipulated by the same instructions

to tell a computer what to do,

- we have to spell out the steps in excruciating detail
- programming languages help handle a lot of the details

Software roadmap

algorithms

- precise but abstract descriptions of how to do a task
- how to describe algorithm speed or efficiency

programs

complete concrete descriptions of how to do a task on a real computer

programming languages

 precise notations for describing how to do tasks on a computer e.g., Toy, Javascript

real programs (big software)

- operating systems
- applications


social / political / economic / legal issues

- intellectual property: patents, copyrights, interfaces
- standards
- open source

Algorithm for becoming a computer expert (xkcd.com/627)

DEAR VARIOUS PARENTS, GRANDPARENTS, CO-WORKERS, AND OTHER "NOT COMPUTER PEOPLE."

WE DON'T MAGICALLY KNOW HOW TO DO EVERYTHING IN EVERY PROGRAM. WHEN WE HELP YOU, WE'RE USUALLY JUST DOING THIS:



PLEASE PRINT THIS FLOWCHART OUT AND TAPE IT NEAR YOUR SCREEN. CONGRATULATIONS; YOU'RE NOW THE LOCAL COMPUTER EXPERT!

Algorithms

- an <u>algorithm</u> is the computer science version of a really careful, precise, unambiguous recipe or procedure
- a sequence of steps that performs some computation
- each step is expressed in terms of basic operations whose meaning is completely specified
 - basic operations or "primitive operations" are given
 e.g., arithmetic operations
- all possible situations are covered
 - the algorithm never gets to a situation where it doesn't know what to do next
- guaranteed to stop
 - does not run forever

Linear time algorithms

lots of algorithms have this same basic form:

look at each item in turn do the same simple computation on each item:

```
does it match something (looking up a name in a list of names) count it (how many items are in the list) count it if it meets some criterion (how many of some kind in the list) remember some property of items found (largest, smallest, ...) filter it (preserve items with some property) transform it in some way (limit size, convert case of letters, ...)
```

- amount of work (running time) is proportional to amount of data
 - twice as many items will take twice as long to process
 - computation time is linearly/directly proportional to length of input

Log n algorithms

- how do we find a name in a phone book?
 - linear search requires looking at all the names
- if the names are sorted into alphabetical order, we can use binary search, which is much faster than linear
 - an example of a "divide and conquer" algorithm
- data has to be sorted
 - have to be able to access any data item equally quickly
 - "random access"
- why is binary search faster than linear searching?
 - each test / comparison cuts the number of things to search in half
- how much faster is it?
 - the number of comparison is approximately log₂ n for n items

Logarithms for COS 109

- all logs in 109 are base 2
- all logs in 109 are integers
- if N is a power of 2 like 2^m, log₂ of N is m
- if N is not a power of 2, log₂ of N is
 the number of bits needed to represent N
 the power of 2 that's bigger than N
 the number of times you can divide N by 2 before it becomes 0
- you don't need a calculator for these!
 - just figure out how many bits or what's the right power of 2
- logs are related to exponentials: log₂ 2^N is N
- it's the same as decimal, but with 2 instead of 10

Algorithms for sorting

- binary search needs sorted data
- how do we sort names into alphabetical order?
- how do we sort numbers into increasing or decreasing order?
- how do we sort a deck of cards?
- how many comparison operations does sorting take?
- "selection sort":
 - find the smallest/earliest
 using a variant of "find the largest" algorithm
 - repeat on the remaining names
 - this is what bridge players typically do when organizing a hand
- what other algorithms might work?

Quicksort: an n log n sorting algorithm

- make one pass through data, putting all small items in one pile and all large items on another pile
 - there are now two piles, each with about 1/2 of the items
 - and each item in the first pile is smaller than any item in the second
- make a second pass; for each pile, put all small items in one pile and all larger items in another pile
 - there are now four piles, each with about 1/4 of the items
 - and each item in a pile is smaller than any item in later piles
- repeat until there are n piles
 - each item is now smaller than any item in a later pile
- each pass looks at n items
- each pass divides each pile about in half; stops when pile size is 1
 - number of divisions is log n
- n log n operations

Complexity hierarchy (or part of it)

log n	logarithmic	(sub-polynomial?)
n	linear	polynomial
n log n		polynomial
n ²	quadratic	polynomial
n ³	cubic	polynomial
2 ⁿ	exponential	(not polynomial)

Algorithms in Computer Science

- study and analysis of algorithms is a major component of CS courses
 - what can be done (and what can't)
 - how to do it efficiently (fast, compact memory)
 - finding fundamentally new and better ways to do things
 - basic algorithms like searching and sorting
 - plus lots of applications with specific needs
- big programs are usually a lot of simple, straightforward parts, often intricate, occasionally clever, very rarely with a new basic algorithm, sometimes with a new algorithm for a specific task

Algorithms versus Programs

- An algorithm is the computer science version of a really careful, precise, unambiguous recipe
 - defined operations (primitives) whose meaning is completely known
 - defined sequence of steps, with all possible situations covered
 - defined condition for stopping
 - an idealized recipe
- A program is an algorithm converted into a form that a computer can process directly
 - like the difference between a blueprint and a building
 - has to worry about practical issues like finite memory, limited speed, erroneous data, etc.
 - a guaranteed recipe for a cooking robot