



Image Quantization, Halftoning, and Dithering

Thomas Funkhouser
Princeton University
COS 426, Fall 1999



Overview

- Images
 - What is an image?
- Quantization
 - Halftoning
 - Dithering

What is an Image?



- An image is a 2D rectilinear array of pixels



Continuous image



Digital image

A pixel is a sample, not a little square

Image Acquisition



- Pixels are samples from continuous function
 - Photoreceptors in eye
 - CCD cells in digital camera
 - Rays in virtual camera




Image Resolution



- Intensity resolution
 - Each pixel has only “Depth” bits for colors/intensities
- Spatial resolution
 - Image has only “Width” x “Height” pixels
- Temporal resolution
 - Monitor refreshes images at only “Rate” Hz

Typical
Resolutions

	<u>Width x Height</u>	<u>Depth</u>	<u>Rate</u>
NTSC	640 x 480	8	30
Workstation	1280 x 1024	24	75
Film	3000 x 2000	12	24
Laser Printer	6600 x 5100	1	-

Sources of Error




- Intensity quantization
 - Not enough intensity resolution
- Spatial aliasing
 - Not enough spatial resolution
- Temporal aliasing
 - Not enough temporal resolution

$$E^2 = \sum_{(x,y)} (I(x,y) - P(x,y))^2$$

Quantization





- Artifacts due to limited intensity resolution
 - Frame buffers have limited number of bits per pixel
 - Physical devices have limited dynamic range




Uniform Quantization



$$P(x, y) = \text{trunc}(I(x, y) + 0.5)$$



$I(x,y)$



$P(x,y)$
(4 bits per pixel)

Uniform Quantization



- Images with decreasing bits per pixel:



8 bits



4 bits



2 bits



1 bit

Notice contouring

Halftoning and Dithering




- Distribute errors among pixels
 - Exploit spatial integration in our eye
 - Display greater range of perceptible intensities



Original
(8 bits)



Uniform
Quantization
(1 bit)




Floyd-Steinberg
Dither
(1 bit)


Classical Halftoning



- Use dots of varying size to represent intensities
 - Area of dots proportional to intensity in image




$I(x,y)$




$P(x,y)$

Classical Halftoning



Newspaper Image



From New York Times, 9/21

Halftone patterns



- Use cluster of pixels to represent intensity
 - Trade spatial resolution for intensity resolution




Figure 14.37 from H&B

Halftone patterns



- How many intensities in a $n \times n$ cluster?






Figure 14.37 from H&B

Random Dither



- Randomize quantization errors
 - Errors appear as noise



$$P(x, y) = \text{trunc}(I(x, y) + \text{noise}(x,y) + 0.5)$$

Random Dither



Original
(8 bits)



Uniform
Quantization
(1 bit)



Random
Dither
(1 bit)

Ordered Dither



- Pseudo-random quantization errors
 - Matrix stores pattern of thresholds

$$\begin{aligned}
 i &= x \bmod n \\
 j &= y \bmod n \\
 e &= I(x,y) - \text{trunc}(I(x,y)) \\
 \text{if } (e > D(i,j)) \\
 &\quad P(x,y) = \text{ceil}(I(x, y)) \\
 \text{else} \\
 &\quad P(x,y) = \text{floor}(I(x,y))
 \end{aligned}
 \qquad
 D_2 = \begin{bmatrix} 3 & 1 \\ 0 & 2 \end{bmatrix}$$

Ordered Dither



- Bayer's ordered dither matrices

$$D_n = \begin{bmatrix} 4D_{n/2} + D_2(1,1)U_{n/2} & 4D_{n/2} + D_2(1,2)U_{n/2} \\ 4D_{n/2} + D_2(2,1)U_{n/2} & 4D_{n/2} + D_2(2,2)U_{n/2} \end{bmatrix}$$

$$D_2 = \begin{bmatrix} 3 & 1 \\ 0 & 2 \end{bmatrix}
 \qquad
 D_4 = \begin{bmatrix} 15 & 7 & 13 & 5 \\ 3 & 11 & 1 & 9 \\ 12 & 4 & 14 & 6 \\ 0 & 8 & 2 & 10 \end{bmatrix}$$


Ordered Dither



Original
(8 bits)



Random
Dither
(1 bit)




Ordered
Dither
(1 bit)

Error Diffusion Dither



- Spread quantization error over neighbor pixels
 - Error dispersed to pixels right and below



$$\alpha + \beta + \gamma + \delta = 1.0$$

Figure 14.42 from H&B

Floyd-Steinberg Algorithm




```
for (x = 0; x < width; x++) {  
    for (y = 0; y < height; y++) {  
        P(x,y) = trunc(I(x,y) + 0.5)  
        e = I(x,y) - P(x,y)  
        I(x,y+1) +=  $\alpha$ *e;  
        I(x+1,y-1) +=  $\beta$ *e;  
        I(x+1,y) +=  $\gamma$ *e;  
        I(x+1,y+1) +=  $\delta$ *e;  
    }  
}
```


Error Diffusion Dither




Original
(8 bits)



Random
Dither
(1 bit)



Ordered
Dither
(1 bit)



Floyd-Steinberg
Dither
(1 bit)

Summary



- Images have limited intensity resolution
 - Quantization
 - Halftoning
 - Dithering
- Images have limited spatial and temporal resolutions
 - More on this Friday