



# Kinematics & Dynamics

Thomas Funkhouser  
Princeton University  
COS 426, Fall 1999




## Overview

- Kinematics
  - Considers only motion
  - Determined by positions, velocities, accelerations
- Dynamics
  - Considers underlying forces
  - Compute motion from initial conditions and physics

## Example: 2-Link Structure




- Two links connected by rotational joints



## Forward Kinematics



- Animator specifies joint angles:  $\Theta_1$  and  $\Theta_2$
- Computer finds positions of end-effector:  $X$




$$X = (l_1 \cos \Theta_1 + l_2 \cos(\Theta_1 + \Theta_2), l_1 \sin \Theta_1 + l_2 \sin(\Theta_1 + \Theta_2))$$

## Forward Kinematics




- Joint motions can be specified by spline curves



## Forward Kinematics



- Joint motions can be specified by initial conditions and velocities




$$\Theta_1(0) = 60^\circ \quad \Theta_2(0) = 250^\circ$$

$$\frac{d\Theta_1}{dt} = 1.2 \quad \frac{d\Theta_2}{dt} = -0.1$$

## Example: 2-Link Structure




- What if animator knows position of “end-effector”



## Inverse Kinematics



- Animator specifies end-effector positions:  $X$
- Computer finds joint angles:  $\Theta_1$  and  $\Theta_2$ :




$$\Theta_2 = \cos^{-1} \left( \frac{x^2 + y^2 - l_1^2 - l_2^2}{2l_1l_2} \right)$$

$$\Theta_1 = \frac{-(l_2 \sin(\Theta_2)x + (l_1 + l_2 \cos(\Theta_2))y)}{(l_2 \sin(\Theta_2))y + (l_1 + l_2 \cos(\Theta_2))x}$$

## Inverse Kinematics




- End-effector positions can be specified by spline curves



## Inverse Kinematics




- Problem for more complex structures
  - System of equations is usually under-defined
  - Multiple solutions



## Inverse Kinematics




- Solution for more complex structures:
  - Find best solution (e.g., minimize energy in motion)
  - Non-linear optimization



## Kinematics



- Forward kinematics
  - Specify conditions (joint angles)
  - Compute positions of end-effectors
- Inverse kinematics
  - “Goal-directed” motion
  - Specify goal positions of end effectors
  - Compute conditions required to achieve goals



Inverse kinematics provides easier specification for many animation tasks, but it is computationally more difficult

## Overview




- Kinematics
  - Considers only motion
  - Determined by positions, velocities, accelerations
- Dynamics
  - Considers underlying forces
  - Compute motion from initial conditions and physics

## Dynamics



- Simulation of physics insures realism of motion




Lasseter '87

## Spacetime Constraints



- Animator specifies constraints:
  - What the character's physical structure is
    - » e.g., articulated figure
  - What the character has to do
    - » e.g., jump from here to there within time  $t$
  - What other physical structures are present
    - » e.g., floor to push off and land
  - How the motion should be performed
    - » e.g., minimize energy



## Spacetime Constraints




- Computer finds the “best” physical motion satisfying constraints
- Example: particle with jet propulsion
  - $\mathbf{x}(t)$  is position of particle at time  $t$
  - $\mathbf{f}(t)$  is force of jet propulsion at time  $t$
  - Particle's equation of motion is:

$$m\ddot{x} - f - mg = 0$$

- Suppose we want to move from  $a$  to  $b$  within  $t_0$  to  $t_1$  with minimum jet fuel:

$$\text{Minimize } \int_{t_0}^{t_1} |f(t)|^2 dt \quad \text{subject to } x(t_0)=a \text{ and } x(t_1)=b$$



Witkin & Kass '88



## Spacetime Constraints



- Discretize time steps:

$$\dot{x}_i = \frac{x_i - x_{i-1}}{h}$$

$$\ddot{x}_i = \frac{x_{i+1} - 2x_i + x_{i-1}}{h^2}$$

$$m \left( \ddot{x}_i = \frac{x_{i+1} - 2x_i + x_{i-1}}{h^2} \right) - f_i - mg = 0$$





$$\text{Minimize } h \sum_i |f_i|^2 \text{ subject to } x_0 = a \text{ and } x_l = b$$

Witkin & Kass '88

## Spacetime Constraints



- Solve with iterative optimization methods



Witkin & Kass '88

## Spacetime Constraints




- Advantages:
  - Free animator from having to specify details of physically realistic motion with spline curves
  - Easy to vary motions due to new parameters and/or new constraints
- Challenges:
  - Specifying constraints and objective functions
  - Avoiding local minima during optimization


## Spacetime Constraints



- Adapting motion:



Original Jump




Heavier Base

Witkin & Kass '88

## Spacetime Constraints



- Adapting motion:




Hurdle

Witkin & Kass '88

## Spacetime Constraints



- Adapting motion:




Ski Jump

Witkin & Kass '88

## Spacetime Constraints



- Editing motion:




Li et al. '99

## Spacetime Constraints



- Morphing motion:



Gleicher '98

## Spacetime Constraints




- Advantages:
  - Free animator from having to specify details of physically realistic motion with spline curves
  - Easy to vary motions due to new parameters and/or new constraints
- Challenges:
  - Specifying constraints and objective functions
  - Avoiding local minima during optimization


## Dynamics



- Other physical simulations:
  - Rigid bodies
  - Soft bodies
  - Cloth
  - Liquids
  - Gases
  - etc.



Hot Gases  
(Foster & Metaxas '97)



Cloth  
(Baraff & Witkin '98)

# Summary



- Kinematics
  - Forward kinematics
    - » Animator specifies joints (hard)
    - » Compute end-effectors (easy - assn 5!)
  - Inverse kinematics
    - » Animator specifies end-effectors (easier)
    - » Solve for joints (harder)
- Dynamics
  - Space-time constraints
    - » Animator specifies structures & constraints (easiest)
    - » Solve for motion (hardest)
  - Also other physical simulations