

Monotonicity testing over general poset domains

[Extended Abstract]

Eldar Fischer*
Technion
Haifa, Israel
eldar@cs.technion.ac.il

Sofya Raskhodnikova†
LCS, MIT
Cambridge, MA 02139
sofya@mit.edu

Eric Lehman
LCS, MIT
Cambridge, MA 02139
e_lehman@mit.edu

Ronitt Rubinfeld
NEC Research Institute
Princeton, NJ
ronitt@research.nj.nec.com

Ilan Newman*
University of Haifa
Haifa, Israel
ilan@cs.haifa.ac.il

Alex Samorodnitsky‡
Hebrew University
Jerusalem, Israel
salex@cs.huji.ac.il

ABSTRACT

The field of property testing studies algorithms that distinguish, using a small number of queries, between inputs which satisfy a given property, and those that are ‘far’ from satisfying the property. Testing properties that are defined in terms of monotonicity has been extensively investigated, primarily in the context of the monotonicity of a sequence of integers, or the monotonicity of a function over the n -dimensional hypercube $\{1, \dots, m\}^n$. These works resulted in monotonicity testers whose query complexity is at most polylogarithmic in the size of the domain.

We show that in its most general setting, testing that Boolean functions are close to monotone is equivalent, with respect to the number of required queries, to several other testing problems in logic and graph theory. These problems include: testing that a Boolean assignment of variables is close to an assignment that satisfies a specific 2-CNF formula, testing that a set of vertices is close to one that is a vertex cover of a specific graph, and testing that a set of vertices is close to a clique.

We then investigate the query complexity of monotonicity testing of both Boolean and integer functions over general partial orders. We give algorithms and lower bounds for the general problem, as well as for some interesting special cases. In proving a general lower bound, we construct graphs with combinatorial properties that may be of independent interest.

*Work done while at NEC Research Institute, Princeton, NJ.

†Supported by NTT grant. Some work done while at NEC Research Institute, Princeton, NJ.

‡Work done while at Institute for Advanced Study and at NEC Research Institute, Princeton, NJ. Supported in part by NSF (grant number CCR-9987845) and by a State of NJ grant.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

STOC’02, May 19-21, 2002, Montréal, Québec, Canada.
Copyright 2002 ACM 1-58113-495-9/02/0005 ...\$5.00.

Keywords

Algorithms, property testing, monotone functions.

1. INTRODUCTION

Property testing [24, 15] deals with a relaxation of decision problems where one is to determine whether an input satisfies a particular property or is far from satisfying it. This has recently become quite an active research area; see [23, 12] for surveys on the topic.

Monotonicity is a natural property of functions on posets. Given a poset $P = (V, \leq_P)$ and a linear order L , a function $f : V \rightarrow L$ is *monotone* if $f(u) \leq f(v)$ for all $u, v \in V$ with $v \leq_P u$. A function f is ϵ -close to monotone if we can make f monotone by changing its value on at most an ϵ fraction of the domain. Along with linearity and low-degree testing, monotonicity is one of the more studied properties in the context of property testing (see [10, 16, 8, 4, 2, 14, 11]).

Virtually all previous works deal with posets P that happen to be hypercubes of different sizes and dimensions, and provide 1-sided error testers whose complexity is at most polylogarithmic in the size of the domain. For the case where P is the linear order of size N , and L is large enough, there is an optimal testing algorithm which uses $O(\log N)$ time and queries [10]. The case when P is the n -dimensional hypercube $[M]^n$, $M = \{1, \dots, m\}$, where $u = (u_1, \dots, u_n) \leq v = (v_1, \dots, v_n)$ if $u_i \leq v_i$ for every i , was first studied and shown to have monotonicity testers with query complexity $\tilde{O}(\frac{n^2}{\epsilon} m^2 |L|)$ by [16]. The most efficient known tester for this case has complexity $O(\frac{n}{\epsilon} (\log m) (\log |L|))$ [8]. For Boolean functions, this complexity can be made independent of m [8].

Very little was known regarding lower bounds for monotonicity testing. For the case where P is the linear order of size N , the lower bound in [11] which shows that the algorithm of [10] is tight gives the only previously known non-constant lower bound for any monotonicity testing problem. In particular, no nonconstant lower bound was known for any poset when $L = \{0, 1\}$, namely, for Boolean functions. The lower bound question for the case of the Boolean hypercube, as well as for general posets, remained unresolved.

Our Results. The main objective of this work is a systematic

study of the query complexity of monotonicity testing on general posets. Our results fall into three categories: reductions between testing monotonicity and other testing problems, algorithms for testing monotonicity and lower bounds.

We begin by showing that monotonicity testing of Boolean functions over general posets is equivalent to the following three testing problems. The first is that of testing if a given assignment to Boolean variables is close to one that satisfies a fixed 2-CNF formula. The second is that of testing if a set of vertices (in a fixed) graph is close to a vertex cover. Here closeness captures the number of vertices that need to be added to make the set into a vertex cover. The third problem is that of testing if a set of vertices is close to a clique, where closeness refers to the number of vertices that need to be removed to make the set into a clique. These reductions provide additional motivation for studying monotonicity over general posets.

We next present an algorithm with an $O(\sqrt{N/\epsilon})$ query complexity for testing monotonicity over general posets with N elements, addressing an open problem posed by [8, 22]. This, in turn, yields $O(\sqrt{N/\epsilon})$ query tests for all the above equivalent properties.

We then show that no non-adaptive test which makes only a polylogarithmic number of queries exists. Our main hardness result is a lower bound of $N^{\Omega(\frac{1}{\log \log N})}$ queries for general Boolean non-adaptive monotonicity testing. This implies an adaptive lower bound of $\Omega(\frac{\log N}{\log \log N})$. This addresses the open problem raised in [8, 22], for which no previous lower bound was known. It also shows that for the above equivalent properties, monotonicity testing is the ‘essential difficult part’.

To achieve our lower bound, we show that there is a graph with N vertices that can be partitioned into $N^{\Omega(\frac{\log 1/\epsilon}{\log \log N})}$ induced matchings of size ϵN . The latter result is of independent interest: graphs with a similar property were constructed by Ruzsá and Szemerédi [25] to provide a lower bound for a Turán-like theorem. Recently they have been used by Håstad and Wigderson [18] for constructing better linearity tests¹. Motivated by conjectures in graph theory, Meshulam [21] constructed similar graphs with different parameters. Our approach is different from all of the above.

We also present lower bounds for non-adaptive monotonicity tests over the (Boolean) n -dimensional hypercube. We prove an $\Omega(\sqrt{n})$ lower bound for 1-sided error algorithms, and an $\Omega(\log n)$ lower bound for 2-sided error algorithms. These results imply the corresponding adaptive lower bounds of $\Omega(\log n)$ and $\Omega(\log \log n)$, respectively. These are the first nontrivial lower bounds for the Boolean hypercube, for both 1-sided and 2-sided error algorithms, answering the open questions raised by the works of [16, 8, 22].

Finally, the question arises as to what other posets can be tested more efficiently than the general lower bound. We show that functions over certain types of posets have tests with a number of queries that is independent of the size of the poset. For Boolean functions, this includes posets whose Hasse diagrams are trees, posets having constant size antichains, and what we call ‘top-parallel’ posets. For functions with arbitrary

¹Substituting the graphs we construct for the graphs of Ruzsá and Szemerédi in [18] yields a family of linearity tests. These tests are incomparable to those of Håstad and Wigderson, they could be better or worse depending on the distance of the tested function to the closest linear function.

ranges, this applies to posets with a linear number of comparable element pairs. We also prove that for posets derived from graphs with bounded separators, monotonicity testing of functions with arbitrary ranges requires only a logarithmic number of queries.

Organization. Section 2 introduces basic definitions and general tools. Section 3 shows the equivalence to testing 2-CNF, vertex cover and clique. Section 4 provides the test for general posets. Section 5 prepares the tools for the lower bound for general posets, while the specific constructions are given in Section 6. Section 7 presents the lower bounds for monotonicity testing over the hypercube. Finally, Section 8 contains efficient algorithms for several special classes of posets.

2. PRELIMINARIES

Property testing. A property is a collection of functions with a fixed domain V and a fixed range L . The *distance* between functions f and f' , denoted by $\text{dist}(f, f')$, is the number of domain elements on which they differ. The distance $\text{dist}(f, \mathcal{P})$ of a function f to a property \mathcal{P} is $\min_{f' \in \mathcal{P}} \text{dist}(f, f')$. Its *relative distance* to \mathcal{P} is its distance to \mathcal{P} divided by the size of the domain. A function is ϵ -far from \mathcal{P} if its relative distance to \mathcal{P} is at least ϵ .

A property is (ϵ, q) -testable if there is a randomized algorithm that for every input function f queries the values of f on at most q points of the domain, and with probability at least $\frac{2}{3}$ distinguishes between the case that f has the property and the case that f is ϵ -far from the property. The algorithm is referred to as an (ϵ, q) -test or simply an ϵ -test. An algorithm is *non-adaptive* if its queries do not depend on the answers to previous queries. An algorithm has *1-sided error* if it always accepts an input that has the property.

Monotone functions and graph labelings. Let $G = (V, E)$ be a directed graph. Let $f : V \rightarrow L$ be a labeling of V with members of a linear order L . Then f is *monotone* on G if $f(v_i) \leq f(v_j)$ for all $(v_i, v_j) \in E$. The monotonicity property, denoted by mon_G , is the set of monotone labelings of G . If there is a directed path from v_i to v_j in G , we say that v_i is *below* v_j (or v_j is *above* v_i) and denote it by $v_i \leq_G v_j$ (which is not an order relation in general). Every such pair of vertices of G imposes a constraint $f(v_i) \leq f(v_j)$. A pair of vertices (v_i, v_j) is *violated* if $v_i \leq_G v_j$ and $f(v_i) > f(v_j)$. Vertices v_i and v_j are *equivalent* in G if $v_i \leq_G v_j$ and $v_j \leq_G v_i$, namely, if both are in the same strongly connected component.

Note that monotonicity of labelings of acyclic graphs corresponds to monotonicity of functions on posets. We often consider a special case of monotonicity restricted to Boolean functions or labelings (namely, with $L = \{0, 1\}$), which we call Boolean monotonicity.

Handy lemmas for monotonicity testing. A transitive closure of a graph $G = (V, E)$, denoted by $\text{TC}(G)$, is a graph (V, E') where (v_1, v_2) is in E' if there is a directed path from v_1 to v_2 in G . Observe that two graphs with the same transitive closure give rise to the same monotonicity property mon_G .

LEMMA 1. *Let f be a labeling for a graph $G(V, E)$. If f is monotone on an induced subgraph $G' = (V', E')$ of $\text{TC}(G)$, then f 's distance to monotone is at most $|V - V'|$.*

PROOF. Assuming that f is monotone on an induced subgraph $G' = (V', E')$ of $\text{TC}(G)$, we make f monotone on $\text{TC}(G)$ by relabeling only vertices in $V - V'$.

Indeed, fix V' and let $f|_{V'}$ be the partial labeling on V' that is monotone on $G'(V', E')$. We extend $f|_{V'}$ to V for one vertex $v \in V - V'$ at a time, always keeping the partial labeling monotone on the induced current graph. We now show how to extend the domain of f by one vertex. Let $v \in V - V'$ be a ‘minimal’ element in $V - V'$ (namely, v is unreachable from any other vertex $w \in V - V'$ that is not equivalent to it). Let $T = \{u \in V' \mid u \leq_G v\}$. We extend f to $V \cup \{v\}$ by letting $f(v)$ be $\max_{u \in T} \{f(u)\}$ if $T \neq \emptyset$ and the minimum value in the range otherwise. By transitivity, since f was monotone on V' , the extended f is monotone on $V \cup \{v\}$. ■

COROLLARY 2. *Let f be a labeling of $G = (V, E)$. Then $\text{dist}(f, \text{mon}_G)$ is equal to the minimum vertex cover of the graph of violated edges of $\text{TC}(G)$.*

A *matching* in a graph is a collection of edges that share no common vertex. The next two lemmas relate a function’s distance to monotone to the number of edges it violates in the transitive closure of the graph. The first of them follows from Corollary 2 and the fact that the size of a maximum matching is at least 1/2 of the size of a minimum vertex cover.

LEMMA 3 ([8]). *Let f be a labeling which is ε -far from monotone on a graph G with N nodes. Then $\text{TC}(G)$ has a matching of violated edges of size $\varepsilon N/2$.*

LEMMA 4. *Let f be a Boolean labeling which is ε -far from monotone over a graph G with N nodes. Then $\text{TC}(G)$ has a matching of violated edges of size εN .*

PROOF. Let P' be a poset of vertices in V with partial order defined by $v \leq u$ if (v, u) is a violated pair in G . Let $A \subseteq V$ be a maximal antichain in P' . Certainly, f is monotone on the subgraph of $\text{TC}(G)$ induced by A , as A contains no violated pairs. Then by Lemma 1, $\text{dist}(f, \text{mon}_G) \leq |V| - |A|$. By Dilworth’s theorem [7], $|A|$ is equal to the minimum number of disjoint chains that cover P' . However, a chain in P' consists of at most two vertices as (v, u) and (u, w) cannot be both violated by a Boolean function. Hence, to cover $|V|$ elements, at least $|V| - |A|$ out of $|A|$ chains have to be of length exactly two (otherwise, less than $|V|$ elements are covered). This collection of at least $|V| - |A| \geq \text{dist}(f, \text{mon}_G)$ disjoint chains of size two is a matching of violated pairs. ■

Reduction from monotonicity on general graphs to monotonicity on bipartite graphs. We now prove that testing monotonicity on arbitrary graphs is equivalent to testing monotonicity on bipartite DAG’s (which naturally correspond to posets).

Definition 1. For each directed graph $G = (\{v_1, \dots, v_N\}, E)$, let B_G be the bipartite graph $(\{v_1, \dots, v_N\}, \{v'_1, \dots, v'_N\}; E_B)$ where $E_B = \{(v_i, v'_j) \mid v_j \text{ is reachable from } v_i \text{ in } E\}$. For each labeling f of G , define the corresponding labeling f_B of B_G by $f_B(v_i) = f_B(v'_i) = f(v_i)$.

Note that B_G is a transitively closed DAG with $2N$ vertices and the same number of edges as $\text{TC}(G)$.

CLAIM 5. *Let f be a labeling on a graph G . Then $\text{dist}(f, \text{mon}_G) \leq \text{dist}(f_B, \text{mon}_{B_G})$.*

PROOF. The proof is straightforward, and we omit it. ■

In fact $\text{dist}(f, \text{mon}_G) = \text{dist}(f_B, \text{mon}_{B_G})$. We postpone the proof of this stronger claim to the full version of the paper.

THEOREM 6. *If mon_{B_G} is $(\frac{\varepsilon}{2}, q)$ -testable for a graph G then mon_G is (ε, q) -testable. The reduction preserves 1-sided error: a 1-sided test for mon_{B_G} gives a 1-sided test for mon_G .*

PROOF. Let f be a labeling of G and let B_G be the associated graph with labeling f_B as defined above. By Claim 5, $\text{dist}(f, \text{mon}_G) = \text{dist}(f_B, \text{mon}_{B_G})$. If f is ε -far from monotone on G then f_B is $\varepsilon/2$ -far from monotone on B_G because B_G has twice as many nodes. A test for G on input f can simulate a test for B_G on input f_B , asking at most the same number of queries. ■

3. EQUIVALENCE OF BOOLEAN MONOTONICITY AND OTHER PROBLEMS

Testing 2-CNF assignments is equivalent to testing Boolean monotonicity. Recall that a Boolean formula is in conjunctive normal form (CNF) if it consists of clauses joined by \wedge s, where every clause is an \vee of literals. (A literal is a Boolean variable or a negated Boolean variable.) If all clauses have two literals, the formula is a 2-CNF. Let ϕ be a 2-CNF formula with variables X_1, \dots, X_N , and $f : \{X_1, \dots, X_N\} \rightarrow \{0, 1\}$ be an assignment to its variables. The property $\text{SAT}(\phi)$ is the set of satisfying assignments of ϕ . We show that the testability question of $\text{SAT}(\phi)$ for a 2-CNF formula ϕ is equivalent to the testability of Boolean monotonicity on digraphs.

THEOREM 7. *For every graph G with N vertices, there is a corresponding 2-CNF ϕ_G on N variables such that if $\text{SAT}(\phi_G)$ is (ε, q) -testable then mon_G is also (ε, q) -testable for Boolean labelings. The reduction preserves 1-sided error.*

PROOF. Let $G = (V, E)$ be a digraph. With each $v \in V$ associate a Boolean variable x_v . Define the 2-CNF formula ϕ_G on the set of variables $X = \{x_v \mid v \in V\}$ as follows: for each edge $(u, v) \in E$, form the clause $(\overline{x_u} \vee x_v)$. A Boolean labeling f on $V(G)$ defines an assignment \tilde{f} on X by $\tilde{f}(x_v) = f(v)$. Clearly, $\text{dist}(f, \text{mon}_G) = \text{dist}(\tilde{f}, \text{SAT}(\phi_G))$. Thus, a test for $\text{SAT}(\phi_G)$ can be used as a test for mon_G . ■

THEOREM 8. *For every 2-CNF ϕ on N variables, there is a corresponding graph G_ϕ with $2N$ vertices such that if mon_{G_ϕ} is $(\varepsilon/2, q)$ -testable for Boolean labelings then $\text{SAT}(\phi)$ is (ε, q) -testable. The reduction preserves 1-sided error.*

PROOF. Let ϕ be a satisfiable 2-CNF formula on a set X of N variables. (If ϕ is unsatisfiable, it has a trivial test that rejects all assignments). With each Boolean variable $x \in X$,

associate two vertices v_x and $v_{\bar{x}}$ that represent literals corresponding to x . We use the convention $v_x = \overline{v_{\bar{x}}}$ and $v_{\bar{x}} = \overline{v_x}$. Define the *implication graph*, G_ϕ , on the set of the corresponding $2N$ vertices, as follows: for each clause $x \vee y$, where x and y are literals, add edges $(\overline{v_y}, v_x)$ and $(\overline{v_x}, v_y)$. For any edge (u, v) call edge $(\overline{v}, \overline{u})$ its *dual* edge. Note that dual edges appear in the implication graph in pairs, with the exception of edges of the form (u, \overline{u}) , which are dual to themselves.

Let $f : X \rightarrow \{0, 1\}$ be an assignment to ϕ . Define the associated Boolean labeling f_G of G_ϕ by $f_G(v_x) = f(x)$ for all literals x . If f satisfies ϕ , the corresponding labeling f_G is monotone on G_ϕ . It remains to prove that $\text{dist}(f, \text{SAT}(\phi)) \leq \text{dist}(f_G, \text{mon}_{G_\phi})$. To show this we transform f into a satisfying assignment for ϕ by changing at most $\text{dist}(f_G, \text{mon}_{G_\phi})$ variable assignments. To this end, a Boolean labeling of an implication graph is called *negation-compliant* if v_x and $\overline{v_x}$ have different labels for all literals x . Note that every negation-compliant labeling of G_ϕ has a corresponding assignment to ϕ . Furthermore, if f is monotone and negation-compliant for G_ϕ then the corresponding assignment \tilde{f} for ϕ , given by $\tilde{f}(x) = \tilde{f}(v_x)$ for every literal x , is a satisfying assignment for ϕ .

Note that for every literal x , v_x and $\overline{v_x}$ are never in the same strongly connected component because ϕ is satisfiable. Also, if v_x is equivalent to v_y in G_ϕ then $\overline{v_x}$ is equivalent to $\overline{v_y}$.

The following algorithm transforms f_G into a nearby monotone, negation-compliant labeling.

1. Convert f_G to a nearest monotone assignment \tilde{f}_G on G_ϕ . (\tilde{f}_G is not necessarily negation-compliant.)
2. While G_ϕ has nodes v_x with $\tilde{f}_G(v_x) = \tilde{f}_G(\overline{v_x}) = 0$: Find a maximal v_x (with respect to G_ϕ) among those with $\tilde{f}_G(v_x) = \tilde{f}_G(\overline{v_x}) = 0$. Change $\tilde{f}_G(v_x)$ to 1 for all v_z that are equivalent to v_x (including v_x itself).
3. While G_ϕ has nodes v_x with $\tilde{f}_G(v_x) = \tilde{f}_G(\overline{v_x}) = 1$: Find a minimal v_x among those with $\tilde{f}_G(v_x) = \tilde{f}_G(\overline{v_x}) = 1$. Change $\tilde{f}_G(v_x)$ to 0 for all v_z that are equivalent to v_x (including v_x itself).

First, we show that the resulting labeling \tilde{f}_G is monotone on G_ϕ . Indeed, \tilde{f}_G is monotone after step 1. Since it is monotone, nodes in the same strongly connected component (i.e., equivalent nodes with respect to G_ϕ) have the same labels. Hence, after each change in step 2, equivalent nodes still have the same labels. Suppose \tilde{f}_G is monotone on G before some iteration of step 2 and is not monotone after it. Then some edge (v_x, v_y) is violated by changing $\tilde{f}(v_x)$ to 1. Then $\tilde{f}_G(v_y) = 0$ both before and after this iteration, and v_y is not equivalent to v_x . Since $v_y \geq_G v_x$, it must be that $\tilde{f}_G(\overline{v_y}) = 1$ (otherwise, v_y would have changed before v_x). But then the dual edge $(\overline{v_y}, \overline{v_x})$ is violated before the iteration, giving a contradiction.

Similarly, if \tilde{f}_G is monotone on G before some iteration of step 3 then it is monotone after it.

Secondly, the resulting labeling \tilde{f}_G is negation-compliant because step 2 relabels all nodes v_x with $\tilde{f}(v_x) = \tilde{f}(\overline{v_x}) = 0$, and step 3 relabels all nodes with $\tilde{f}(v_x) = \tilde{f}(\overline{v_x}) = 1$.

Finally, let \tilde{f} be the assignment to X with $\tilde{f}(x) = \tilde{f}_G(v_x)$ for every literal $x \in X$. By the remarks above, \tilde{f} is a satisfying assignment for ϕ . It is not hard to show that $\text{dist}(f, \tilde{f}) \leq \text{dist}(f_G, \text{mon}_{G_\phi})$. ■

Other testing problems equivalent to 2-CNF testing. Recall that a *monotone* CNF is a CNF with only positive literals. We prove that testing 2CNF is equivalent to testing monotone 2CNF. Since we have shown that 2-CNF testing is equivalent to testing Boolean monotonicity over general graphs, which is equivalent to testing Boolean monotonicity on special kind of bipartite graphs, it is enough to prove the following theorem.

THEOREM 9. *Let $G = (X, Y; E)$ be a bipartite digraph with all edges directed from X to Y and $|X| = |Y| = N$. For each G there is a corresponding monotone 2-CNF ϕ_G on N variables s.t. if $\text{SAT}(\phi_G)$ is (ε, q) -testable then monotonicity of Boolean functions over G is also (ε, q) -testable.*

PROOF. Associate a variable z_v with every node v in $X \cup Y$. Each node y in Y is represented by z_y , while each node x in X is represented by $\overline{z_x}$. Define a Boolean formula ϕ_G on the set of variables $Z = \{z_v \mid v \in X \cup Y\}$ as follows: form a clause $(z_x \vee z_y)$ for each edge $(x, y \in E)$. A Boolean labeling f of G defines an assignment \tilde{f} for Z by $\tilde{f}(z_x) = 1 - f(x)$ if $x \in X$ and $\tilde{f}(z_x) = f(y)$ if $y \in Y$. Then an edge (x, y) is violated if and only if the corresponding clause $(z_x \vee z_y)$ is unsatisfied. Therefore, $\text{dist}(f, \text{mon}_G) = \text{dist}(\tilde{f}, \text{SAT}(\phi_G))$, and each test for ϕ_G can be used as a test for mon_G . ■

Let $U = (V, E)$ be an undirected graph. For a $S \subseteq V$, let $f_S : V \rightarrow \{0, 1\}$ be a characteristic function of S , i.e. $f_S(v) = 1$ if and only if $v \in S$. A *vertex cover* of U is a subset of the vertices where every edge of U touches one of those vertices. A *clique* in U is a subset of the vertices that induces a complete graph in U . The property $VC(U)$ is the set of all characteristic functions f_S such that S is a vertex cover of U . Similarly, the property $CLIQUE(U)$ is the set of all characteristic functions f_S such that S is clique of U .

THEOREM 10. *The following statements are equivalent:*

- $\text{SAT}(\phi)$ is (ε, q) -testable for every monotone 2-CNF ϕ on N variables.
- $VC(U)$ is (ε, q) -testable for every graph U on N nodes.
- $CLIQUE(U)$ is (ε, q) -testable for every graph U on N nodes.

Moreover, the reductions preserve 1-sided error.

The theorem follows from the following three lemmas.

LEMMA 11. *For every undirected graph U on N nodes there is a corresponding monotone 2-CNF ϕ_U on N variables s. t. if $\text{SAT}(\phi_U)$ is (ε, q) -testable then so is $VC(U)$.*

PROOF. Let $U = (V, E)$ be an undirected graph. Associate a Boolean variable x_v with each $v \in V$. Define the 2-CNF formula ϕ_U on the set of variables $X = \{x_v \mid v \in V\}$ as follows: form the clause $(x_u \vee x_v)$ for each edge $(u, v) \in E$. A subset S of vertices in V defines an assignment \tilde{f} to variables in X by $\tilde{f}(x_v) = f_S(v)$. Clearly $\text{dist}(f_S, VC(U)) = \text{dist}(\tilde{f}, \text{SAT}(\phi_U))$, and every ε -test for $\text{SAT}(\phi)$ can be used as a test for $VC(U_\phi)$. ■

LEMMA 12. For every undirected graph U on N nodes there is a corresponding graph U' on N nodes s. t. if $VC(U')$ is (ε, q) -testable then so is $CLIQUE(U)$.

PROOF. Let $U = (V, E)$ be an undirected graph. Define $U' = (V, E')$ where E' is the set of vertex pairs that are not edges in E . For a subset S of V , let $S' = V \setminus S$. Clearly, $dist(f_S, CLIQUE(U)) = dist(f_{S'}, VC(U'))$, and every ε -test for $VC(U')$ can be used as an ε -test for $CLIQUE(U)$. ■

LEMMA 13. For every monotone 2-CNF ϕ on N variables, there is a corresponding undirected graph U_ϕ on N nodes s. t. if $CLIQUE(U_\phi)$ is (ε, q) -testable then so is $SAT(\phi)$.

PROOF. Let ϕ be a monotone 2-CNF. Associate a node v_x with each variable x of ϕ . Define the undirected graph U_ϕ on the set of vertices $V = \{v_x \mid x \in \phi\}$ as follows: start with a complete graph on V and then for each clause $(x \vee y)$ in ϕ delete an edge (u_x, u_y) from U . An assignment f to the variables of ϕ defines a subset S of the vertices of V by $S = \{v_x \mid f(x) = 0\}$. Clearly, $dist(f, SAT(\phi_U)) = dist(f_S, CLIQUE(U_\phi))$, and every ε -test for $CLIQUE(U)$ can be used as a test for $SAT(\phi_U)$. ■

4. GENERAL UPPER BOUND

We present a simple 1-sided error ε -test for monotonicity (not necessarily Boolean) on bipartite graphs $G = (X, Y; E)$ with $|X| = |Y| = N$ and all edges are directed from X to Y .

TEST T_1 FOR $G = (X, Y; E)$
1. Query $q = \lceil 2\sqrt{N/\varepsilon} \rceil$ vertices uniformly and independently from each of X and Y .
2. Reject if a violated pair of vertices is found; otherwise, accept.

THEOREM 14. If $G = (X, Y; E)$ as above, then algorithm T_1 is a 1-sided error $(\varepsilon, O(\sqrt{N/\varepsilon}))$ -test for mon_G .

PROOF. The test accepts all monotone functions. Suppose a function is ε -far from monotone. Then by Lemma 3, there are $\varepsilon N/2$ vertex-disjoint violated pairs. Call them *witness-pairs* and their vertices, *witnesses*. A randomly chosen X -vertex is a witness with probability ε .

Let F be the event that no violated pair is detected, F_X be the event that $\leq \varepsilon q/2$ X -witnesses are queried, and F_Y be the event that $\leq \varepsilon q/2$ Y -witnesses are queried.

$$\begin{aligned} \Pr[F] &\leq \Pr[F_X] + \Pr[F_Y] + \Pr[F \mid \overline{F_X} \wedge \overline{F_Y}] \\ &\leq e^{-8} + e^{-8} + \left(1 - \frac{\varepsilon q/2}{\varepsilon N/2}\right)^{\varepsilon q/2} \leq 2e^{-8} + e^{-\frac{\varepsilon q^2}{2N}} < \frac{1}{3}. \end{aligned}$$

Thus, the test fails with probability less than $1/3$. ■

By Theorems 6–10, monotonicity over general graphs and properties in Section 3 have 1-sided error $(\varepsilon, O(\sqrt{N/\varepsilon}))$ -tests.

5. GENERAL LOWER BOUNDS

This section addresses lower bounds for testing monotonicity on general graphs. We restrict our attention to the Boolean case which implies matching lower bounds for all properties in Theorem 10. We first define what we call Ruzsá-Szemerédi type graphs. We then show that monotonicity over such graphs (with suitable parameters) is hard to test non-adaptively.

Let $U = (V, E)$ be an undirected graph and let $M \subseteq E$ be a matching in U , i.e. no two edges in M have a vertex in common. Let $V(M)$ be the set of the endpoints of edges in M . A matching M in U is called *induced* if the induced graph $U[V(M)]$ contains only the edges of M . Namely, $(u, v) \in E(U)$ if and only if $(u, v) \in M$ for all $u, v \in V(M)$. A (bipartite) graph $U = (X, Y; E)$ is called (s, t) -Ruzsá-Szemerédi if its edge set can be partitioned into at least s induced matchings M_1, \dots, M_s , each of size at least t .

THEOREM 15. Let $U = (X, Y; E)$ be an $(m, \varepsilon N)$ -Ruzsá-Szemerédi graph with $|X| = |Y| = N$. Direct all edges of U from X to Y to obtain a graph G . Then any non-adaptive $\frac{\varepsilon}{6}$ -test for mon_G requires $\Omega(\sqrt{m})$ queries.

PROOF. We use Yao's principle, which says that to show a lower bound on the complexity of a randomized test, it is enough to present an input distribution on which any deterministic test with that complexity is likely to fail. Namely, we define distributions D_P, D_N on positive (monotone) and negative (ε -far from monotone) inputs, respectively. Our input distribution first chooses D_P or D_N with equal probability and then draws an input according to the chosen distribution. We show that every deterministic non-adaptive test with $q = o(\sqrt{m})$ queries has error probability larger than $1/3$ (with respect to the induced probability on inputs).

We now define the distributions D_P and D_N , as well as the auxiliary distribution \tilde{D}_N . For D_P and \tilde{D}_N , choose a random $i \in \{1, \dots, m\}$ uniformly. For all nodes $x \in X$ and $y \in Y$ outside of matching M_i , set $f(x) = 1$ and $f(y) = 0$. For D_P , uniformly choose $f(x) = f(y) = 0$ or $f(x) = f(y) = 1$ independently for all edges $(x, y) \in M_i$. For \tilde{D}_N , uniformly choose $f(x) = 1 - f(y) = 0$ or $f(x) = 1 - f(y) = 1$ independently for all $(x, y) \in M_i$.

D_P is supported only on monotone labelings, but \tilde{D}_N is not supported only on negative inputs. However, for N large enough, with probability more than $8/9$ at least $1/3$ of the edges of M_i are violated when the input is chosen according to \tilde{D}_N , making the input $\varepsilon/6$ -far from monotone. Denote the latter event by A and define $D_N = \tilde{D}_N|_A$, namely, D_N is \tilde{D}_N conditioned on the event A . Note that for \tilde{D}_N an edge is violated only if it belongs to M_i , since the matchings are induced.

Given a deterministic non-adaptive test that makes a set V' of q queries, the probability that one or more of M_i 's edges have both endpoints in V' is at most $q^2/(4m)$ for both D_P, \tilde{D}_N . This is because the matchings are disjoint, and the vertex set V' induces at most $q^2/4$ edges of G . For $q = o(\sqrt{m})$, with probability more than $1 - o(1)$ no edge of M_i has both endpoints in V' . Conditioned on any choice of i for which M_i has no such edge, the distribution of $f|_{V'}$ is identical for both \tilde{D}_N and D_P : every vertex outside of M_i is fixed to 1 if it is in X and to 0 if it is in Y , and the value of every other vertex is uniform and independent over $\{0, 1\}$. Let $C(\phi)$ denote the

set of inputs consistent with query answers $\phi : V' \rightarrow \{0, 1\}$. $\Pr_{D_P}[C(\phi)|\text{no edge in } M_i] = \Pr_{\tilde{D}_N}[C(\phi)|\text{no edge in } M_i]$. For every tuple of answers ϕ , the error probability under the above conditioning (with negative inputs chosen under \tilde{D}_N rather than D_N) is $1/2$. As the probability of the condition is $\geq 1 - o(1)$, the overall error probability without the conditioning is $\geq 1/2 - o(1)$. Since negative inputs are chosen under D_N , not \tilde{D}_N , the success probability is $(1/2 + o(1)) \cdot (\Pr[A])^{-1} \leq (1/2 + o(1)) \cdot 9/8 \leq 9/16 + o(1)$. Thus, the error probability is $\geq 7/16 - o(1)$. ■

6. CONSTRUCTION OF HARD TO TEST GRAPHS

This section constructs Ruzsá-Szemerédi graphs that yield $N^{\Omega(\frac{1}{\log \log N})}$ non-adaptive lower bounds for monotonicity testing. We then discuss the parameters of Ruzsá-Szemerédi graphs that are currently attainable.

THEOREM 16. *There exist an $(N^{\Omega(\frac{1}{\log \log N})}, N/3 - o(N))$ -Ruzsá-Szemerédi graphs $U = (X, Y; E)$ with $|X| = |Y| = N$.*

COROLLARY 17. *For some $2N$ -vertex graphs G , every non-adaptive $(\frac{1}{18} - o(1))$ -test for mon_G requires $N^{\Omega(\frac{1}{\log \log N})}$ queries.*

PROOF OF THEOREM 16. Let m, n be two integers where n is divisible by 3 and $n = o(m)$. The vertex set of U is $X = Y = [m]^n$, thus $N = m^n$. We define a family of (partial) matchings on the vertices of U and take the edge-set of the graph to be the union of the edge-sets of these matchings. The matchings are indexed by a family of $\frac{n}{3}$ -subsets of $[n]$. Let $T \subseteq [n]$, $|T| = \frac{n}{3}$. Let $p = \frac{n}{3}$.

Definition of a matching M_T . Color the points in the two copies of $[m]^n$ by blue, red and white. The color of a point x is determined by $\sum_{i \in T} x_i$. First, partition the vertex set into *levels*, where the level L_s is the set $\{x : \sum_{i \in T} x_i = s\}$. Then combine levels into *strips*, where for an integer $k = 1 \dots m$, the strip $S_k = L_{kp} \cup \dots \cup L_{(k+1)p-1}$. Color the strips S_k with $k \equiv 0 \pmod{3}$ blue, the strips with $k \equiv 1 \pmod{3}$ red, and the remaining strips white. The matching M_T is defined by matching blue points in X to red points in Y as follows: If a blue point b in X has all its T -coordinates greater than 2, match it to a point $r = b - 2 \cdot 1_T$ in Y . The vector 1_T is the characteristic vector of T ; it is 1 on T and 0 outside T . Note that r is necessarily red. M_T is clearly a matching. Our next step is to show that it is large.

LEMMA 18. $|M_T| \geq N/3 - o(N)$.

PROOF. Consider the “projected” matching M on the vertices of the bipartite graph $U^T = ([m]^T, [m]^T)$, which is defined by T . Namely, partition the points of $[m]^T$ as described above, coloring them by blue, red and white, and match a blue point in one copy of $[m]^T$ to a red one in another, by subtracting $2 \cdot 1_T$. Since M_T is determined by the coordinates in T , it is enough to show that $|M| \geq P/3 - o(P)$, where $P = m^p$.

Let $B, R, W \subseteq [m]^T$ be the sets of the blue, red and white points, respectively. Then $P = |B| + |R| + |W|$.

First, we claim that $|W| \leq |R| + |\{x : \exists i, x_i = 1\}|$. Indeed, consider a new matching between W and R defined by matching $w \in W$ to $w - 1_T$. Assume that $m \equiv 0 \pmod{3}$. Then the only unmatched points in W are contained in the set $\{x : \exists i, x_i = 1\}$, proving this claim. Similarly $|W| \leq |B| + |\{x : \exists i, x_i = m\}|$.

Next, observe that the only blue and red points (in the corresponding copies of $[m]^T$) unmatched by M are these which have a coordinate whose value is in $\{1, 2, m-1, m\}$. It follows that

$$\begin{aligned} |M| &> (|R| + |B|)/2 - |\{x : \exists i, x_i \in \{1, 2, m-1, m\}\}| > \\ &P/3 - \\ &(|\{x : \exists i, x_i \in \{1, 2, m-1, m\}\}| + |\{x : \exists i, x_i = 1, m\}|) \\ &\geq P/3 - \frac{6p}{m} \cdot P. \end{aligned}$$

Since $p = o(m)$, the claim of the lemma follows. ■

Now, let T, T_1 be two $\frac{n}{3}$ -sets in $[n]$, such that $|T \cap T_1| \leq n/7$. We claim that no edge of M_T is induced by M_{T_1} . Indeed, let b be matched to r by M_T , in particular $b - r = 2 \cdot 1_T$. If the edge (b, r) is induced by M_{T_1} , then b is colored blue and r is colored red in the coloring defined by T_1 . By the definition of the coloring, since $\sum_{i=1}^n b_i > \sum_{i=1}^n r_i$, b is located in a blue level separated by a white level from the red level of r . This implies that $|\sum_{i \in T_1} b_i - \sum_{i \in T_1} r_i| \geq \frac{n}{3}$. On the other hand, $|\sum_{i \in T_1} b_i - \sum_{i \in T_1} r_i| = |\sum_{i \in T_1} (b_i - r_i)| = |\sum_{i \in T_1} (2 \cdot 1_T)_i| = 2 \cdot |T \cap T_1| \leq \frac{2n}{7} < \frac{n}{3}$, reaching a contradiction.

We would like to have a large family \mathcal{F} of $\frac{n}{3}$ -subsets of $[n]$, such that the intersection between any two of them is of size at most $\frac{n}{7}$, or, equivalently, such that the Hamming distance between any two of them is at least $\frac{2n}{3} - \frac{2n}{7} = \frac{8n}{21}$. So we need a lower bound on the size of a constant weight binary error-correcting code \mathcal{F} with the following parameters: block length n , weight $w = \frac{n}{3}$, distance $d = \frac{8n}{21}$. Applying the Gilbert-Varshamov bound for constant weight codes [19], we get $\frac{1}{n} \log |\mathcal{F}| \geq H(1/3) - 1/3 \cdot H(4/7) - 2/3 \cdot H(2/7) - o(1) = 0.014 - o(1)$. Choose $m = n^2$ and define the edge-set $E(U)$ of U by $E(U) = \bigcup_{T \in \mathcal{F}} M_T$. By the preceding discussion, U is a graph on $N = n^{2n}$ vertices, whose edge-set is a disjoint union of $2^{\Omega(n)} = N^{\Omega(\frac{1}{\log \log N})}$ induced matchings of size $N/3 - o(N)$. ■

(s, t) -Ruzsá-Szemerédi Graphs. For which values of s and t is there an (s, t) -Ruzsá-Szemerédi graph? We are interested in the asymptotic version of this question as $N \rightarrow \infty$. Call a sequence of pairs $(s(N), t(N))$ -realizable if there is an infinite sequence of N , and graphs U_N with N vertices, that are $(s(N), t(N))$ -Ruzsá-Szemerédi. Define \mathcal{P} to be the set $\{(s(N), t(N))\}$ of realizable sequences. Note that \mathcal{P} is monotone in the natural order on pairs, namely if it contains (s, t) , and $s' \leq s, t' \leq t$, then it contains (s', t') . Therefore it is defined by its set of maximal points.

Two trivial maximal points in \mathcal{P} are $\binom{N}{2}, 1$, coming from a complete graph on N vertices, and $(1, N/2)$, coming from a perfect matching on N vertices. A much more interesting point in \mathcal{P} is given by a construction of Ruzsá and Szemerédi

[25], following Behrend [5]. Their result, with some abuse of notation, can be stated as follows: $(N/3, N/2^{O(\sqrt{\log N})}) \in \mathcal{P}$. We have already seen that for $\epsilon = \Omega(1)$ there is an absolute constant c , such that $(N^{c/\log \log N}, \epsilon N) \in \mathcal{P}$. This trivially implies that there is a constant c such that for any positive ϵ , $(1/\epsilon \cdot N^{c/\log \log N}, \epsilon N) \in \mathcal{P}$. A more technically involved generalization of the construction in this section, postponed to the full version of the paper, gives: there is a constant c such that for any constant positive $\epsilon \leq 1/4$, $(N^{(c \cdot \log 1/\epsilon)/\log \log N}, \epsilon N) \in \mathcal{P}$.

Letting ϵ go to 0 as N grows, it can be shown for $1/\epsilon = \Omega(\sqrt{\log N / \log \log N})$, that there is an absolute constant $c < 1$, s.t. $(N^c, N/O(\sqrt{\log N / \log \log N})) \in \mathcal{P}$.

7. HYPERCUBE LOWER BOUNDS

1-sided non-adaptive lower bound. Consider the set inclusion order on the vertices of the Boolean hypercube $\{0, 1\}^n$. For $x \in \{0, 1\}^n$, let $\|x\|$ be its Hamming weight.

THEOREM 19. $\exists \epsilon > 0$ such that every non-adaptive 1-sided error ϵ -test for monotonicity of Boolean functions on the n -dimensional Boolean hypercube requires $\Omega(\sqrt{n})$ queries.

PROOF. Note that a 1-sided error test must accept if no violation is uncovered; otherwise, the test fails on monotone functions consistent with the query results. For $i = 1, \dots, n$ define a function $f_i : \{0, 1\}^n \rightarrow \{0, 1\}$ by

$$f_i(x_1, \dots, x_n) = \begin{cases} 1 & \text{if } \|x\| > n/2 + \sqrt{n} \\ 0 & \text{if } \|x\| < n/2 - \sqrt{n} \\ 1 - x_i & \text{otherwise} \end{cases}$$

It is easy to see that for all $1 \leq i \leq n$, f_i is ϵ -far from monotone, for some constant $\epsilon > 0$ independent of n . The following immediately implies our theorem. ■

LEMMA 20. For every non-adaptive q -query monotonicity test, there exists an index $i \in [n]$, such that the test succeeds (finds a violation) on f_i with probability at most $O(q/\sqrt{n})$.

PROOF. It suffices to prove the claim for tests that only query vertices with Hamming weight in the range $n/2 \pm \sqrt{n}$, as queries out of this range do not participate in any violation.

We show that every set of q queries reveals a violation for at most $O(q\sqrt{n})$ of the functions f_i . It follows that for every test that makes q queries, $\sum_{i=1}^n \Pr[\text{a violation for } f_i \text{ is found}] = O(q\sqrt{n})$, and so there exists an f_i for which the test finds a violation with probability at most $O(q/\sqrt{n})$, as claimed.

Let Q be the set of queried vertices of $\{0, 1\}^n$ of size q . The queries detect a pair of vertices violated by f_i only if Q contains comparable vertices u and v that differ in coordinate i . Construct an undirected graph with vertex set Q , by drawing an edge between x and y if they are comparable. Consider a spanning forest of this graph. If such vertices u and v exist, they must lie in the same tree. Furthermore, there must exist adjacent vertices on the path between u and v that differ in coordinate i . Therefore, the number of functions f_i for which

the queries reveal a violation is at most the maximum number of edges in the forest (which is at most $q-1$) multiplied by the maximum possible distance between adjacent vertices ($2\sqrt{n}$). The total is at most $O(q\sqrt{n})$. ■

2-sided lower bound. We give a logarithmic lower bound for non-adaptive 2-sided monotonicity tests of Boolean functions over $\{0, 1\}^n$. This implies a non-constant (though doubly logarithmic) lower bound for adaptive testing of this property.

THEOREM 21. $\exists \epsilon > 0$ such that every non-adaptive ϵ -test for monotonicity of Boolean functions on the n -dimensional Boolean hypercube requires $\Omega(\log n)$ queries.

PROOF. The lower bound uses Yao's method. Namely, we define two distributions over input functions, D_P and D_N , such that for any set of $q \leq \frac{1}{20} \log n$ vertices of the hypercube, the distributions induced on $\{0, 1\}^q$ by restricting the functions to the q vertices are $< \frac{1}{3}$ close, while an input chosen according to D_P is monotone, and an input chosen according to D_N is ϵ -far from monotone for a constant ϵ .

Two distributions. For $x \in \{0, 1\}^n$, we view x both as a binary vector of length n and a subset $\{i : x_i = 1\}$ of $[n]$.

Definition 2. Let $\alpha = \frac{1}{100}$. Given $B \subseteq [n]$, let $\text{maj}(x \cap B)$ be 1 when $|x \cap B| > \frac{1}{2}|B|$ and 0 otherwise.

The trimmed oligarchy function according to B is

$$f_B(x) = \begin{cases} 1 & \text{if } \|x\| > n/2 + \alpha\sqrt{n} \\ 0 & \text{if } \|x\| < n/2 - \alpha\sqrt{n} \\ \text{maj}(x \cap B) & \text{otherwise} \end{cases}$$

The trimmed anti-oligarchy function according to B is

$$f_B^A(x) = \begin{cases} 1 & \text{if } \|x\| > n/2 + \alpha\sqrt{n} \\ 0 & \text{if } \|x\| < n/2 - \alpha\sqrt{n} \\ 1 - \text{maj}(x \cap B) & \text{otherwise} \end{cases}$$

The theorem follows from the next two lemmas. ■

LEMMA 22. There exists $\epsilon > 0$, such that for any nonempty set B , f_B is monotone and f_B^A is ϵ -far from monotone.

PROOF. It is easy to see that trimmed oligarchy functions are monotone. For trimmed anti-oligarchy functions, we will find $\epsilon 2^n$ vertex-disjoint violated pairs.

Let $m = |B|$. For every integer w such that $\frac{1}{2}n - \alpha\sqrt{n} \leq w < \frac{1}{2}n$, and every integer v such that $0 \leq v < \frac{1}{2}m$, let $U_{w,v}$ denote the set $\{x \in \{0, 1\}^n : \|x\| = w \text{ and } |x \cap B| = v\}$, and $V_{w,v}$ denote the set $\{x \in \{0, 1\}^n : \|x\| = n - w \text{ and } |x \cap B| = m - v\}$. By definition, $f(x) = 1$ for every $x \in U_{w,v}$ and $f(x) = 0$ for every $x \in V_{w,v}$. $U_{w,v}$ and $V_{w,v}$ have the same size, since x is in $U_{w,v}$ iff the complement of x is in $V_{w,v}$. We want to find a bijection $\sigma : U_{w,v} \rightarrow V_{w,v}$ such that $x \preceq \sigma(x)$ for every $x \in U_{w,v}$.

Consider the bipartite graph over $U_{w,v} \cup V_{w,v}$ with the poset relations as edges. It is easy to see that this graph has a constant degree, so a matching exists (by Hall's Theorem) if this degree is nonzero. This happens if w, v satisfy $\frac{1}{2}m - v \leq \frac{1}{2}n - w$ in addition to the conditions above. The union over all such w, v of the sets $U_{w,v} \cup V_{w,v}$ covers a fixed fraction of the hypercube, so we are done. ■

To define D_P and D_N pick a random set $B \subset [n]$ by independently choosing each coordinate to lie in B with probability $\frac{1}{10}n^{-1/2}$. For D_P , take the corresponding f_B and for D_N , take the corresponding f_B^A .

LEMMA 23. D_N and D_P restricted to any set of $q = \frac{1}{20} \log n$ queries are ϵ -close, for any $\epsilon > 0$.

PROOF SKETCH. Let $q = \frac{1}{20} \log n$. Let x_1, \dots, x_q be a fixed subset of $\{0, 1\}^n$. We can assume, without loss of generality, that the points satisfy $n/2 - \alpha\sqrt{n} \leq \|x_i\| \leq n/2 + \alpha\sqrt{n}$. This is because the functions in D_P and D_N are constant and identical outside this range.

Inside the range, for any B , the corresponding oligarchy and anti-oligarchy functions *complement* each other. Therefore, the induced distributions d_P and d_N on $\{0, 1\}^q$ are mirror images of each other: $d_P(a) = d_N(\bar{a})$ for any $a \in \{0, 1\}^q$, where \bar{a} is the complement of a . For a distribution d on $\{0, 1\}^q$, let \bar{d} be its mirror image. Call d *symmetric* if $d = \bar{d}$. Our claim amounts to showing d_P to be almost symmetric.

In fact, we construct a symmetric distribution s , such that $\|d_P - s\|_1 = o(1)$. This implies our claim since

$$\begin{aligned} \|d_P - d_N\|_1 &= \|d_P - \bar{d}_P\|_1 \\ &\leq \|d_P - s\|_1 + \|\bar{d}_P - \bar{s}\|_1 = 2\|d_P - s\|_1. \end{aligned}$$

We get to s by a sequence of four distributions, each one close to its predecessor. The first element in the sequence is $d_1 = d_P$ and the last is s . The triangle inequality then implies that the distance between d_P and s is at most the sum of the distances between the consecutive elements of the sequence.

For $1 \leq i \leq q$, let $y_i \in \{0, 1\}^n$ be such that $\|y_i\| = n/2$ and $\|x_i - y_i\| \leq \alpha\sqrt{n}$. Let d_2 be the distribution on $\{0, 1\}^q$ induced by restricting the functions in D_P to y_1, \dots, y_q . Then d_2 is close to d_1 because w.h.p. over the choice of a function f from D_P , changing the queries by at most $O(\sqrt{n})$ bits, does not change the value of the f on the queries.

The $n/2$ -sets $y_1 \dots y_q$ induce a standard partition of $[n]$ into 2^q disjoint subsets, indexed by $\{0, 1\}^q$. For $I \in \{0, 1\}^q$, the I 'th element of the partition is $A_I = \bigcap_{i:I_i=1} y_i \cap \bigcap_{i:I_i=0} y_i^c$. Here y_i^c is the set complement of y_i . We define 2^q random variables depending on B by setting $R_I(B) = |B \cap A_I|$. If A_I is empty, R_I is identically 0.

Note that $\{R_I\}$ are independent binomially distributed variables, and that they determine the restriction of f to $y_1 \dots y_q$. In fact, is $f(y_i) = 1$ if and only if $|y_i \cap B| > |y_i^c \cap B|$, which is equivalent to $\sum_{I:i \in I} R_I > \sum_{I:i \notin I} R_I$.

Since $\mathbf{E}(\sum_{I:i \in I} R_I) = np/2 = \mathbf{E}(\sum_{I:i \notin I} R_I)$, we can replace each R_I by a random variable $Z_I = \bar{R}_I - \mathbf{E}R_I$ with zero expectation.

Next, we would like to replace each Z_I by a symmetric² random variable S_I . Observe that once we do so, provided the new distribution d_3 on $\{0, 1\}^q$ is close to d_2 , we are basically done. Indeed, a choice of a point in $\{0, 1\}^q$ according to d_3 is determined by the signs of q linear expressions in S_I . Since d_3 is invariant under flipping the sign of all the S_I , a point a

²A real random variable X is symmetric if for all t , $Pr\{X \leq \mathbf{E}X - t\} = Pr\{X \geq \mathbf{E}X + t\}$. The two notions of symmetric distributions in the proof should, hopefully, cause no confusion.

and its complement \bar{a} would be chosen with almost³ the same probability. Therefore, d_3 is close to a symmetric distribution s on $\{0, 1\}^q$, completing the proof.

We know, say by the Berry-Esseen theorem ([9], p. 126) that a binomial distribution with parameters k and p , such that $kp \gg 1$, is, in some sense, close to the normal distribution which is, of course, symmetric. We give a precise meaning to this intuition, proving directly that such a binomial distribution is stochastically close to a symmetric one. This allows us to replace Z_I with large parameter $k = |A_I|$ by symmetric random variables.

As to Z_I for which the parameter k is small, it turns out that we can get rid of them simply by replacing them with 0. ■

8. FAMILIES OF GRAPHS WITH EFFICIENT MONOTONICITY TESTS

This section describes several families of efficiently testable graphs, including graphs with few edges in the transitive closure, graphs with small width, top-parallel graphs, trees and graphs with small separators. All tests presented have 1-sided error. Hence, we only need to analyze the probability of error for functions that are far from monotone. Throughout the section, we denote the transitive closure of a graph G by $\text{TC}(G)$.

8.1 Tests with query complexity independent of graph size

Our first test $T_2(q)$ works when the fraction of vertex pairs violated by the input function is high and is useful for testing graphs with few edges in the transitive closure, as well as small width graphs. Note that test $T_2(q)$ queries at most $2q$ vertices.

<u>TEST $T_2(q)$</u>
1. Pick q edges from the transitive closure of the graph uniformly and independently.
2. For each edge, query its endpoints. Reject if it is violated; otherwise, accept.

LEMMA 24. *If G is a graph with at most cN edges in $\text{TC}(G)$, then algorithm T_2 with parameter q set to $4c/\epsilon$ is a 1-sided error $(\epsilon, 8c/\epsilon)$ -test for monotonicity on G .*

A graph G has *width* w if every set of mutually incomparable vertices has size at most w . The following shows that T_2 can be used to test small width graphs.

LEMMA 25. *If G is a graph of width w , then algorithm T_2 with q set to $2w/\epsilon^2$ is a 1-sided error $(\epsilon, 4w/\epsilon^2)$ -test for monotonicity of Boolean functions on G .*

PROOF OF LEMMA 25. Let G be a graph of width w and let f be a Boolean labeling of $V(G)$ that is ϵ -far from monotone. We will show that the number of violated edges in the transitive closure is at least $\epsilon^2 N^2 / (2w) - o(1)$. Since the total number of edges in the graph is at most $N^2 / 2$, the test will find a violated edge with probability at least $1 - q^{-2} > 2/3$.

³Because in order to get 1 in i -th coordinate we need the corresponding linear expression to be *strictly* positive, and to get 0 we need it to be only non-positive (zero included).

CLAIM 26. If $\text{dist}(f, G) \geq d$ for a Boolean labeling f , then there is a set T , $|T| \leq w$, of 0-labeled vertices, s.t. T is incident to at least d violated pairs.

PROOF OF CLAIM. If $\text{dist}(f, \text{mon}_G) \geq d$, by Lemma 4, $\text{TC}(G)$ has a matching of violated edges of size d . Call endpoints of the edges in the matching *witnesses*. Let Z be the set of 0-labeled witnesses and let $T \subseteq Z$ be a minimal set of vertices s.t. $\forall z \in Z, \exists t \in T$ with $z \leq_G t$. Clearly, T contains no comparable pairs, and hence is of size at most w . Each 1-labeled witness is below one of the nodes in Z and hence in T . ■

Applying the claim to $\text{TC}(G)$ and removing the nodes in T from the graph repeatedly until no vertices are left, we observe that the number of violated edges in $\text{TC}(G)$ is at least $\varepsilon N + (\varepsilon N - w) + (\varepsilon N - 2w) + \dots + (\varepsilon N \bmod w) \sim (\varepsilon^2 N^2)/(2w)$. ■

Top-parallel graphs. Let $G_1 = (V_1, E_1)$ and $G_2 = (V_2, E_2)$ be disjoint graphs. Graph G obtained by connecting G_1 and G_2 in parallel is defined by $G = (V_1 \cup V_2, E_1 \cup E_2)$. Graph G obtained by connecting G_1 and G_2 using the top operation is defined by $G = (V_1 \cup V_2, E_1 \cup E_2 \cup E_x)$, where $E_x = \{(v_2, v_1) | v_1 \in V_1 \text{ and } v_2 \in V_2\}$. Top-parallel graphs are defined recursively: the 1-vertex graph is top-parallel, and a graph formed by top or parallel operations from two top-parallel graphs is also top-parallel. Examples of top-parallel graphs include the transitive closure of a rooted tree with all edges directed either towards the root or away from the root, and the transitive closure of a complete layered graph. The proof of the following lemma is omitted.

LEMMA 27. If G is a top-parallel graph, it has a 1-sided $(\varepsilon, 4/\varepsilon^2)$ -test for Boolean monotonicity.

Tree-like graphs. A directed graph $G(V, E)$ is *tree-like* if it is obtained by arbitrarily directing each edge of a forest (V, E) .

LEMMA 28. If G is a tree-like graph, it has a 1-sided error $(\varepsilon, 16/\varepsilon^2)$ -test for Boolean monotonicity.

The full proof is technical, and we omit it. We sketch a simplified proof for the case of a *rooted tree* G which is obtained from a tree $T = (V, E)$ by choosing a special vertex $r \in V$ and directing the edges along paths from other vertices to r . Let $\text{Low}(v)$ denote $\{u \in V | u \leq_G v\}$ for $v \in V$. Observe that in a rooted tree, $\text{Low}(x) \cap \text{Low}(y) = \emptyset$ for all incomparable vertices x, y . A vertex $v \in V$ is ε -bad with respect to a Boolean labeling f if $f(v) = 0$ and more than ε fraction of vertices in $\text{Low}(v)$ are labeled 1 by f .

T_3 FOR BOOLEAN LABELINGS ON ROOTED TREES

1. Query $\frac{4}{\varepsilon}$ nodes uniformly and independently.
2. For each queried node with label 0, query $\frac{4}{\varepsilon}$ nodes below it uniformly and independently. Reject if a violated pair is found; otherwise, accept.

If at least an $\varepsilon/2$ fraction of vertices in G are $\varepsilon/2$ -bad with respect to the input labeling f , the test rejects with probability

$\geq 2/3$. Otherwise, we can obtain a monotone f' by changing f on less than ε fraction of the vertices. Let Z be the set of 0-labeled vertices which are not $\varepsilon/2$ -bad, and S be the set of maximal nodes of Z . Set $f'(x)$ to 0 if $x \in \text{Low}(v)$ for some $v \in S$ and to 1 otherwise. It is not hard to show that f' is monotone and close to f , as claimed, which implies the correctness of the test.

A generalization of a *bad* vertex yields a similar test for tree-like graphs.

8.2 A test for graphs with small separators

Here we consider graphs that can be broken into relatively small connected components by removing a few vertices.

Definition 3. Let \mathcal{U} be an infinite family of undirected graphs that is closed under taking subgraphs. We say that \mathcal{U} is k -separable if every N -vertex graph $U \in \mathcal{U}$ can be broken into connected components of size at most $2N/3$ by removing a subset of at most k vertices, called a separator.

E.g., forests are 1-separable, bounded tree-width graphs have bounded separators and planar graphs are $O(\sqrt{N})$ -separable [20]. In the sequel k might be a sublinear non-decreasing function of N .

Let $G = (V, E)$ be a directed graph. Let U_G be the undirected graph obtained from G by undirecting its edges. Call G k -separable if U_G belongs to a k -separable family of graphs.

Consider a ‘standard’ tree structure over disjoint subgraphs of G generated by inductively taking out separators. Namely, generate a rooted tree T where each node x in T is associated with a set of vertices $V(x)$ of G . Let V_0 be a separator for U_G of size $\leq k$, and suppose that $U_G(V - V_0)$ has l components. The root x of T is associated with V_0 (i.e., $V(x) = V_0$) and has l children, one for each component. The subtrees of the children are generated recursively from their respective components by the same procedure. The recursion stops at components of size less than $k \log N$. The leaves are associated with vertex sets of their components. Note that the depth of the tree is $O(\log N)$.

Let $r = x_0, x_1, \dots, x_j = x$ be the path from the root to a node x in T . Denote $\cup_{i=0}^j V(x_i)$ by $\text{Path}(x)$. Namely, $\text{Path}(x)$ contains all vertices of G associated with x and all vertices from separators that appear on the path from the root of T to x . For a vertex $v \in V$ let $T(v)$ denote the node x of T so that $v \in V(x)$.

We present a 1-sided error test for G using the structure T .

TEST FOR GRAPHS WITH SMALL SEPARATORS, $T_4(\varepsilon)$

1. Pick $\frac{4}{\varepsilon}$ nodes of G uniformly and independently.
2. For each node v , query all nodes in $\text{Path}(T(v))$. Reject if a violated pair is found; otherwise, accept.

Call a vertex v *bad* if $\text{Path}(T(v))$ contains a violated pair.

CLAIM 29. If a function is ε -far from monotone, at least $\varepsilon/2$ fraction of vertices are bad.

PROOF. Consider a violated pair (v, u) . We will prove that either v or u is bad. The claim then follows as the graph has at least $\varepsilon N/2$ vertex-disjoint violated pairs (by Lemma 3).

If $T(v)$ and $T(u)$ are on the same path from the root to a leaf in T , then $v \in \text{Path}(T(u))$ or $u \in \text{Path}(T(v))$. W.l.o.g., suppose $v \in \text{Path}(T(u))$, then u is bad because $\text{Path}(T(u))$ contains a violated pair (v, u) . If $T(v)$ and $T(u)$ are not on the same path from the root to a leaf, they got separated when T was constructed, i.e., some vertex w on a directed path from v to u , in G , is in a common ancestor of $T(v)$ and $T(u)$. Since (v, w) or (w, u) has to be violated, either v or u is bad. ■

LEMMA 30. Let $G = (V, E)$ be a k -separable N -vertex graph. Then algorithm T_4 is a 1-sided error $(\varepsilon, O(\frac{k}{\varepsilon} \log N))$ -test for monotonicity of functions (with general ranges) on G .

This generalizes the more efficient tests for Boolean functions over tree-like graphs and bounded-width graphs for which tighter results (by $\log N$ factor) are obtained in lemmas 28 and 25. It also provides an alternative $(\varepsilon, O(\sqrt{N} \log N))$ -test for planar graphs, which performs more queries than the general algorithm from section 4, but requires fewer label comparisons. We note that this result cannot be dramatically improved as the general monotonicity test for the line (which is 1-separable) requires $\Omega(\log N)$ queries [11].

Acknowledgment:

We would like to thank Michael Sipser for helpful discussions.

9. REFERENCES

- [1] N. Alon, E. Fischer, M. Krivelevich and M. Szegedy, Efficient testing of large graphs, *Combinatorica* 20 (2000), 451–476.
- [2] N. Alon, M. Krivelevich, I. Newman and M. Szegedy, Regular languages are testable with a constant number of queries, *SIAM Journal on Computing* 30 (2001), 1842–1862.
- [3] N. Alon, J. Spencer, em The probabilistic method, Second edition, Wiley press, New York, 2000.
- [4] T. Batu, R. Rubinfeld and P. White, Fast approximation PCPs for multidimensional bin-packing problems, *Proceedings of the 3rd International Workshop on Randomization and Approximation Techniques in Computer Science* (1999), 246–256.
- [5] F. A. Behrend, On sets of integers which contain no three terms in arithmetic progression, *Proceedings of the National Academy of Sciences of the United States of America* 32 (1946), 331–332.
- [6] A. Czumaj, C. Sohler and M. Ziegler, Property testing in computational geometry, *Proceedings of the 8th Annual European Symposium on Algorithms* (2000), 155–166.
- [7] R. P. Dilworth, A decomposition theorem for partially ordered sets, *Annals of Math* (2) 51 (1950), 161–166.
- [8] Y. Dodis, O. Goldreich, E. Lehman, S. Raskhodnikova, D. Ron and A. Samorodnitsky, Improved testing algorithms for monotonicity, *Proceedings of the 3rd International Workshop on Randomization and Approximation Techniques in Computer Science* (1999), 97–108.
- [9] R. Durrett, *Probability: theory and examples*, Second edition, Duxbury Press, Belmont, 1996.
- [10] F. Ergün, S. Kannan, R. Kumar, R. Rubinfeld and M. Viswanathan, Spot checkers, *Journal of Computer and System Science* 60 (2000), 717–751 (a preliminary version appeared in Proc. 30th STOC, 1998).
- [11] E. Fischer, On the strength of comparisons in property testing, manuscript (available as ECCC TR00-083).
- [12] E. Fischer, The art of uninformed decisions: A primer to property testing, *The Computational Complexity Column of The Bulletin of the European Association for Theoretical Computer Science* 75 (2001), 97–126.
- [13] E. Fischer and I. Newman, Functions that have read-twice constant width branching programs are not necessarily testable, *Proceedings of the 17th conference on computational complexity* (2002), to appear.
- [14] E. Fischer and I. Newman, Testing of matrix properties, *Proceedings of the 33rd ACM STOC* (2001), 286–295.
- [15] O. Goldreich, S. Goldwasser and D. Ron, Property testing and its connection to learning and approximation, *Journal of the ACM* 45 (1998), 653–750.
- [16] O. Goldreich, S. Goldwasser, E. Lehman, D. Ron and A. Samorodnitsky, Testing monotonicity, *Combinatorica* 20 (2000), 301–337.
- [17] O. Goldreich and D. Ron, Property testing in bounded degree graphs, *Proceedings of the 29th ACM STOC* (1997), 406–415.
- [18] J. Håstad and A. Wigderson, Simple Analysis of Graph Tests for Linearity and PCP, *Proceedings of the 16th IEEE Conference on Computational Complexity*, 2001.
- [19] V. I. Levenštejn, Upper bounds for codes with a fixed weight of vectors (in Russian), *Problemy Peredači Informacii* 7 (1971), 3–12.
- [20] R. J. Lipton, and R. E. Tarjan, A Separator Theorem for Planar Graphs, *SIAM Journal on Applied Mathematics* 36 (1979), 177-189.
- [21] Roy Meshulam, Personal communication.
- [22] S. Raskhodnikova, Monotonicity testing, Master Thesis, MIT, 1999.
- [23] D. Ron, Property testing (a tutorial), In: *Handbook of Randomized Computing* (S. Rajasekaran, P. M. Pardalos, J. H. Reif and J. D. P. Rolim eds), Kluwer Press (2001).
- [24] R. Rubinfeld and M. Sudan, Robust characterization of polynomials with applications to program testing, *SIAM Journal of Computing* 25 (1996), 252–271 (first appeared as a technical report, Cornell University, 1993).
- [25] I. Z. Ruzsá and E. Szemerédi, Triple systems with no six points carrying three triangles, *Colloquia Mathematica Societatis János Bolyai* 18 (1978), 939-945.