

# 1.1 A First Problem: Stable Matching

**Goal.** Given a set of preferences among hospitals and medical school students, design a **self-reinforcing** admissions process.

**Unstable pair:** applicant  $x$  and hospital  $y$  are **unstable** if:

- $x$  prefers  $y$  to its assigned hospital.
- $y$  prefers  $x$  to one of its admitted students.

**Stable assignment.** Assignment with no unstable pairs.

- Natural and desirable condition.
- Individual self-interest will prevent any applicant/hospital deal from being made.

## Stable Matching Problem

**Goal.** Given  $n$  men and  $n$  women, find a "suitable" matching.

- Participants rate members of opposite sex.
- Each man lists women in order of preference from best to worst.
- Each woman lists men in order of preference from best to worst.

	favorite ↓			least favorite ↓
	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Xavier	Amy	Bertha	Clare	
Yancey	Bertha	Amy	Clare	
Zeus	Amy	Bertha	Clare	

Men's Preference Profile

	favorite ↓			least favorite ↓
	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Amy	Yancey	Xavier	Zeus	
Bertha	Xavier	Yancey	Zeus	
Clare	Xavier	Yancey	Zeus	

Women's Preference Profile

## Stable Matching Problem

**Perfect matching:** everyone is matched monogamously.

- Each man gets exactly one woman.
- Each woman gets exactly one man.

**Stability:** no incentive for some pair of participants to undermine assignment by joint action.

- In matching  $M$ , an unmatched pair  $m-w$  is **unstable** if man  $m$  and woman  $w$  prefer each other to current partners.
- Unstable pair  $m-w$  could each improve by eloping.

**Stable matching:** perfect matching with no unstable pairs.

**Stable matching problem.** Given the preference lists of  $n$  men and  $n$  women, find a stable matching if one exists.

### Stable Matching Problem

Q. Is assignment X-C, Y-B, Z-A stable?

	favorite ↓			least favorite ↓
	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Xavier	Amy	Bertha	Clare	
Yancey	Bertha	Amy	Clare	
Zeus	Amy	Bertha	Clare	

Men's Preference Profile

	favorite ↓			least favorite ↓
	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Amy	Yancey	Xavier	Zeus	
Bertha	Xavier	Yancey	Zeus	
Clare	Xavier	Yancey	Zeus	

Women's Preference Profile

5

### Stable Matching Problem

Q. Is assignment X-C, Y-B, Z-A stable?

A. No. Bertha and Xavier will hook up.

	favorite ↓			least favorite ↓
	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Xavier	Amy	Bertha	Clare	
Yancey	Bertha	Amy	Clare	
Zeus	Amy	Bertha	Clare	

Men's Preference List

	favorite ↓			least favorite ↓
	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Amy	Yancey	Xavier	Zeus	
Bertha	Xavier	Yancey	Zeus	
Clare	Xavier	Yancey	Zeus	

Women's Preference List

6

### Stable Matching Problem

Q. Is assignment X-A, Y-B, Z-C stable?

A. Yes.

	favorite ↓			least favorite ↓
	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Xavier	Amy	Bertha	Clare	
Yancey	Bertha	Amy	Clare	
Zeus	Amy	Bertha	Clare	

Men's Preference List

	favorite ↓			least favorite ↓
	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
Amy	Yancey	Xavier	Zeus	
Bertha	Xavier	Yancey	Zeus	
Clare	Xavier	Yancey	Zeus	

Women's Preference List

7

### Stable Roommate Problem

Q. Do stable matchings always exist?

A. Not obvious a priori.

is core of market nonempty?

Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- Assign roommate pairs so that no unstable pairs.

	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>
Adam	B	C	D
Bob	C	A	D
Chris	A	B	D
Doofus	A	B	C

A-B, C-D ⇒ B-C unstable  
 A-C, B-D ⇒ A-B unstable  
 A-D, B-C ⇒ A-C unstable

Observation. Stable matchings do not always exist for stable roommate problem.

8

## Propose-And-Reject Algorithm

**Propose-and-reject algorithm.** (Gale-Shapley, 1962) Intuitive method that guarantees to find a stable matching.



```

Initialize each person to be free.
while (some man is free and hasn't proposed to every woman) {
  Choose such a man m
  w = 1st woman on m's list to whom m has not yet proposed
  if (w is free)
    assign m and w to be engaged
  else if (w prefers m to her fiancé m')
    assign m and w to be engaged, and m' to be free
  else
    w rejects m
}
    
```

## Proof of Correctness: Termination

**Observation 1.** Men propose to women in decreasing order of preference.

**Observation 2.** Once a woman is matched, she never becomes unmatched; she only "trades up."

**Claim.** Algorithm terminates after at most  $n^2$  iterations of while loop.

**Pf.** Each time through the while loop a man proposes to a new woman. There are only  $n^2$  possible proposals. ■

	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup>	5 <sup>th</sup>		1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup>	5 <sup>th</sup>
Victor	A	B	C	D	E	Amy	W	X	Y	Z	V
Wyatt	B	C	D	A	E	Bertha	X	Y	Z	V	W
Xavier	C	D	A	B	E	Clare	Y	Z	V	W	X
Yancey	D	A	B	C	E	Diane	Z	V	W	X	Y
Zeus	A	B	C	D	E	Erika	V	W	X	Y	Z

$n(n-1) + 1$  proposals required

9

10

## Proof of Correctness: Perfection

**Claim.** All men and women get matched.

**Pf.** (by contradiction)

- Suppose, for sake of contradiction, that Zeus is not matched upon termination of algorithm.
- Then some woman, say Amy, is not matched upon termination.
- By Observation 2, Amy was never proposed to.
- But, Zeus proposes to everyone, since he ends up unmatched. ■

## Proof of Correctness: Stability

**Claim.** No unstable pairs.

**Pf.** (by contradiction)

- Suppose A-Z is an unstable pair: each prefers each other to partner in Gale-Shapley matching  $S^*$ .

- Case 1: Z never proposed to A.
  - men propose to favorite women first
  - $\Rightarrow$  Z prefers his GS partner to A.
  - $\Rightarrow$  A-Z is stable.

$S^*$

Amy-Yancey
Bertha-Zeus
...

- Case 2: Z proposed to A.
  - $\Rightarrow$  A rejected Z (right away or later)
  - $\Rightarrow$  A prefers her GS partner to Z. ← women only trade up
  - $\Rightarrow$  A-Z is stable.

- In either case A-Z is stable, a contradiction. ■

11

12

## Summary

**Stable matching problem.** Given  $n$  men and  $n$  women, and their preferences, find a stable matching if one exists.

**Gale-Shapley algorithm.** Guarantees to find a stable matching for any problem instance.

- Q. How to implement GS algorithm efficiently?
- Q. If there are multiple stable matchings, which one does GS find?

## Efficient Implementation

**Efficient implementation.** We describe  $O(n^2)$  time implementation.

**Representing men and women.**

- Assume men are named  $1, \dots, n$ .
- Assume women are named  $1', \dots, n'$ .

**Engagements.**

- Maintain a list of free men, e.g., in a queue.
- Maintain two arrays `wife[m]`, and `husband[w]`.
  - set entry to 0 if unmatched
  - if  $m$  matched to  $w$  then `wife[m]=w` and `husband[w]=m`

**Men proposing.**

- For each man, maintain a list of women, ordered by preference.
- Maintain an array `count[m]` that counts the number of proposals made by man  $m$ .

13

14

## Efficient Implementation

**Women rejecting/accepting.**

- Does woman  $w$  prefer man  $m$  to man  $m'$ ?
- For each woman, create **inverse** of preference list of men.
- Constant time access for each query after  $O(n)$  preprocessing.

Amy	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup>	5 <sup>th</sup>	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>
Pref	8	3	7	1	4	5	6	2

Amy	1	2	3	4	5	6	7	8
Inverse	4 <sup>th</sup>	8 <sup>th</sup>	2 <sup>nd</sup>	5 <sup>th</sup>	6 <sup>th</sup>	7 <sup>th</sup>	3 <sup>rd</sup>	1 <sup>st</sup>

```
for i = 1 to n
    inverse[pref[i]] = i
```

Amy prefers man 3 to 6  
 since `inverse[3] < inverse[6]`  
 2            7

## Understanding the Solution

Q. For a given problem instance, there may be several stable matchings. Do all executions of Gale-Shapley yield the same stable matching? If so, which one?

**An instance with two stable matchings.**

- A-X, B-Y, C-Z.
- A-Y, B-X, C-Z.

	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>
Xavier	A	B	C
Yancey	B	A	C
Zeus	A	B	C

	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>
Amy	Y	X	Z
Bertha	X	Y	Z
Clare	X	Y	Z

15

16

## Understanding the Solution

**Q.** For a given problem instance, there may be several stable matchings. Do all executions of Gale-Shapley yield the same stable matching? If so, which one?

**Def.** Man  $m$  is a **valid partner** of woman  $w$  if there exists some stable matching in which they are matched.

**Man-optimal assignment.** Each man receives best valid partner.

**Claim.** All executions of GS yield **man-optimal** assignment, which is a stable matching!

- No reason a priori to believe that man-optimal assignment is perfect, let alone stable.
- Simultaneously best for each and every man.

17

## Man Optimality

**Claim.** GS matching  $S^*$  is man-optimal.

**Pf.** (by contradiction)

- Suppose some man is paired with someone other than best partner. Men propose in decreasing order of preference  $\Rightarrow$  some man is rejected by valid partner.
- Let  $Y$  be **first** such man, and let  $A$  be **first** valid woman that rejects him.
- Let  $S$  be a stable matching where  $A$  and  $Y$  are matched.
- When  $Y$  is rejected,  $A$  forms (or reaffirms) engagement with a man, say  $Z$ , whom she prefers to  $Y$ .
- Let  $B$  be  $Z$ 's partner in  $S$ .
- $Z$  not rejected by any valid partner at the point when  $Y$  is rejected by  $A$ . Thus,  $Z$  prefers  $A$  to  $B$ .
- But  $A$  prefers  $Z$  to  $Y$ .
- Thus  $A$ - $Z$  is unstable in  $S$ . ■

$S$

Amy-Yancey
Bertha-Zeus
...

↑  
since this is first rejection  
by a valid partner

18

## Stable Matching Summary

**Stable matching problem.** Given preference profiles of  $n$  men and  $n$  women, find a stable matching.

↑  
no man and woman prefer to be with each other than assigned partner

**Gale-Shapley algorithm.** Finds a stable matching in  $O(n^2)$  time.

**Man-optimality.** In version of GS where men propose, each man receives best valid partner.

↑  
 $w$  is a valid partner of  $m$  if there exist some  
stable matching where  $m$  and  $w$  are paired

**Q.** Does man-optimality come at the expense of the women?

19

## Woman Pessimality

**Woman-pessimal assignment.** Each woman receives worst valid partner.

**Claim.** GS finds **woman-pessimal** stable matching  $S^*$ .

**Pf.**

- Suppose  $A$ - $Z$  matched in  $S^*$ , but  $Z$  is not worst valid partner for  $A$ .
- There exists stable matching  $S$  in which  $A$  is paired with a man, say  $Y$ , whom she likes less than  $Z$ .
- Let  $B$  be  $Z$ 's partner in  $S$ .
- $Z$  prefers  $A$  to  $B$ . ← man-optimality
- Thus,  $A$ - $Z$  is an unstable in  $S$ . ■

$S$

Amy-Yancey
Bertha-Zeus
...

20

## Extensions: Matching Residents to Hospitals

**Variant 1.** Some participants declare others as **unacceptable**.

**Variant 2.** Unequal number of men and women.

↑  
resident unwilling to work in Cleveland

**Variant 3.** Limited polygamy.

↑  
hospital wants to hire 3 residents

**Ex:** Men  $\approx$  hospitals, Women  $\approx$  med school residents.

**Def.** Matching  $S$  **unstable** if there is a hospital  $h$  and resident  $r$  such that:

- $h$  and  $r$  are acceptable to each other; and
- either  $r$  is unmatched, or  $r$  prefers  $h$  to her assigned hospital; and
- either  $h$  does not have all its places filled, or  $h$  prefers  $r$  to at least one of its assigned residents.

21

## Lessons Learned

Powerful ideas learned in course.

- Isolate underlying structure of problem.
- Create useful and efficient algorithms.

Potentially deep social ramifications. [legal disclaimer]

## Application: Matching Residents to Hospitals

**NRMP.** (National Resident Matching Program)

- Original use just after WWII. ← predates computer usage
- Ides of March, 23,000+ residents.

**Rural hospital dilemma.**

- Certain hospitals (mainly in rural areas) were unpopular and declared unacceptable by many residents.
- Rural hospitals were under-subscribed in NRMP matching.
- How can we find stable matching that benefits "rural hospitals"?

**Rural Hospital Theorem.** Rural hospitals get exactly same residents in every stable matching!

22

## 1.2 Five Representative Problems


---

## Interval Scheduling

**Input.** Set of jobs with start times and finish times.

**Goal.** Find maximum **cardinality** subset of mutually compatible jobs.

↑  
jobs don't overlap




25

## Weighted Interval Scheduling

**Input.** Set of jobs with start times, finish times, and weights.

**Goal.** Find maximum **weight** subset of mutually compatible jobs.




26

## Bipartite Matching

**Input.** Bipartite graph.

**Goal.** Find maximum **cardinality** matching.




27

## Independent Set

**Input.** Graph.

**Goal.** Find maximum **cardinality** independent set.

↑  
subset of nodes such that no two  
joined by an edge




28

## Competitive Facility Location

**Input.** Graph with weight on each each node.

**Game.** Two competing players alternate in selecting nodes. Not allowed to select a node if any of its neighbors have been selected.

**Goal.** Select a **maximum weight** subset of nodes.



Second player can guarantee 20, but not 25.

## Five Representative Problems

Variations on a theme: independent set.

**Interval scheduling:**  $n \log n$  greedy algorithm.

**Weighted interval scheduling:**  $n \log n$  dynamic programming algorithm.

**Bipartite matching:**  $n^k$  max-flow based algorithm.

**Independent set:** NP-complete.

**Competitive facility location:** PSPACE-complete.