

## 2.2 MERGESORT

- ▶ mergesort
- ▶ bottom-up mergesort
- ▶ sorting complexity
- ▶ divide-and-conquer

## Two classic sorting algorithms: mergesort and quicksort

Critical components in the world's computational infrastructure.

- Full scientific understanding of their properties has enabled us to develop them into practical system sorts.
- Quicksort honored as one of top 10 algorithms of 20<sup>th</sup> century in science and engineering.

Mergesort. [this lecture]



Quicksort. [next lecture]




## Mergesort

Basic plan.

- Divide array into two halves.
- **Recursively** sort each half.
- Merge two halves.


input	M	E	R	G	E	S	O	R	T	E	X	A	M	P	L	E	
sort left half	E	E	G	M	O	R	R	S		T	E	X	A	M	P	L	E
sort right half	E	E	G	M	O	R	R	S		A	E	E	L	M	P	T	X
merge results	A	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X	

Mergesort overview



## 2.2 MERGESORT

- ▶ mergesort
- ▶ bottom-up mergesort
- ▶ sorting complexity
- ▶ divide-and-conquer



## Abstract in-place merge demo


**Goal.** Given two sorted subarrays  $a[lo]$  to  $a[mid]$  and  $a[mid+1]$  to  $a[hi]$ , replace with sorted subarray  $a[lo]$  to  $a[hi]$ .



5


## Abstract in-place merge demo

**Goal.** Given two sorted subarrays  $a[lo]$  to  $a[mid]$  and  $a[mid+1]$  to  $a[hi]$ , replace with sorted subarray  $a[lo]$  to  $a[hi]$ .



6

## Mergesort: Transylvanian-Saxon folk dance




[http://www.youtube.com/watch?v=XaqR3G\\_NVoo](http://www.youtube.com/watch?v=XaqR3G_NVoo)

7

## Merging: Java implementation

```
private static void merge(Comparable[] a, Comparable[] aux, int lo, int mid, int hi)
{
    for (int k = lo; k <= hi; k++)
        aux[k] = a[k]; // copy

    int i = lo, j = mid+1;
    for (int k = lo; k <= hi; k++)
    {
        if (i > mid) a[k] = aux[j++]; // merge
        else if (j > hi) a[k] = aux[i++];
        else if (less(aux[j], aux[i])) a[k] = aux[j++];
        else a[k] = aux[i++];
    }
}
```



8

## Mergesort quiz 1

How many calls to `less()` does `merge()` make in the worst case to merge two subarrays of length  $N/2$  into an array of length  $N$ . Assume  $N$  is even.

- A.  $N/2$
- B.  $N/2 + 1$
- C.  $N - 1$
- D.  $N$
- E. *I don't know.*


9

## Mergesort: Java implementation

```
public class Merge
{
    private static void merge(...)
    { /* as before */ }

    private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
    {
        if (hi <= lo) return;
        int mid = lo + (hi - lo) / 2;
        sort(a, aux, lo, mid);
        sort(a, aux, mid+1, hi);
        merge(a, aux, lo, mid, hi);
    }

    public static void sort(Comparable[] a)
    {
        Comparable[] aux = new Comparable[a.length];
        sort(a, aux, 0, a.length - 1);
    }
}
```



10

## Mergesort: trace

	lo	hi	a[]
			0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
			M E R G E S O R T E X A M P L E
merge(a, aux, 0, 0, 1)	0	1	E M R G E S O R T E X A M P L E
merge(a, aux, 2, 2, 3)	2	3	E M G R E S O R T E X A M P L E
merge(a, aux, 0, 1, 3)	0	3	E G M R E S O R T E X A M P L E
merge(a, aux, 4, 4, 5)	4	5	E G M R E S O R T E X A M P L E
merge(a, aux, 6, 6, 7)	6	7	E G M R E S O R T E X A M P L E
merge(a, aux, 4, 5, 7)	4	7	E G M R E O R S T E X A M P L E
merge(a, aux, 0, 3, 7)	0	7	E E G M O R R S T E X A M P L E
merge(a, aux, 8, 8, 9)	8	9	E E G M O R R S E T X A M P L E
merge(a, aux, 10, 10, 11)	10	11	E E G M O R R S E T A X M P L E
merge(a, aux, 8, 9, 11)	8	11	E E G M O R R S A E T X M P L E
merge(a, aux, 12, 12, 13)	12	13	E E G M O R R S A E T X M P L E
merge(a, aux, 14, 14, 15)	14	15	E E G M O R R S A E T X M P L E
merge(a, aux, 12, 13, 15)	12	15	E E G M O R R S A E T X E L M P
merge(a, aux, 8, 11, 15)	8	15	E E G M O R R S A E E L M P T X
merge(a, aux, 0, 7, 15)	0	15	A E E E E G L M M O P R R S T X

result after recursive call

11

## Mergesort quiz 2


Which of the following subarray lengths will occur when running mergesort on an array of length 12?

- A. { 1, 2, 3, 4, 6, 8, 12 }
- B. { 1, 2, 3, 6, 12 }
- C. { 1, 2, 4, 8, 12 }
- D. { 1, 3, 6, 9, 12 }
- E. *I don't know.*

12

## Mergesort: animation

50 random items




<http://www.sorting-algorithms.com/merge-sort>

13

## Mergesort: animation

50 reverse-sorted items



<http://www.sorting-algorithms.com/merge-sort>

14

## Mergesort: empirical analysis

### Running time estimates:

- Laptop executes  $10^8$  compares/second.
- Supercomputer executes  $10^{12}$  compares/second.

computer	insertion sort ( $N^2$ )			mergesort ( $N \log N$ )		
	thousand	million	billion	thousand	million	billion
home	instant	2.8 hours	317 years	instant	1 second	18 min
super	instant	1 second	1 week	instant	instant	instant

**Bottom line.** Good algorithms are better than supercomputers.

15

## Mergesort analysis: number of compares

**Proposition.** Mergesort uses  $\leq N \lg N$  compares to sort an array of length  $N$ .

**Pf sketch.** The number of compares  $C(N)$  to mergesort an array of length  $N$  satisfies the recurrence:

$$C(N) \leq C(\lceil N/2 \rceil) + C(\lfloor N/2 \rfloor) + N - 1 \quad \text{for } N > 1, \text{ with } C(1) = 0.$$

↑
↑
↑  
left half
right half
merge

We solve this simpler recurrence, and assume  $N$  is a power of 2:

$$D(N) = 2D(N/2) + N, \text{ for } N > 1, \text{ with } D(1) = 0.$$


result holds for all  $N$   
(analysis cleaner in this case)

16

## Divide-and-conquer recurrence

**Proposition.** If  $D(N)$  satisfies  $D(N) = 2D(N/2) + N$  for  $N > 1$ , with  $D(1) = 0$ , then  $D(N) = N \lg N$ .

**Pf by picture.** [assuming  $N$  is a power of 2]



17

## Mergesort analysis: number of array accesses

**Proposition.** Mergesort uses  $\leq 6N \lg N$  array accesses to sort an array of length  $N$ .

**Pf sketch.** The number of array accesses  $A(N)$  satisfies the recurrence:

$$A(N) \leq A(\lceil N/2 \rceil) + A(\lfloor N/2 \rfloor) + 6N \text{ for } N > 1, \text{ with } A(1) = 0.$$

**Key point.** Any algorithm with the following structure takes  $N \log N$  time:

```

public static void f(int N)
{
    if (N == 0) return;
    f(N/2);      ← solve two problems
    f(N/2);      ← of half the size
    linear(N);   ← do a linear amount of work
}
    
```


**Notable examples.** FFT, hidden-line removal, Kendall-tau distance, ...

18

## Mergesort analysis: memory

**Proposition.** Mergesort uses extra space proportional to  $N$ .

**Pf.** The array `aux[]` needs to be of length  $N$  for the last merge.



**Def.** A sorting algorithm is **in-place** if it uses  $\leq c \log N$  extra memory.

**Ex.** Insertion sort, selection sort, shellsort.

**Challenge 1 (not hard).** Use `aux[]` array of length  $\sim \frac{1}{2}N$  instead of  $N$ .

**Challenge 2 (very hard).** In-place merge. [Kronrod 1969]

19

## Mergesort quiz 3

Is our implementation of mergesort **stable**?

- A. Yes.
- B. No, but it can be modified to be stable.
- C. No, mergesort is inherently unstable.
- D. I don't remember what stability means.
- E. I don't know.

a sorting algorithm is stable if it preserves the relative order of equal keys

input C A<sub>1</sub> B A<sub>2</sub> A<sub>3</sub>

sorted A<sub>3</sub> A<sub>1</sub> A<sub>2</sub> B C

not stable

20

## Stability: mergesort

**Proposition.** Mergesort is **stable**.

```
public class Merge
{
    private static void merge(...)
    { /* as before */ }

    private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
    {
        if (hi <= lo) return;
        int mid = lo + (hi - lo) / 2;
        sort(a, aux, lo, mid);
        sort(a, aux, mid+1, hi);
        merge(a, aux, lo, mid, hi);
    }

    public static void sort(Comparable[] a)
    { /* as before */ }
}
```

**Pf.** Suffices to verify that merge operation is stable.

21

## Stability: mergesort

**Proposition.** Merge operation is **stable**.

```
private static void merge(...)
{
    for (int k = lo; k <= hi; k++)
        aux[k] = a[k];

    int i = lo, j = mid+1;
    for (int k = lo; k <= hi; k++)
    {
        if (i > mid)          a[k] = aux[j++];
        else if (j > hi)     a[k] = aux[i++];
        else if (less(aux[j], aux[i])) a[k] = aux[j++];
        else                 a[k] = aux[i++];
    }
}
```

0	1	2	3	4	5	6	7	8	9	10
A <sub>1</sub>	A <sub>2</sub>	A <sub>3</sub>	B	D	A <sub>4</sub>	A <sub>5</sub>	C	E	F	G

**Pf.** Takes from left subarray if equal keys.

22

## Mergesort: practical improvements


**Use insertion sort for small subarrays.**

- Mergesort has too much overhead for tiny subarrays.
- Cutoff to insertion sort for  $\approx 10$  items.

```
private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
{
    if (hi <= lo + CUTOFF - 1)
    {
        Insertion.sort(a, lo, hi);
        return;
    }
    int mid = lo + (hi - lo) / 2;
    sort(a, aux, lo, mid);
    sort(a, aux, mid+1, hi);
    merge(a, aux, lo, mid, hi);
}
```

23

## Mergesort with cutoff to insertion sort: visualization



24

## Mergesort: practical improvements

### Stop if already sorted.

- Is largest item in first half  $\leq$  smallest item in second half?
- Helps for partially-ordered arrays.

```
A B C D E F G H I J M N O P Q R S T U V
A B C D E F G H I J M N O P Q R S T U V
```

```
private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
{
    if (hi <= lo) return;
    int mid = lo + (hi - lo) / 2;
    sort(a, aux, lo, mid);
    sort(a, aux, mid+1, hi);
    if (!less(a[mid+1], a[mid])) return;
    merge(a, aux, lo, mid, hi);
}
```

25

## Mergesort: practical improvements

Eliminate the copy to the auxiliary array. Save time (but not space) by switching the role of the input and auxiliary array in each recursive call.

```
private static void merge(Comparable[] a, Comparable[] aux, int lo, int mid, int hi)
{
    int i = lo, j = mid+1;
    for (int k = lo; k <= hi; k++)
    {
        if (i > mid) aux[k] = a[j++];
        else if (j > hi) aux[k] = a[i++];
        else if (less(a[j], a[i])) aux[k] = a[j++];
        else aux[k] = a[i++];
    }
}

private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
{
    if (hi <= lo) return;
    int mid = lo + (hi - lo) / 2;
    sort(aux, a, lo, mid);
    sort(aux, a, mid+1, hi);
    merge(a, aux, lo, mid, hi);
}
```

merge from a[] to aux[]

assumes aux[] is initialize to a[] once, before recursive calls

switch roles of aux[] and a[]

26

## Java 6 system sort

### Basic algorithm for sorting objects = mergesort.

- Cutoff to insertion sort = 7.
- Stop-if-already-sorted test.
- Eliminate-the-copy-to-the-auxiliary-array trick.

Arrays.sort(a)



<http://hg.openjdk.java.net/jdk6/jdk6/jdk/file/tip/src/share/classes/java/util/Arrays.java>

27

## 2.2 MERGESORT

- mergesort
- bottom-up mergesort
- sorting complexity
- divide-and-conquer

Algorithms

ROBERT SEDGWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>

## Bottom-up mergesort

### Basic plan.

- Pass through array, merging subarrays of size 1.
- Repeat for subarrays of size 2, 4, 8, ....

	a[i]															
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
<b>sz=1</b>																
merge(a, aux, 0, 0, 1)	E	M	R	G	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 2, 2, 3)	E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 4, 4, 5)	E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 6, 6, 7)	E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 8, 8, 9)	E	M	G	R	E	S	O	R	E	T	X	A	M	P	L	E
merge(a, aux, 10, 10, 11)	E	M	G	R	E	S	O	R	E	T	A	X	M	P	L	E
merge(a, aux, 12, 12, 13)	E	M	G	R	E	S	O	R	E	T	A	X	M	P	L	E
merge(a, aux, 14, 14, 15)	E	M	G	R	E	S	O	R	E	T	A	X	M	P	E	L
<b>sz=2</b>																
merge(a, aux, 0, 1, 3)	E	G	M	R	E	S	O	R	E	T	A	X	M	P	E	L
merge(a, aux, 4, 5, 7)	E	G	M	R	E	O	R	S	E	T	A	X	M	P	E	L
merge(a, aux, 8, 9, 11)	E	G	M	R	E	O	R	S	A	E	T	X	M	P	E	L
merge(a, aux, 12, 13, 15)	E	G	M	R	E	O	R	S	A	E	T	X	E	L	M	P
<b>sz=4</b>																
merge(a, aux, 0, 3, 7)	E	E	G	M	O	R	R	S	A	E	T	X	E	L	M	P
merge(a, aux, 8, 11, 15)	E	E	G	M	O	R	R	S	A	E	E	L	M	P	T	X
<b>sz=8</b>																
merge(a, aux, 0, 7, 15)	A	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X

29

## Bottom-up mergesort: Java implementation


```
public class MergeBU
{
    private static void merge(...)
    { /* as before */ }

    public static void sort(Comparable[] a)
    {
        int N = a.length;
        Comparable[] aux = new Comparable[N];
        for (int sz = 1; sz < N; sz = sz+sz)
            for (int lo = 0; lo < N-sz; lo += sz+sz)
                merge(a, aux, lo, lo+sz-1, Math.min(lo+sz+sz-1, N-1));
    }
}
```


**Bottom line.** Simple and non-recursive version of mergesort.

30

## Mergesort: visualizations



top-down mergesort (cutoff = 12)



bottom-up mergesort (cutoff = 12)

31

## Mergesort quiz 4

Which is faster in practice: top-down mergesort or bottom-up mergesort?

- Top-down (recursive) mergesort.
- Bottom-up (nonrecursive) mergesort.
- About the same.
- I don't know.*

32



## Natural mergesort

**Idea.** Exploit pre-existing order by identifying naturally-occurring runs.

input

1	5	10	16	3	4	23	9	13	2	7	8	12	14
---	---	----	----	---	---	----	---	----	---	---	---	----	----

first run

1	5	10	16	3	4	23	9	13	2	7	8	12	14
---	---	----	----	---	---	----	---	----	---	---	---	----	----

second run

1	5	10	16	3	4	23	9	13	2	7	8	12	14
---	---	----	----	---	---	----	---	----	---	---	---	----	----

merge two runs


1	3	4	5	10	16	23	9	13	2	7	8	12	14
---	---	---	---	----	----	----	---	----	---	---	---	----	----

**Tradeoff.** Fewer passes vs. extra compares per pass to identify runs.

33

## Timsort

- Natural mergesort.
- Use binary insertion sort to make initial runs (if needed).
- A few more clever optimizations.



Tim Peters

Intro

-----

This describes an adaptive, stable, natural mergesort, modestly called timsort (hey, I earned it <wink>). It has supernatural performance on many kinds of partially ordered arrays (less than  $\lg(N!)$  comparisons needed, and as few as  $N-1$ ), yet as fast as Python's previous highly tuned samplesort hybrid on random arrays.

In a nutshell, the main routine marches over the array once, left to right, alternately identifying the next run, then merging it into the previous runs "intelligently". Everything else is complication for speed, and some hard-won measure of memory efficiency.

...


**Consequence.** Linear time on many arrays with pre-existing order.

**Now widely used.** Python, Java 7, GNU Octave, Android, ....

<http://hg.openjdk.java.net/jdk7/jdk7/jdk/file/tip/src/share/classes/java/util/Arrays.java>

34

## Commercial break



<https://www.youtube.com/watch?v=tSEHDBSynVo>

35

## 2.2 MERGESORT

- ▶ mergesort
- ▶ bottom-up mergesort
- ▶ sorting complexity
- ▶ divide-and-conquer

ROBERT SEDGWICK | KEVIN WAYNE  
<http://algs4.cs.princeton.edu>

## Complexity of sorting

**Computational complexity.** Framework to study efficiency of algorithms for solving a particular problem  $X$ .

**Model of computation.** Allowable operations.

**Cost model.** Operation counts.

**Upper bound.** Cost guarantee provided by **some** algorithm for  $X$ .

**Lower bound.** Proven limit on cost guarantee of **all** algorithms for  $X$ .

**Optimal algorithm.** Algorithm with best possible cost guarantee for  $X$ .

lower bound  $\sim$  upper bound


model of computation	decision tree
cost model	# compares
upper bound	$\sim N \lg N$ from mergesort
lower bound	?
optimal algorithm	?

complexity of sorting

can access information only through compares (e.g., Java Comparable framework)

37

## Decision tree (for 3 distinct keys a, b, and c)




38

## Compare-based lower bound for sorting

**Proposition.** Any compare-based sorting algorithm must use at least  $\lg(N!) \sim N \lg N$  compares in the worst-case.

**Pf.**

- Assume array consists of  $N$  distinct values  $a_1$  through  $a_N$ .
- Worst case dictated by **height**  $h$  of decision tree.
- Binary tree of height  $h$  has at most  $2^h$  leaves.
- $N!$  different orderings  $\Rightarrow$  at least  $N!$  leaves.



39

## Compare-based lower bound for sorting

**Proposition.** Any compare-based sorting algorithm must use at least  $\lg(N!) \sim N \lg N$  compares in the worst-case.

**Pf.**

- Assume array consists of  $N$  distinct values  $a_1$  through  $a_N$ .
- Worst case dictated by **height**  $h$  of decision tree.
- Binary tree of height  $h$  has at most  $2^h$  leaves.
- $N!$  different orderings  $\Rightarrow$  at least  $N!$  leaves.

$$2^h \geq \# \text{ leaves} \geq N!$$

$$\Rightarrow h \geq \lg(N!) \sim N \lg N$$

Stirling's formula

40

## Complexity of sorting

**Model of computation.** Allowable operations.

**Cost model.** Operation count(s).

**Upper bound.** Cost guarantee provided by some algorithm for  $X$ .

**Lower bound.** Proven limit on cost guarantee of all algorithms for  $X$ .

**Optimal algorithm.** Algorithm with best possible cost guarantee for  $X$ .

model of computation	<i>decision tree</i>
cost model	<i># compares</i>
upper bound	$\sim N \lg N$
lower bound	$\sim N \lg N$
optimal algorithm	<i>mergesort</i>

complexity of sorting


First goal of algorithm design: optimal algorithms.

41

## Complexity results in context

**Compares?** Mergesort **is** optimal with respect to number compares.

**Space?** Mergesort **is not** optimal with respect to space usage.



**Lessons.** Use theory as a guide.

**Ex.** Design sorting algorithm that guarantees  $\sim \frac{1}{2} N \lg N$  compares?

**Ex.** Design sorting algorithm that is both time- and space-optimal?

42

## Complexity results in context (continued)

Lower bound may not hold if the algorithm can take advantage of:

- The initial order of the input.  
Ex: insertion sort requires only a linear number of compares on partially-sorted arrays.
- The distribution of key values.  
Ex: 3-way quicksort requires only a linear number of compares on arrays with a constant number of distinct keys. [stay tuned]
- The representation of the keys.  
Ex: radix sorts require no key compares — they access the data via character/digit compares.

43

## Sorting summary

	inplace?	stable?	best	average	worst	remarks
selection	✓		$\frac{1}{2} N^2$	$\frac{1}{2} N^2$	$\frac{1}{2} N^2$	$N$ exchanges
insertion	✓	✓	$N$	$\frac{1}{4} N^2$	$\frac{1}{2} N^2$	use for small $N$ or partially ordered
shell	✓		$N \log_3 N$	?	$c N^{3/2}$	tight code; subquadratic
merge		✓	$\frac{1}{2} N \lg N$	$N \lg N$	$N \lg N$	$N \log N$ guarantee; stable
timsort		✓	$N$	$N \lg N$	$N \lg N$	improves mergesort when preexisting order
?	✓	✓	$N$	$N \lg N$	$N \lg N$	holy sorting grail

44

## INTERVIEW QUESTION: SHUFFLE A LINKED LIST


**Problem.** Given a singly-linked list, rearrange its nodes uniformly at random.

**Assumption.** Access to a perfect random-number generator.

all  $N!$  permutations  
equally likely

**Version 1.** Linear time, linear extra space.

**Version 2.** Linearithmic time, logarithmic or constant extra space.



## 2.2 MERGESORT

- ▶ mergesort
- ▶ bottom-up mergesort
- ▶ sorting complexity
- ▶ divide-and-conquer

Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<http://algs4.cs.princeton.edu>