



# The Design of C: A Rational Reconstruction: Part 2

Aarti Gupta





Continued from previous lecture

# Agenda



Data Types

**Operators**

Statements

I/O Facilities

# Operators



## What kinds of operators should C have?

### Thought process

- Should handle typical operations
- Should handle bit-level programming ("bit twiddling")
- Should provide a mechanism for converting from one type to another

# Operators



## Decisions

- Provide typical arithmetic operators: `+` `-` `*` `/` `%`
- Provide typical relational operators: `==` `!=` `<` `<=` `>` `>=`
  - Each evaluates to 0 => FALSE or 1 => TRUE
- Provide typical logical operators: `!` `&&` `||`
  - Each interprets 0 => FALSE, non-0 => TRUE
  - Each evaluates to 0 => FALSE or 1 => TRUE
- Provide bitwise operators: `~` `&` `|` `^` `>>` `<<`
- Provide a cast operator: `(type)`



# Aside: Logical vs. Bitwise Ops

## Logical NOT (!) vs. bitwise NOT (~)

- ! 1 (TRUE) => 0 (FALSE)

Decimal	Binary
1	00000000 00000000 00000000 00000001
! 1	00000000 00000000 00000000 00000000

- ~ 1 (TRUE) => -2 (TRUE)

Decimal	Binary
1	00000000 00000000 00000000 00000001
~ 1	11111111 11111111 11111111 11111110

## Implication:

- Use **logical** NOT to control flow of logic
- Use **bitwise** NOT only when doing bit-level manipulation



# Aside: Logical vs. Bitwise Ops

## Logical AND (&&) vs. bitwise AND (&)

- 2 (TRUE) && 1 (TRUE) => 1 (TRUE)

Decimal	Binary
2	00000000 00000000 00000000 00000010
&& 1	00000000 00000000 00000000 00000001
----	-----
1	00000000 00000000 00000000 00000001

- 2 (TRUE) & 1 (TRUE) => 0 (FALSE)

Decimal	Binary
2	00000000 00000000 00000000 00000010
& 1	00000000 00000000 00000000 00000001
----	-----
0	00000000 00000000 00000000 00000000

# Aside: Logical vs. Bitwise Ops



## Implication:

- Use **logical** AND to control flow of logic
- Use **bitwise** AND only when doing bit-level manipulation

Same for logical OR (||) and bitwise OR (|)



# Assignment Operator



## What about assignment?

### Thought process

- Must have a way to assign a value to a variable
- Many high-level languages provide an assignment **statement**
- Would be more succinct to define an assignment **operator**
  - Performs assignment, and then evaluates to the assigned value
  - Allows assignment expression to appear within larger expressions

# Assignment Operator



## Decisions

- Provide assignment **operator**: =
  - Side effect: changes the value of a variable
  - Evaluates to the new value of the variable

# Assignment Operator Examples



## Examples

```
i = 0;
    /* Side effect: assign 0 to i.
       Evaluate to 0.

j = i = 0; /* Assignment op has R to L associativity */
    /* Side effect: assign 0 to i.
       Evaluate to 0.
       Side effect: assign 0 to j.
       Evaluate to 0. */

while ((i = getchar()) != EOF) ...
    /* Read a character.
       Side effect: assign that character to i.
       Evaluate to that character.
       Compare that character to EOF.
       Evaluate to 0 (FALSE) or 1 (TRUE). */
```

# Special-Purpose Assignment Operators



## Should C provide special-purpose assignment operators?

### Thought process

- The construct `i = i + 1` is common
- More generally, `i = i + n` and `i = i * n` are common
- Special-purpose assignment operators would make code more compact
- Such operators would complicate the language and compiler

# Special-Purpose Assignment Operators



## Decisions

- Provide special-purpose assignment operators:

`+= -= *= /= ~= &= |= ^= <<= >>=`

## Examples

```
i += j same as i = i + j
```

```
i /= j same as i = i / j
```

```
i |= j same as i = i | j
```

```
i >>= j same as i = i >> j
```

# Special-Purpose Assignment Operators



## Decisions (cont.)

- Provide increment and decrement operators: ++ --
  - Prefix and postfix forms

## Examples

```
(1) i = 5;  
    j = ++i;  
  
(2) i = 5;  
    j = i++;  
  
(3) i = 5;  
    j = ++i + ++i;  
  
(4) i = 5;  
    j = i++ + i++;
```

What is the value of i? Of j?

# Sizeof Operator



## How can programmers determine data sizes?

### Thought process

- The sizes of most primitive types are unspecified
- Sometimes programmer must know sizes of primitive types
  - E.g. when allocating memory dynamically
- Hard code data sizes => program not portable
- C must provide a way to determine the size of a given data type programmatically



# Sizeof Operator

## Decisions

- Provide a `sizeof` operator
  - Applied at compile-time
  - Operand can be a **data type**
  - Operand can be an **expression**
    - Compiler infers a data type

## Examples, on CourseLab

- `sizeof(int) => 4`
- When `i` is a variable of type `int`...
- `sizeof(i) => 4`
- `sizeof(i+1)`
- `sizeof(i++ * ++i - 5)`

What is the value?



# Other Operators



## What other operators should C have?

### Decisions

- Function call operator
  - Should mimic the familiar mathematical notation
  - `function(arg1, arg2, ...)`
- Conditional operator: `?:`
  - The only ternary operator
  - See King book
- Sequence operator: `,`
  - See King book
- Pointer-related operators: `&` `*`
  - Described later in the course
- Structure-related operators: `.` `->`
  - Described later in the course

# Operators Summary: C vs. Java



## Java only

- `>>>` right shift with zero fill
- `new` create an object
- `instanceof` is left operand an object of class right operand?

## C only

- `->` structure member select
- `*` dereference
- `&` address of
- `,` sequence
- `sizeof` compile-time size of

# Operators Summary: C vs. Java



## Related to type `boolean`:

- **Java:** Relational and logical operators evaluate to type `boolean`
- **C:** Relational and logical operators evaluate to type `int`
- **Java:** Logical operators take operands of type `boolean`
- **C:** Logical operators take operands of any primitive type or memory address

# Agenda



Data Types

Operators

**Statements**

I/O Facilities

# Sequence Statement



**How should C implement sequence?**

**Decision**

- **Compound statement, alias block**

```
{  
    statement1;  
    statement2;  
    ...  
}
```



# Selection Statements

## How should C implement selection?

### Decisions

- **if** statement, for one-path, two-path decisions

```
if (expr)  
    statement1;
```

```
if (expr)  
    statement1;  
else  
    statement2;
```

```
0 => FALSE  
non-0 => TRUE
```



# Selection Statements

## Decisions (cont.)

- **switch** and **break** statements, for multi-path decisions on a single *integerExpr*

```
switch (integerExpr)
{ case integerLiteral1:
  ...
  break;
  case integerLiteral2:
  ...
  break;
  ...
  default:
  ...
}
```

What happens  
if you forget  
**break**?



# Repetition Statements

## How should C implement repetition?

### Decisions

- **while** statement; test at leading edge

```
while (expr)  
    statement;
```

- **for** statement; test at leading edge, increment at trailing edge

```
for (initialExpr; testExpr; incrementExpr)  
    statement;
```

- **do...while** statement; test at trailing edge

```
do  
    statement;  
while (expr);
```

```
0 ==> FALSE  
non-0 ==> TRUE
```





# Repetition Statements

## Decisions (cont.)

- Cannot declare loop control variable in `for` statement

```
{  
  ...  
  for (int i = 0; i < 10; i++)  
    /* Do something */  
  ...  
}
```

Illegal in C

```
{  
  int i;  
  ...  
  for (i = 0; i < 10; i++)  
    /* Do something */  
  ...  
}
```

Legal in C

# Other Control Statements



## What other control statements should C provide?

### Decisions

- **break** statement (revisited)
  - Breaks out of closest enclosing **switch** or repetition statement
- **continue** statement
  - Skips remainder of current loop iteration
  - Continues with next loop iteration
  - When used within **for**, still executes *incrementExpr*
- **goto** statement
  - Jump to specified **label**

# Declaring Variables



## Should C require variable declarations?

### Thought process:

- Declaring variables allows compiler to check spelling
- Declaring variables allows compiler to allocate memory more efficiently



# Declaring Variables

## Decisions:

- Require variable declarations
- Provide **declaration statement**
- Programmer specifies type of variable (and other attributes too)

## Examples

- `int i;`
- `int i, j;`
- `int i = 5;`
- `const int i = 5; /* value of i cannot change */`
- `static int i; /* covered later in course */`
- `extern int i; /* covered later in course */`



# Declaring Variables

## Decisions (cont.):

- Declaration statements must appear before any other kind of statement in compound statement

```
{
    int i;
    /* Non-declaration
       stmts that use i. */
    ...
    int j;
    /* Non-declaration
       stmts that use j. */
    ...
}
```

Illegal in C

```
{
    int i;
    int j;
    ...
    /* Non-declaration
       stmts that use i. */
    ...
    /* Non-declaration
       stmts that use j. */
    ...
}
```

Legal in C

# Computing with Expressions



**How should C implement computing with expressions?**

**Decisions:**

- Provide **expression statement**  
`expression ;`

# Computing with Expressions



## Examples

```
i = 5;
    /* Side effect: assign 5 to i.
       Evaluate to 5. Discard the 5. */

j = i + 1;
    /* Side effect: assign 6 to j.
       Evaluate to 6. Discard the 6. */

printf("hello");
    /* Side effect: print hello.
       Evaluate to 5. Discard the 5. */

i + 1;
    /* Evaluate to 6. Discard the 6. */

5;
    /* Evaluate to 5. Discard the 5. */
```

# Statements Summary: C vs. Java



## Declaration statement:

- **Java:** Compile-time error to use a local variable before specifying its value
- **C:** Run-time error to use a local variable before specifying its value

## `final` and `const`

- **Java:** Has `final` variables
- **C:** Has `const` variables

## Expression statement

- **Java:** Only expressions that have a side effect can be made into expression statements
- **C:** Any expression can be made into an expression statement



# Statements Summary: C vs. Java



## Compound statement:

- **Java:** Declaration statements can be placed anywhere within compound statement
- **C:** Declaration statements must appear before any other type of statement within compound statement

## if statement

- **Java:** Controlling *expr* must be of type `boolean`
- **C:** Controlling *expr* can be any primitive type or a memory address (0 => FALSE, non-0 => TRUE)

## while statement

- **Java:** Controlling *expr* must be of type `boolean`
- **C:** Controlling *expr* can be any primitive type or a memory address (0 => FALSE, non-0 => TRUE)

# Statements Summary: C vs. Java



## do...while statement

- **Java:** Controlling *expr* must be of type **boolean**
- **C:** Controlling *expr* can be of any primitive type or a memory address (0 => FALSE, non-0 => TRUE)

## for statement

- **Java:** Controlling *expr* must be of type **boolean**
- **C:** Controlling *expr* can be of any primitive type or a memory address (0 => FALSE, non-0 => TRUE)

## Loop control variable

- **Java:** Can declare loop control variable in *initexpr*
- **C:** Cannot declare loop control variable in *initexpr*

# Statements Summary: C vs. Java



## break statement

- **Java:** Also has “labeled break” statement
- **C:** Does not have “labeled break” statement

## continue statement

- **Java:** Also has “labeled continue” statement
- **C:** Does not have “labeled continue” statement

## goto statement

- **Java:** Not provided
- **C:** Provided (but don't use it!)

# Agenda



Data Types

Operators

Statements

**I/O Facilities**



## Should C provide I/O facilities?

### Thought process

- Unix provides the **file** abstraction
  - A file is a sequence of characters with an indication of the current position
- Unix provides 3 standard files
  - Standard input, standard output, standard error
- C should be able to use those files, and others
- I/O facilities are complex
- C should be small/simple

# I/O Facilities



## Decisions

- Do not provide I/O facilities in the **language**
- Instead provide I/O facilities in **standard library**
  - **Constant:** `EOF`
  - **Data type:** `FILE` (described later in course)
  - **Variables:** `stdin`, `stdout`, and `stderr`
  - **Functions:** ...

# Reading Characters



**What functions should C provide for reading characters?**

## Thought process

- Need function to read a single character from `stdin`
  - ... And indicate failure

# Reading Characters



## Decisions

- Provide `getchar()` function
- Define `getchar()` to return `EOF` upon failure
  - `EOF` is a special non-character `int`
- Make return type of `getchar()` wider than `char`
  - Make it `int`; that's the natural word size

## Reminder

- There is no such thing as “the EOF character”



# Writing Characters



## What functions should C provide for writing characters?

### Thought process

- Need function to write a single character to `stdout`

### Decisions

- Provide `putchar()` function
- Define `putchar()` to have `int` parameter
  - For symmetry with `getchar()`

# Reading Other Data Types



## What functions should C provide for reading data of other primitive types?

### Thought process

- Must convert external form (sequence of character codes) to internal form
- Could provide `getshort()`, `getint()`, `getfloat()`, etc.
- Could provide parameterized function to read any primitive type of data

# Reading Other Data Types



## Decisions

- Provide `scanf ()` function
  - Can read any primitive type of data
  - First parameter is a **format string** containing **conversion specifications**



# Reading Other Data Types

'1'

'2'

'3'

011000010110001001100011

`scanf ("%d", &i);`

00000000000000000000000000001111011

123

What is this ampersand?  
Covered later  
in course.

See King book for conversion specifications

# Writing Other Data Types



## What functions should C provide for writing data of other primitive types?

### Thought process

- Must convert internal form to external form (sequence of character codes)
- Could provide `putshort()`, `putint()`, `putfloat()` ...
- Could provide parameterized function to write any primitive type of data

# Writing Other Data Types




## Decisions

- Provide `printf ()` function
  - Can write any primitive type of data
  - First parameter is a **format string** containing **conversion specifications**



# Writing Other Data Types



See King book for conversion specifications



# Other I/O Facilities

## What other I/O functions should C provide?

### Decisions

- `fopen()`: Open a stream
- `fclose()`: Close a stream
- `fgetc()`: Read a character from specified stream
- `fputc()`: Write a character to specified stream
- `fgets()`: Read a line/string from specified stream
- `fputs()`: Write a line/string to specified stream
- `fscanf()`: Read data from specified stream
- `fprintf()`: Write data to specified stream

Described in King book, and later in the course after covering files, arrays, and strings



# Summary



## C design decisions and the goals that affected them

- Data types
- Operators
- Statements
- I/O facilities

Knowing the design goals and how they affected the design decisions can yield a rich understanding of C

# Appendix: The Cast Operator



Cast operator has multiple meanings:

(1) Cast between integer type and floating point type:

- Compiler generates code
- At run-time, code performs conversion

**f**    11000001110110110000000000000000    **-27.375**

**i = (int) f**

**i**    111111111111111111111111111111111100101    **-27**

# Appendix: The Cast Operator



## (2) Cast between floating point types of different sizes:

- Compiler generates code
- At run-time, code performs conversion

**f** `11000001110110110000000000000000` **-27.375**

**d = (double) f**

**d** `11000000001110110110000000000000  
00000000000000000000000000000000` **-27.375**

# Appendix: The Cast Operator



## (3) Cast between integer types of different sizes:

- Compiler generates code
- At run-time, code performs conversion

**i** 0000000000000000000000000000000000000010 **2**

**c = (char) i**

**c** 00000010 **2**

# Appendix: The Cast Operator



## (4) Cast between integer types of same size:

- Compiler generates no code
- Compiler views given bit-pattern in a different way

`i` `111111111111111111111111111111111110` **-2**

`u = (unsigned int)i`

`u` `111111111111111111111111111111111110` **4294967294**