

Princeton University

COS 217: Introduction to Programming Systems

Linux File/Directory Permissions

Classes of File/Directory Users

Owner	A file/directory has an owner . A file/directory's owner is the user who created it. A file/directory's owner can issue <code>chmod</code> commands to change its permissions.
Group	A file/directory has a group . A group is a set of users. The owner of the file/directory can issue <code>chgrp</code> commands to change a file/directory's group to any other group of which the owner is a member.
Others	Others are everyone else!

File Permissions

Read	If a file has read permissions for its owner, its group, or others, then its owner, its group, or others can <i>examine</i> the contents of a file (via <code>cat</code> , <code>more</code> , <code>less</code> , <code>xxd</code> , <code>emacs</code> , etc.).
Write	If a file has write permissions for its owner, its group, or others, then its owner, its group, or others can <i>change</i> the contents of that file (via <code>emacs</code> , etc.).
Execute	If a file has execute permissions for its owner, its group, or others, then its owner, its group, or others can <i>execute</i> that file as a command. It makes sense to give a file execute permissions if and only if it contains executable code: executable binary code, a Bash shell script, a Python script, etc.

Directory Permissions

Think of a directory as a table of file and directory names.

Read	If a directory has read permissions for its owner, its group, or others, then its owner, its group, or others can <i>examine</i> the table, that is, can find out what files are in the directory by issuing an <code>ls</code> command.
Write	If a directory has write permissions for its owner, its group, or others, then its owner, its group, or others can <i>change</i> the table, that is, can create new files/directories in the directory, remove files/directories from the directory, or rename files/directories in the directory.
Execute	If a directory has execute permissions for its owner, its group, or others, then its owner, its group, or others can <i>visit</i> the table, that is, can <code>cd</code> to that directory. If a directory also has read permissions for its owner, its group, or others, then its owner, its group, or others can copy files from that directory.