

# Writing Portable Programs

COS 217

## **Goals of Today's Class**



- Writing portable programs in C
  - Sources of heterogeneity
  - Data types, evaluation order, byte order, char set, ...
- Reading period and final exam
  - Important dates
  - Practice exams
- Lessons from COS 217
  - -Course wrap-up
  - Have a great summer!

# The Real World is Heterogeneous



- Multiple kinds of hardware
  - 32-bit Intel Architecture
  - -64-bit IA, PowerPC, Sparc, MIPS, Arms, ...

#### Multiple operating systems

- Linux
- -Windows, Mac, Sun, AIX, ...

#### • Multiple character sets – ASCII

- -Latin-1, unicode, ...
- Multiple byte orderings
  - Little endian
  - -Big endian

# Portability



- Goal: run program on any other system
  - Do not require any modifications to the program at all
    - Simply recompile the program, and run
  - Program should continue to perform correctly
    - Ideally, the program should perform well, too.
- Portability is hard to achieve
  - -Wide variation in computing platforms
  - -Patches and releases are frequent operations
- Normally, portability is difficult to achieve
  - Still, good to make programs as portable as possible
  - -This requires extra care in writing and testing code

## **Programming Language**

- Stick to the standard
  - Program in a high-level language and stay within the language standard
  - -However, the standard may be incomplete
    - E.g., char type in C and C++ may be signed or unsigned
- Program in the mainstream
  - -Mainstream implies the established style and use
    - Program enough to know what compilers commonly do
    - Difficult for large languages such as C++
- Beware of language trouble spots
  - Some features are intentionally undefined to give compiler implementers flexibility

# Size of Data Types



6

- What are the sizes of char, short, int, long, float and double in C and C++?
  - -char has at least 8 bits, short and int at least 16 bits
  - -sizeof(char) ≤ sizeof(short) ≤ sizeof(int) ≤
    sizeof(long)
  - -sizeof(float) ≤ sizeof(double)
- In Java, sizes are defined
  - -byte: 8 bits
  - -char: 16 bits
  - -short: 16 bits
  - -int: 32 bits
  - -long: 64 bits

• Our advice: always use sizeof() to be safe

# **Order of Evaluation**



- Order of evaluation may be ambiguous
   -strings[i] = names[++i];
  - i can be incremented before or after indexing strings!
  - -printf("%c %c\n", getchar(), getchar());
    - The second character in stdin can be printed first!
- What are the rules in C and C++?
   Side effects and function calls must be completed at ";"
  - -&& and || execute left to right, only as far as necessary
- What about Java?
  - Expressions including side effects evaluated left to right
- Our advice: do not depend on the order of evaluation in an expression

# **Characters Signed or Unsigned?**



- Char type may be signed or unsigned – Either a 7-bit or an 8-bit character
- Code that is *not* portable

```
int i;
char s[MAX+1];
for (i = 0; i < MAX; i++)
    if ((s[i] = getchar()) == `\n') ||
        (s[i] == EOF))
        break;
s[i] = `\0';
```

If char is unsigned
 -s[i] is 255, but EOF is -1
 -Hence, the program will hang!



# **Portable Version Using Integers**

Use an integer to store the output of getchar()
Portable C code

Solution

```
int c, i;
char s[MAX+1];
for (i = 0; i < MAX; i++) {
    if ((c = getchar()) == `\n') ||
        (c == EOF))
        break;
    s[i] = c;
}
s[i] = `\0';
```

# **Other C Language Issues**



- Arithmetic or logical shift
  - C: signed quantities with >> may be arithmetic or logical
    - What is "-3 >> 1"?
    - Does it shift-in a sign bit (i.e., a 1) or a 0?

-Java: >> for arithmetic right shift, and >>> for logical

- Byte order
  - -Byte order within short, int, and long is not defined

# Alignment of Structures and Unions Structure consisting of multiple elements struct foo {

- char x; int y;
- Items are laid out in the order of declaration
- But, the alignment is undefined

   There might be holes between the elements
   E.g., y may be 2, 4, or 8 bytes from x

## **Use Standard Libraries**



- Pre-ANSI C may have calls not supported in ANSI C
  - Program will break if you continue use them
  - -Header files can pollute the name space
- Consider the signals defined

   ANSI C defines 6 signals
   POSIX defines 19 signals
   Most UNIX defines 32 or more

• Take a look at /usr/include/\*.h to see the conditional definitions

# **Avoid Conditional Compilation**



• Writing platform-specific code is possible

some common code #ifdef MAC

#else #ifdef WINDOWSXP

#endif #endif

But, #ifdef code is difficult to manage

 Platform-specific code may be all over the place
 Plus, each part requires separate testing

## Isolation



- Common feature may not always work: Life is hard
- Localize system dependencies in separate files

   Separate file to wrap the interface calls for each system
   Example: unix.c, windows.c, mac.c, …
- Hide system dependencies behind interfaces

   Abstraction can serve as the boundary between portable and non-portable components
- Java goes one big step further
  - -Virtual machine which abstracts the entire machine
  - Independent of operating systems and the hardware

#### Data Exchange

- Use ASCII text
  - -Binary is often not portable
- Still need to be careful
  - -But, even with text, not all systems are the same
    - Windows systems use '\r' or '\n' to terminate a line
    - UNIX uses only '\n'
  - Example
    - Use Microsoft Word and Emacs to edit files
    - CVS assumes all lines have been changed and will merge incorrectly
  - Use standard interfaces which will deal CRLF (carriagereturn and line feed) and newline in a consistent manner



# Byte Order: Big and Little Endian



 Example interaction between two machines – One process writes a short to outbound socket: unsigned short x; x = 0x1000;write(sockOut, &x, sizeof(x)); -Later, another process reads it from inbound socket: unsigned short x; read(sockIn, &x, sizeof(x)); • What is the value of **x** after reading?

# **Byte Order Solutions**



- - -Receiver: unsigned short x; x = getchar() << 8; /\* high-order \*/ x |= getchar() & 0xFF; /\* low-order \*/
- Extremely important for network protocols

## More on Byte Order

- Language solution
  - Java has a serializable interface that defines how data items are packed
  - C and C++ require programmers to deal with the byte order
- Binary files vs. text files
  - -Binary mode for text files
    - No problem on UNIX
    - Windows will terminate reading once it sees Ctrl-Z as input

## Internationalization

- Don't assume ASCII
  - Many countries do not use English
  - -Asian languages use 16 bits per character

#### Standardizations

- -Latin-1 arguments ASCII by using all 8 bits
- -Unicode uses 16 bits per character
- -Java uses unicode as its native character set for strings

#### Issues with unicode

- -Byte order issue!
- Solution: use UTF-8 as an intermediate representation or define the byte order for each character

# **Summary on Portability**



- Language
  - Don't assume char signed or unsigned
  - -Always use  ${\tt sizeof()}$  to compute the size of types
  - Don't depend on the order of evaluation of an expression
  - -Beware of right shifting a signed value
  - -Make sure that the data type is big enough

#### • Use standard interfaces

- -Use the common features where possible
- Provide as much isolation as possible
- Byte order
  - Fix byte order for data exchange
- Internationalization
  - Don't assume ASCII and English

#### **Important Dates**

- Tuesday May 16 (Dean's Date) – Execution Profiler Assignment due
- Monday, May 22, 9:00-12:00

   *Frick Chemistry Laboratory* 324
   Open books, notes, slides, mind, etc.





ROBERTSON



## **Practice Final Exams**



- Many old exams and answers are online

   http://www.cs.princeton.edu/courses/archive/spr06/cos2
   17/exam2prep
- We recommend you take some practice exams

   And then look at the answers afterwards
   Note that some material differs from term to term
- Also, ask questions about the practice exams - On the listserv
  - To me or Bob Dondero, in person
  - -To each other

# Wrap Up: Goals of COS 217

- Understand boundary between code and computer
  - Machine architecture
  - Operating systems
  - Compilers
- Learn C and the Unix development tools
  - -C is widely used for programming low-level systems
  - Unix has a rich development environment
  - Unix is open and well-specified, good for study & research
- Improve your programming skills
  - More experience in programming
  - Challenging and interesting programming assignments
  - Emphasis on modularity and debugging

# **Relationship to Other Courses**



- Machine architecture
  - -Logic design (306) and computer architecture (471)
  - -COS 217: assembly language and basic architecture
- Operating systems
  - -Operating systems (318)
  - -COS 217: virtual memory, system calls, and signals
- Compilers
  - Compiling techniques (320)
  - -COS 217: compilation process, symbol tables, assembly and machine language
- Software systems
  - -Numerous courses, independent work, etc.
  - -COS 217: programming skills, UNIX tools, and ADTs <sup>24</sup>

# **Lessons About Computer Science**



- Modularity
  - -Well-defined interfaces between components
  - Allows changing the implementation of one component without changing another
  - The key to managing complexity in large systems
- Resource sharing
  - -Time sharing of the CPU by multiple processes
  - Sharing of the physical memory by multiple processes

#### Indirection

- -Representing address space with virtual memory
- Manipulating data via pointers (or addresses)

### **Lessons Continued**



#### • Hierarchy

- -Memory: registers, cache, main memory, disk, tape, ...
- -Balancing the trade-off between fast/small and slow/big

#### • Bits can mean anything

- -Code, addresses, characters, pixels, money, grades, ...
- -Arithmetic is just a lot of logic operations
- The meaning of the bits depends entirely on how they are accessed, used, and manipulated
- Capturing a human's intent is really hard
   Precise specification of a problem is challenging
  - -Correct and efficient implementation of a solution is, too

