



# 1.4 Arrays



Introduction to Programming in Java: An Interdisciplinary Approach · Robert Sedgewick and Kevin Wayne · Copyright © 2008 · February 9, 2009 8:04 AM

2

## Arrays

**This lecture.** Store and manipulate huge quantities of data.

**Array.** Indexed sequence of values of the same type.

### Examples.

- 52 playing cards in a deck.
- 5 thousand undergrads at Princeton.
- 1 million characters in a book.
- 10 million audio samples in an MP3 file.
- 4 billion nucleotides in a DNA strand.
- 73 billion Google queries per year.
- 50 trillion cells in the human body.
- $6.02 \times 10^{23}$  particles in a mole.

index	value
0	wayne
1	doug
2	rs
3	maia
4	mona
5	cbienia
6	wkj
7	mkc

## Many Variables of the Same Type

**Goal.** 10 variables of the same type.

```
// tedious and error-prone
double a0, a1, a2, a3, a4, a5, a6, a7, a8, a9;
a0 = 0.0;
a1 = 0.0;
a2 = 0.0;
a3 = 0.0;
a4 = 0.0;
a5 = 0.0;
a6 = 0.0;
a7 = 0.0;
a8 = 0.0;
a9 = 0.0;

double x = a4 + a8;
```

Java has special language support for arrays.

- To make an array: declare, create, and initialize it.
- To access element  $i$  of array named  $a$ , use  $a[i]$ .
- Array indices start at 0.

```
int N = 10;
double[] a;           // declare the array
a = new double[N];    // create the array
for (int i = 0; i < N; i++) // initialize the array
    a[i] = 0.0;       // all to 0.0
```

Java has special language support for arrays.

- To make an array: declare, create, and initialize it.
- To access element  $i$  of array named  $a$ , use  $a[i]$ .
- Array indices start at 0.

```
int N = 10;
double[] a;           // declare the array
a = new double[N];    // create the array
for (int i = 0; i < N; i++) // initialize the array
    a[i] = 0.0;       // all to 0.0
```

Compact alternative.

- Declare, create, and initialize in one statement.
- Default initialization: all numbers automatically set to zero.

```
int N = 10;
double[] a = new double[N]; // declare, create, init
```

### Vector Dot Product

**Dot product.** Given two vectors  $x[]$  and  $y[]$  of length  $N$ , their dot product is the sum of the products of their corresponding components.

```
double[] x = { 0.3, 0.6, 0.1 };
double[] y = { 0.5, 0.1, 0.4 };
double sum = 0.0;
for (int i = 0; i < N; i++) {
    sum += x[i]*y[i];
}
```

$i$	$x[i]$	$y[i]$	$x[i]*y[i]$	sum
				0
0	.30	.50	.15	.15
1	.60	.10	.06	.21
2	.10	.40	.04	.25
				.25

### Array Processing Code

<i>create an array with random values</i>	double[] a = new double[N]; for (int i = 0; i < N; i++) a[i] = Math.random();
<i>print the array values, one per line</i>	for (int i = 0; i < N; i++) System.out.println(a[i]);
<i>find the maximum of the array values</i>	double max = Double.NEGATIVE_INFINITY; for (int i = 0; i < N; i++) if (a[i] > max) max = a[i];
<i>compute the average of the array values</i>	double sum = 0.0; for (int i = 0; i < N; i++) sum += a[i]; double average = sum / N;
<i>copy to another array</i>	double[] b = new double[N]; for (int i = 0; i < N; i++) b[i] = a[i];
<i>reverse the elements within an array</i>	for (int i = 0; i < N/2; i++) { double temp = b[i]; b[i] = b[N-1-i]; b[N-1-i] = temp; }

## Shuffling a Deck

Ex. Print a random card.

```
String[] rank = {
    "2", "3", "4", "5", "6", "7", "8", "9",
    "10", "Jack", "Queen", "King", "Ace"
};

String[] suit = {
    "Clubs", "Diamonds", "Hearts", "Spades"
};

int i = (int) (Math.random() * 13); // between 0 and 12
int j = (int) (Math.random() * 4); // between 0 and 3

System.out.println(rank[i] + " of " + suit[j]);
```

10

## Setting Array Values at Run Time

Ex. Create a deck of playing cards and print them out.

```
String[] deck = new String[52];
for (int i = 0; i < 13; i++)
    for (int j = 0; j < 4; j++)
        deck[4*i + j] = rank[i] + " of " + suit[j];

for (int i = 0; i < 52; i++)
    System.out.println(deck[i]);
```

typical array processing  
code changes values  
at runtime

Q. In what order does it output them?

A. two of clubs  
two of diamonds  
two of hearts  
two of spades  
three of clubs  
...

B. two of clubs  
three of clubs  
four of clubs  
five of clubs  
six of clubs  
...

## Shuffling

Goal. Given an array, rearrange its elements in **random** order.

Shuffling algorithm.

- In iteration  $i$ , pick random card from  $deck[i]$  through  $deck[N-1]$ , with each card equally likely.
- Exchange it with  $deck[i]$ .

```
int N = deck.length;
for (int i = 0; i < N; i++) {
    int r = i + (int) (Math.random() * (N-i));
    String t = deck[r];
    deck[r] = deck[i];
    deck[i] = t;
}
```

} swap idiom  
↖ between i and N-1



## Shuffling a Deck of Cards

```

public class Deck {
    public static void main(String[] args) {
        String[] suit = { "Clubs", "Diamonds", "Hearts", "Spades" };
        String[] rank = { "2", "3", "4", "5", "6", "7", "8", "9",
            "10", "Jack", "Queen", "King", "Ace" };

        int SUITS = suit.length;
        int RANKS = rank.length;
        int N = SUITS * RANKS;

        String[] deck = new String[N];           build the deck
        for (int i = 0; i < RANKS; i++)
            for (int j = 0; j < SUITS; j++)
                deck[SUITS*i + j] = rank[i] + " of " + suit[j];

        for (int i = 0; i < N; i++) {           shuffle
            int r = i + (int) (Math.random() * (N-i));
            String t = deck[r];
            deck[r] = deck[i];
            deck[i] = t;
        }

        for (int i = 0; i < N; i++)             print shuffled deck
            System.out.println(deck[i]);
    }
}

```

avoid "hardwired" constants

13

## Shuffling a Deck of Cards

```

% java Deck
5 of Clubs
Jack of Hearts
9 of Spades
10 of Spades
9 of Clubs
7 of Spades
6 of Diamonds
7 of Hearts
7 of Clubs
4 of Spades
Queen of Diamonds
10 of Hearts
5 of Diamonds
Jack of Clubs
Ace of Hearts
...
5 of Spades

% java Deck
10 of Diamonds
King of Spades
2 of Spades
3 of Clubs
4 of Spades
Queen of Clubs
2 of Hearts
7 of Diamonds
6 of Spades
Queen of Spades
3 of Spades
Jack of Diamonds
6 of Diamonds
8 of Spades
9 of Diamonds
...
10 of Spades

```

14

## Coupon Collector

### Coupon Collector Problem

**Coupon collector problem.** Given  $N$  different card types, how many do you have to collect before you have (at least) one of each type?



assuming each possibility is equally likely for each card that you collect

**Simulation algorithm.** Repeatedly choose an integer  $i$  between 0 and  $N-1$ . Stop when we have at least one card of every type.

**Q.** How to check if we've seen a card of type  $i$ ?

**A.** Maintain a boolean array so that `found[i]` is true if we've already collected a card of type  $i$ .

16

## Coupon Collector: Java Implementation

```

public class CouponCollector {
    public static void main(String[] args) {
        int N = Integer.parseInt(args[0]);
        int cardcnt = 0; // number of cards collected
        int valcnt = 0; // number of distinct cards

        // do simulation
        boolean[] found = new boolean[N];
        while (valcnt < N) {
            int val = (int) (Math.random() * N);
            cardcnt++;
            if (!found[val]) {
                valcnt++;
                found[val] = true;
            }
        }

        // all N distinct cards found
        System.out.println(cardcnt);
    }
}

```

type of next card  
(between 0 and N-1)

17

## Coupon Collector: Mathematical Context

**Coupon collector problem.** Given  $N$  different possible cards, how many do you have to collect before you have (at least) one of each type?

**Fact.** About  $N(1 + 1/2 + 1/3 + \dots + 1/N)$ .

see ORF 245 or COS 341

**Ex.**  $N = 30$  baseball teams. Expect to wait  $\approx 120$  years before all teams win a World Series.

under idealized assumptions

## Coupon Collector: Debugging

**Debugging.** Add code to print contents of **all** variables.

val	found					valcnt	cardcnt
	0	1	2	3	4		
	F	F	F	F	F	0	0
2	F	F	T	F	F	1	1
0	T	F	T	F	F	2	2
4	T	F	T	F	T	3	3
0	T	F	T	F	T	3	4
1	T	T	T	F	T	4	5
2	T	T	T	F	T	4	6
5	T	T	T	F	T	5	7
0	T	T	T	F	T	5	8
1	T	T	T	F	T	5	9
3	T	T	T	T	T	6	10

**Challenge.** Debugging with arrays requires tracing many variables.


18

## Coupon Collector: Scientific Context

**Q.** Given a sequence from nature, does it have same characteristics as a random sequence?

**A.** No easy answer - many tests have been developed.

**Coupon collector test.** Compare number of elements that need to be examined before all values are found against the corresponding answer for a random sequence.



19

20


# Multidimensional Arrays

Two dimensional arrays.

- Table of data for each experiment and outcome.
- Table of grades for each student and assignments.
- Table of grayscale values for each pixel in a 2D image.

Mathematical abstraction. Matrix.

Java abstraction. 2D array.



## Two Dimensional Arrays in Java

Array access. Use `a[i][j]` to access element in row `i` and column `j`.

Zero-based indexing. Row and column indices start at 0.

```
int M = 10;
int N = 3;
double[][] a = new double[M][N];
for (int i = 0; i < M; i++) {
    for (int j = 0; j < N; j++) {
        a[i][j] = 0.0;
    }
}
```


a[0][0]	a[0][1]	a[0][2]
a[1][0]	a[1][1]	a[1][2]
a[2][0]	a[2][1]	a[2][2]
a[3][0]	a[3][1]	a[3][2]
a[4][0]	a[4][1]	a[4][2]
a[5][0]	a[5][1]	a[5][2]
a[6][0]	a[6][1]	a[6][2]
a[7][0]	a[7][1]	a[7][2]
a[8][0]	a[8][1]	a[8][2]
a[9][0]	a[9][1]	a[9][2]

A 10-by-3 array

## Setting 2D Array Values at Compile Time

Initialize 2D array by listing values.

```
double[][] p =
{
    { .02, .92, .02, .02, .02 },
    { .02, .02, .32, .32, .32 },
    { .02, .02, .02, .92, .02 },
    { .92, .02, .02, .02, .02 },
    { .47, .02, .47, .02, .02 },
};
```



## Matrix Addition

**Matrix addition.** Given two N-by-N matrices  $a$  and  $b$ , define  $c$  to be the N-by-N matrix where  $c[i][j]$  is the sum  $a[i][j] + b[i][j]$ .

```
double[][] c = new double[N][N];
for (int i = 0; i < N; i++)
    for (int j = 0; j < N; j++)
        c[i][j] = a[i][j] + b[i][j];
```

a[][]	.70	.20	.10	$a[1][2]$
	.30	.60	.10	
	.50	.10	.40	

b[][]	.80	.30	.50	$b[1][2]$
	.10	.40	.10	
	.10	.30	.40	

c[][]	1.5	.50	.60	$c[1][2]$
	.40	1.0	.20	
	.60	.40	.80	

25

## Matrix Multiplication

**Matrix multiplication.** Given two N-by-N matrices  $a$  and  $b$ , define  $c$  to be the N-by-N matrix where  $c[i][j]$  is the dot product of the  $i^{\text{th}}$  row of  $a$  and the  $j^{\text{th}}$  column of  $b$ .

all values initialized to 0

```
double[][] c = new double[N][N];
for (int i = 0; i < N; i++)
    for (int j = 0; j < N; j++)
        for (int k = 0; k < N; k++)
            c[i][j] += a[i][k] * b[k][j];
```

a[][]	.70	.20	.10	
	.30	.60	.10	$\leftarrow$ row 1
	.50	.10	.40	

b[][]	.80	.30	.50	$\leftarrow$ column 2
	.10	.40	.10	
	.10	.30	.40	

  
$$c[1][2] = .3 * .5 + .6 * .1 + .1 * .4 = .25$$
  

c[][]	.59	.32	.41	
	.31	.36	.25	$\leftarrow$
	.45	.31	.42	

26

## Array Challenge 2

Q. How many scalar multiplications multiply two N-by-N matrices?

- A. N      B.  $N^2$       C.  $N^3$       D.  $N^4$

## Self-Avoiding Walk

```
double[][] c = new double[N][N];
for (int i = 0; i < N; i++)
    for (int j = 0; j < N; j++)
        for (int k = 0; k < N; k++)
            c[i][j] += a[i][k] * b[k][j];
```


27

## Self-Avoiding Walk

### Model.

- N-by-N lattice.
- Start in the middle.
- Randomly move to a neighboring intersection, avoiding all previous intersections.

Applications. Polymers, statistical mechanics, etc.



- Q. What fraction of time will you escape in an 5-by-5 lattice?
- Q. In an N-by-N lattice?
- Q. In an N-by-N-by-N lattice?

## Self-Avoiding Walk: Implementation

```
public class SelfAvoidingWalk {
    public static void main(String[] args) {
        int N = Integer.parseInt(args[0]); // lattice size
        int T = Integer.parseInt(args[1]); // number of trials
        int deadEnds = 0; // trials resulting in dead end

        for (int t = 0; t < T; t++) {
            boolean[][] a = new boolean[N][N]; // intersections visited
            int x = N/2, y = N/2; // current position

            while (x > 0 && x < N-1 && y > 0 && y < N-1) {
                if (a[x-1][y] && a[x+1][y] && a[x][y-1] && a[x][y+1]) {
                    deadEnds++;
                    break; // dead end
                }

                a[x][y] = true; // mark as visited


                double r = Math.random(); // take a random unvisited step
                if (r < 0.25) { if (!a[x+1][y]) x++; }
                else if (r < 0.50) { if (!a[x-1][y]) x--; }
                else if (r < 0.75) { if (!a[x][y+1]) y++; }
                else if (r < 1.00) { if (!a[x][y-1]) y--; }
            }

            System.out.println(100*deadEnds/T + "% dead ends");
        }
    }
}
```

29

30

## Self-Avoiding Walks



## Summary

### Arrays.

- Organized way to store huge quantities of data.
- Almost as easy to use as primitive types.
- Can directly access an element given its index.

Ahead. Reading in large quantities of data from a file into an array.



31

32