


# Priority Queues



- ▶ API
- ▶ elementary implementations
- ▶ binary heaps
- ▶ heapsort
- ▶ event-based simulation

Algorithms in Java, 4th Edition · Robert Sedgwick and Kevin Wayne · Copyright © 2008 · January 30, 2009 10:25:21 AM

## Priority queue API

Remove by (largest) value.

```
public class MaxPQ<Key> extends Comparable<Key>>
{
    MaxPQ()           create a priority queue
    MaxPQ(maxN)       create a priority queue of initial capacity maxN
    void insert(Key v) insert a key into the priority queue
    Key max()         return the largest key
    Key delMax()      return and remove the largest key
    boolean isEmpty() is the priority queue empty?
    int size()        number of entries in the priority queue
}
API for a generic priority queue
```

stack	last in, first out
queue	first in, first out
priority queue	largest out

operation	argument	return value
insert	P	
insert	Q	
insert	E	
remove max		Q
insert	X	
insert	A	
insert	M	
remove max		X
insert	P	
insert	L	
insert	E	
remove max		P

## Priority queue applications

- Event-driven simulation. [customers in a line, colliding particles]
- Numerical computation. [reducing roundoff error]
- Data compression. [Huffman codes]
- Graph searching. [Dijkstra's algorithm, Prim's algorithm]
- Computational number theory. [sum of powers]
- Artificial intelligence. [A\* search]
- Statistics. [maintain largest M values in a sequence]
- Operating systems. [load balancing, interrupt handling]
- Discrete optimization. [bin packing, scheduling]
- Spam filtering. [Bayesian spam filter]

Generalizes: stack, queue, randomized queue.

## Priority queue client example

**Problem.** Find the largest M in a stream of N elements.

- Fraud detection: isolate \$\$ transactions.
- File maintenance: find biggest files or directories.

**Constraint.** Not enough memory to store N elements.

**Solution.** Use a min-oriented priority queue.

```
MinPQ<String> pq = new MinPQ<String>();
while (!StdIn.isEmpty())
{
    String s = StdIn.readString();
    pq.insert(s);
    if (pq.size() > M)
        pq.delMin();
}
while (!pq.isEmpty())
    System.out.println(pq.delMin());
```

implementation	time	space
sort	$N \log N$	N
elementary PQ	M N	M
binary heap	$N \log M$	M
best in theory	N	M

cost of finding the largest M in a stream of N items

- API
- elementary implementations
- binary heaps
- heapsort
- event-based simulation
- 

## Priority queue: unordered and ordered array implementation

operation	argument	return value	size	contents (unordered)	contents (ordered)
insert	P		1	P	P
insert	Q		2	P Q	P Q
insert	E		3	P Q E	E P Q
remove max		Q	2	P E	E P
insert	X		3	P E X	E P X
insert	A		4	P E X A	A E P X
insert	M		5	P E X A M	A E M P X
remove max		X	4	P E M A	A E M P
insert	P		5	P E M A P	A E M P P
insert	L		6	P E M A P L	A E L M P P
insert	E		7	P E M A P L E	A E E L M P P
remove max		P	6	E M A P L E	A E E L M P

A sequence of operations on a priority queue

## Priority queue: unordered array implementation

```

public class UnorderedMaxPQ<Key extends Comparable<Key>>
{
    private Key[] pq; // pq[i] = ith element on pq
    private int N; // number of elements on pq

    public UnorderedPQ(int capacity)
    { pq = (Key[]) new Comparable[capacity]; }

    public boolean isEmpty()
    { return N == 0; }

    public void insert(Key x)
    { pq[N++] = x; }

    public Key delMax()
    {
        int max = 0;
        for (int i = 1; i < N; i++)
            if (less(max, i)) max = i;
        exch(max, N-1);
        return pq[--N];
    }
}

```

no generic array creation

less() and exch() as for sorting

## Priority queue elementary implementations

Challenge. Implement **all** operations efficiently.

implementation	insert	del max	max
unordered array	1	N	N
ordered array	N	1	1
goal	log N	log N	log N


order-of-growth running time for PQ with N items

- API
- elementary implementations
- **binary heaps**
- heapsort
- event-based simulation
- 

### Binary tree

**Binary tree.** Empty or node with links to left and right binary trees.

**Complete tree.** Perfectly balanced, except for bottom level.



N = 16  
 $\lfloor \lg N \rfloor = 4$   
 height = 5

**Property.** Height of complete tree with N nodes is  $1 + \lfloor \lg N \rfloor$ .

**Pf.** Height only increases when N is exactly a power of 2.

### Binary heap


**Binary heap.** Array representation of a heap-ordered complete binary tree.

**Heap-ordered binary tree.**

- Keys in nodes.
- No smaller than children's keys.

**Array representation.**

- Take nodes in **level** order.
- No explicit links needed!




### Binary heap properties

**Property A.** Largest key is at root.

**Property B.** Can use array indices to move through tree.

- Parent of node at k is at  $k/2$ .
- Children of node at k are at  $2k$  and  $2k+1$ .



## Promotion in a heap


**Scenario.** Exactly one node has a **larger** key than its parent.

**To eliminate the violation:**

- Exchange with its parent.
- Repeat until heap order restored.

```
private void swim(int k)
{
    while (k > 1 && less(k/2, k))
    {
        exch(k, k/2);
        k = k/2;
    }
}
```

parent of node at k is at k/2




**Peter principle.** Node promoted to level of incompetence.

13

## Insertion in a heap

**Insert.** Add node at end, then promote.

```
public void insert(Key x)
{
    pq[++N] = x;
    swim(N);
}
```



14

## Demotion in a heap


**Scenario.** Exactly one node has a **smaller** key than does a child.

**To eliminate the violation:**

- Exchange with larger child.
- Repeat until heap order restored.

```
private void sink(int k)
{
    while (2*k <= N)
    {
        int j = 2*k;
        if (j < N && less(j, j+1)) j++;
        if (!less(k, j)) break;
        exch(k, j);
        k = j;
    }
}
```

children of node at k are 2k and 2k+1



**Power struggle.** Better subordinate promoted.


15

## Delete the maximum in a heap

**Delete max.** Exchange root with node at end, then demote.


```
public Key delMax()
{
    Key max = pq[1];
    exch(1, N--);
    sink(1);
    pq[N+1] = null;
    return max;
}
```

prevent loitering



16

## Heap operations



17

## Binary heap: Java implementation

```
public class MaxPQ<Key extends Comparable<Key>>
{
    private Key[] pq;
    private int N;

    public MaxPQ(int capacity)
    { pq = (Key[]) new Comparable[capacity+1]; }

    public boolean isEmpty()
    { return N == 0; }

    public void insert(Key key)
    { /* see previous code */ }

    public Key delMax()
    { /* see previous code */ }

    private void swim(int k)
    { /* see previous code */ }

    private void sink(int k)
    { /* see previous code */ }

    private boolean less(int i, int j)
    { return pq[i].compareTo(pq[j]) < 0; }

    private void exch(int i, int j)
    { Key t = pq[i]; pq[i] = pq[j]; pq[j] = t; }
}
```

PQ ops

heap helper functions

array helper functions

18

## Binary heap considerations

### Minimum-oriented priority queue.

- Replace `less()` with `greater()`.
- Implement `greater()`.

### Dynamic array resizing.

- Add no-arg constructor.
- Apply repeated doubling and shrinking. ← leads to  $O(\log N)$  amortized time per op

### Immutability of keys.

- Assumption: client does not change keys while they're on the PQ.
- Best practice: use immutable keys.

### Other operations.

- Remove an arbitrary item. ←
- Change the priority of an item. ← easy to implement with `sink()` and `swim()` [stay tuned]

19

## Priority queues implementation cost summary

implementation	insert	del max	max
unordered array	1	N	N
ordered array	N	1	1
binary heap	log N	log N	1

order-of-growth running time for PQ with N items

**Hopeless challenge.** Make all operations constant time.

Q. Why hopeless?


20

- API
- elementary implementations
- binary heaps
- **heapsort**
- event-based simulation
- 

## Heapsort

### Basic plan for in-place sort.


- Create max-heap with all N keys.
- Repeatedly remove the maximum key.



## Heapsort

### First pass. Build heap using bottom-up method.

```
for (int k = N/2; k >= 1; k--)
    sink(a, k, N);
```




## Heapsort

### Second pass. Sort.

- Remove the maximum, one at a time.
- Leave in array, instead of nulling out.

```
while (N > 1)
{
    exch(a, 1, N--);
    sink(a, 1, N);
}
```



## Heapsort: Java implementation

```

public class Heap
{
    public static void sort(Comparable[] pq)
    {
        int N = pq.length;
        for (int k = N/2; k >= 1; k--)
            sink(pq, k, N);
        while (N > 1)
        {
            exch(pq, 1, N);
            sink(pq, 1, --N);
        }
    }

    private static void sink(Comparable[] pq, int k, int N)
    { /* as before */ }

    private static boolean less(Comparable[] pq, int i, int j)
    { /* as before */ }

    private static void exch(Comparable[] pq, int i, int j)
    { /* as before */ }
}

```

but use 1-based indexing

25

## Heapsort: trace

		a[i]											
N	k	0	1	2	3	4	5	6	7	8	9	10	11
<i>initial values</i>		S	O	R	T	E	X	A	M	P	L	E	E
11	5	S	O	R	T	L	X	A	M	P	E	E	
11	4	S	O	R	T	L	X	A	M	P	E	E	
11	3	S	O	X	T	L	R	A	M	P	E	E	
11	2	S	T	X	P	L	R	A	M	O	E	E	
11	1	X	T	S	P	L	R	A	M	O	E	E	
<i>heap-ordered</i>		X	T	S	P	L	R	A	M	O	E	E	
10	1	T	P	S	O	L	R	A	M	E	E	X	
9	1	S	P	R	O	L	E	A	M	E	T	X	
8	1	R	P	E	O	L	E	A	M	S	T	X	
7	1	P	O	E	M	L	E	A	R	S	T	X	
6	1	O	M	E	A	L	E	P	R	S	T	X	
5	1	M	L	E	A	E	O	P	R	S	T	X	
4	1	L	E	E	A	M	O	P	R	S	T	X	
3	1	E	A	E	L	M	O	P	R	S	T	X	
2	1	E	A	E	L	M	O	P	R	S	T	X	
1	1	A	E	E	L	M	O	P	R	S	T	X	
<i>sorted result</i>		A	E	E	L	M	O	P	R	S	T	X	

Heapsort trace (array contents just after each sink)

26

## Heapsort: mathematical analysis

**Property D.** At most  $2 N \lg N$  compares.

**Significance.** Sort in  $N \log N$  worst-case without using extra memory.

- Mergesort: no, linear extra space. ← in-place merge possible, not practical
- Quicksort: no, quadratic time in worst case. ←  $N \log N$  worst-case quicksort possible, not practical
- Heapsort: yes!

**Bottom line.** Heapsort is optimal for both time and space, **but**:

- Inner loop longer than quicksort's.
- Makes poor use of cache memory.
- Not stable

27

## Sorting algorithms: summary

	inplace?	stable?	worst	average	best	remarks
selection	x		$N^2 / 2$	$N^2 / 2$	$N^2 / 2$	$N$ exchanges
insertion	x	x	$N^2 / 2$	$N^2 / 4$	$N$	use for small $N$ or partially ordered
shell	x		?	?	$N$	tight code, subquadratic
quick	x		$N^2 / 2$	$2 N \ln N$	$N \lg N$	$N \log N$ probabilistic guarantee fastest in practice
3-way quick	x		$N^2 / 2$	$2 N \ln N$	$N$	improves quicksort in presence of duplicate keys
merge		x	$N \lg N$	$N \lg N$	$N \lg N$	$N \log N$ guarantee, stable
heap	x		$2 N \lg N$	$2 N \lg N$	$N \lg N$	$N \log N$ guarantee, in-place
???	x	x	$N \lg N$	$N \lg N$	$N \lg N$	holy sorting grail


28

- API
- elementary implementations
- binary heaps
- heapsort
- event-based simulation

29

### Molecular dynamics simulation of hard discs

**Goal.** Simulate the motion of N moving particles that behave according to the laws of elastic collision.



30

### Molecular dynamics simulation of hard discs

**Goal.** Simulate the motion of N moving particles that behave according to the laws of elastic collision.

#### Hard disc model.

- Moving particles interact via elastic collisions with each other and walls.
- Each particle is a disc with known position, velocity, mass, and radius.
- No other forces are exerted.

temperature, pressure,  
diffusion constant

motion of individual  
atoms and molecules

**Significance.** Relates macroscopic observables to microscopic dynamics.

- Maxwell-Boltzmann: distribution of speeds as a function of temperature.
- Einstein: explain Brownian motion of pollen grains.

31


### Warmup: bouncing balls

**Time-driven simulation.** N bouncing balls in the unit square.

```
public class BouncingBalls
{
    public static void main(String[] args)
    {
        int N = Integer.parseInt(args[0]);
        Ball balls[] = new Ball[N];
        for (int i = 0; i < N; i++)
            balls[i] = new Ball();
        while(true)
        {
            StdDraw.clear();
            for (int i = 0; i < N; i++)
            {
                balls[i].move(0.5);
                balls[i].draw();
            }
            StdDraw.show(50);
        }
    }
}
```

main simulation loop

```
% java BouncingBalls 100
```



32



## Warmup: bouncing balls

```
public class Ball
{
    private double rx, ry; // position
    private double vx, vy; // velocity
    private final double radius; // radius
    public Ball()
    { /* initialize position and velocity */ }

    public void move(double dt)
    {
        if ((rx + vx*dt < radius) || (rx + vx*dt > 1.0 - radius)) { vx = -vx; }
        if ((ry + vy*dt < radius) || (ry + vy*dt > 1.0 - radius)) { vy = -vy; }
        rx = rx + vx*dt;
        ry = ry + vy*dt;
    }
    public void draw()
    { StdDraw.filledCircle(rx, ry, radius); }
}
```

check for collision with walls


Missing. Check for balls colliding with *each other*.

- Physics problems: when? what effect?
- CS problems: what object does the checks? too many checks?

33

## Time-driven simulation

- Discretize time in quanta of size  $dt$ .
- Update the position of each particle after every  $dt$  units of time, and check for overlaps.
- If overlap, roll back the clock to the time of the collision, update the velocities of the colliding particles, and continue the simulation.




34

## Time-driven simulation

### Main drawbacks.

- $\sim N^2/2$  overlap checks per time quantum.
- Simulation is too slow if  $dt$  is very small.
- May miss collisions if  $dt$  is too large and colliding particles fail to overlap when we are looking.



35


## Event-driven simulation

### Change state only when something happens.

- Between collisions, particles move in straight-line trajectories.
- Focus only on times when collisions occur.
- Maintain PQ of collision events, prioritized by time.
- Remove the min = get next collision.

**Collision prediction.** Given position, velocity, and radius of a particle, when will it collide next with a wall or another particle?

**Collision resolution.** If collision occurs, update colliding particle(s) according to laws of elastic collisions.




36

## Particle-wall collision

### Collision prediction and resolution.

- Particle of radius  $\sigma$  at position  $(r_x, r_y)$ .
- Particle moving in unit box with velocity  $(v_x, v_y)$ .
- Will it collide with a vertical wall? If so, when?




37

## Particle-particle collision prediction

### Collision prediction.

- Particle i: radius  $\sigma_i$ , position  $(r_{x_i}, r_{y_i})$ , velocity  $(v_{x_i}, v_{y_i})$ .
- Particle j: radius  $\sigma_j$ , position  $(r_{x_j}, r_{y_j})$ , velocity  $(v_{x_j}, v_{y_j})$ .
- Will particles i and j collide? If so, when?



38

## Particle-particle collision prediction

### Collision prediction.

- Particle i: radius  $\sigma_i$ , position  $(r_{x_i}, r_{y_i})$ , velocity  $(v_{x_i}, v_{y_i})$ .
- Particle j: radius  $\sigma_j$ , position  $(r_{x_j}, r_{y_j})$ , velocity  $(v_{x_j}, v_{y_j})$ .
- Will particles i and j collide? If so, when?

$$\Delta t = \begin{cases} \infty & \text{if } \Delta v \cdot \Delta r \geq 0 \\ \infty & \text{if } d < 0 \\ -\frac{\Delta v \cdot \Delta r + \sqrt{d}}{\Delta v \cdot \Delta v} & \text{otherwise} \end{cases}$$

$$d = (\Delta v \cdot \Delta r)^2 - (\Delta v \cdot \Delta v)(\Delta r \cdot \Delta r - \sigma^2) \quad \sigma = \sigma_i + \sigma_j$$

$$\begin{aligned} \Delta v &= (\Delta v_x, \Delta v_y) = (v_{x_i} - v_{x_j}, v_{y_i} - v_{y_j}) & \Delta v \cdot \Delta v &= (\Delta v_x)^2 + (\Delta v_y)^2 \\ \Delta r &= (\Delta r_x, \Delta r_y) = (r_{x_i} - r_{x_j}, r_{y_i} - r_{y_j}) & \Delta r \cdot \Delta r &= (\Delta r_x)^2 + (\Delta r_y)^2 \\ & & \Delta v \cdot \Delta r &= (\Delta v_x)(\Delta r_x) + (\Delta v_y)(\Delta r_y) \end{aligned}$$

Important note: This is high-school physics, so we won't be testing you on it!

39

## Particle-particle collision resolution

### Collision resolution. When two particles collide, how does velocity change?

$$\begin{aligned} v_{x_i}' &= v_{x_i} + J_x / m_i \\ v_{y_i}' &= v_{y_i} + J_y / m_i \\ v_{x_j}' &= v_{x_j} - J_x / m_j \\ v_{y_j}' &= v_{y_j} - J_y / m_j \end{aligned} \quad \leftarrow \text{Newton's second law (momentum form)}$$

$$J_x = \frac{J \Delta r_x}{\sigma}, \quad J_y = \frac{J \Delta r_y}{\sigma}, \quad J = \frac{2 m_i m_j (\Delta v \cdot \Delta r)}{\sigma(m_i + m_j)}$$

impulse due to normal force  
 (conservation of energy, conservation of momentum)

Important note: This is high-school physics, so we won't be testing you on it!

40

## Particle data type skeleton

```
public class Particle
{
    private double rx, ry; // position
    private double vx, vy; // velocity
    private final double radius; // radius
    private final double mass; // mass
    private int count; // number of collisions

    public Particle(...) { }

    public void move(double dt) { }
    public void draw() { }

    public double dt(Particle that) { }
    public double dtX() { }
    public double dtY() { }

    public void bounce(Particle that) { }
    public void bounceX() { }
    public void bounceY() { }
}
```

← predict collision with particle or wall

← resolve collision with particle or wall

41

## Particle-particle collision and resolution implementation

```
public double dt(Particle that)
{
    if (this == that) return INFINITY;
    double dx = that.rx - this.rx, dy = that.ry - this.ry;
    double dvx = that.vx - this.vx; dvy = that.vy - this.vy;
    double dvdr = dx*dvx + dy*dvy;
    if (dvdr > 0) return INFINITY; ← no collision
    double dvdv = dvx*dvx + dvy*dvy;
    double drdr = dx*dx + dy*dy;
    double sigma = this.radius + that.radius;
    double d = (dvdr*dvdr) - dvdv * (drdr - sigma*sigma);
    if (d < 0) return INFINITY;
    return -(dvdr + Math.sqrt(d)) / dvdv;
}

public void bounce(Particle that)
{
    double dx = that.rx - this.rx, dy = that.ry - this.ry;
    double dvx = that.vx - this.vx; dvy = that.vy - this.vy;
    double dvdr = dx*dvx + dy*dvy;
    double dist = this.radius + that.radius;
    double J = 2 * this.mass * that.mass * dvdr / ((this.mass + that.mass) * dist);
    double Jx = J * dx / dist;
    double Jy = J * dy / dist;
    this.vx += Jx / this.mass;
    this.vy += Jy / this.mass;
    that.vx -= Jx / that.mass;
    that.vy -= Jy / that.mass;
    this.count++;
    that.count++;
}

Important note: This is high-school physics, so we won't be testing you on it!
```


42

## Collision system: event-driven simulation main loop

### Initialization.

- Fill PQ with all potential particle-wall collisions.
- Fill PQ with all potential particle-particle collisions.

← "potential" since collision may not happen if some other collision intervenes



### Main loop.

- Delete the impending event from PQ (min priority = t).
- If the event has been invalidated, ignore it.
- Advance all particles to time t, on a straight-line trajectory.
- Update the velocities of the colliding particle(s).
- Predict future particle-wall and particle-particle collisions involving the colliding particle(s) and insert events onto PQ.

43

## Event data type

### Conventions.

- Neither particle null ⇒ particle-particle collision.
- One particle null ⇒ particle-wall collision.
- Both particles null ⇒ redraw event.

```
public class Event implements Comparable<Event>
{
    private double time; // time of event
    private Particle a, b; // particles involved in event
    private int countA, countB; // collision counts for a and b

    public Event(double t, Particle a, Particle b) { } ← create event

    public double time() { return time; } ← accessor methods
    public Particle a() { return a; }
    public Particle b() { return b; }

    public int compareTo(Event that) ← ordered by time
    { return this.time - that.time; }

    public boolean isValid() ← invalid if intervening collision
    { }
}
```

44

### Collision system implementation: skeleton

```
public class CollisionSystem
{
    private MinPQ<Event> pq; // the priority queue
    private double t = 0.0; // simulation clock time
    private Particle[] particles; // the array of particles

    public CollisionSystem(Particle[] particles) { }

    private void predict(Particle a)
    {
        if (a == null) return;
        for (int i = 0; i < N; i++)
        {
            double dt = a.dt(particles[i]);
            pq.insert(new Event(t + dt, a, particles[i]));
        }
        pq.insert(new Event(t + a.dtX(), a, null));
        pq.insert(new Event(t + a.dtY(), null, a));
    }

    private void redraw() { }

    public void simulate() { /* see next slide */ }
}
```

← add all particle-wall and particle-particle collisions involving this particle to the PQ

### Collision system implementation: main event-driven simulation loop

```
public void simulate()
{
    pq = new MinPQ<Event>();
    for(int i = 0; i < N; i++) predict(particles[i]);
    pq.insert(new Event(0, null, null));

    while(!pq.isEmpty())
    {
        Event event = pq.delMin();
        if(!event.isValid()) continue;
        Particle a = event.a();
        Particle b = event.b();

        for(int i = 0; i < N; i++)
            particles[i].move(event.time() - t);
        t = event.time();

        if (a != null && b != null) a.bounce(b);
        else if (a != null && b == null) a.bounceX();
        else if (a == null && b != null) b.bounceY();
        else if (a == null && b == null) redraw();

        predict(a);
        predict(b);
    }
}
```

← initialize PQ with collision events and redraw event


← get next event

← update positions and time


← process event

← predict new events based on changes

### Simulation example 1




### Simulation example 2



Simulation example 3

```
% java CollisionSystem < brownian.txt
```



Simulation example 4

```
% java CollisionSystem < diffusion.txt
```

