


4.5 Small World Phenomenon



Introduction to Programming in Java: An Interdisciplinary Approach · Robert Sedgewick and Kevin Wayne · Copyright © 2002–2010 · 04/05/12 10:08:45 PM

1

Small World Phenomenon

Small world phenomenon. Six handshakes away from anyone.

An experiment to quantify effect. [Stanley Milgram, 1960s]

- You are given personal info of another person. e.g., occupation and age
- Goal: deliver message.
- Restriction: can only forward to someone you know by first name.
- Outcome: message delivered with average of 5 intermediaries.



Stanley Milgram



Kevin Bacon

2

Applications of Small World Phenomenon

Sociology applications.

- Looking for a job.
- Marketing products or ideas.
- Formation and spread of fame and fads.
- Train of thought followed in a conversation.
- Defining representative-ness of political bodies.
- **Kevin Bacon** game (movies, rock groups, facebook, etc.).

Other applications.

- Electronic circuits.
- Synchronization of neurons.
- Analysis of World Wide Web.
- Design of electrical power grids.
- Modeling of protein interaction networks.
- Phase transitions in coupled Kuramoto oscillators.
- Spread of infectious diseases and computer viruses.
- Evolution of cooperation in multi-player iterated Prisoner's Dilemma.


Reference. Duncan J. Watts, Small Worlds: The Dynamics of Networks between Order and Randomness, Princeton University Press, 1999.

3

Graph Data Type


Application demands a new data type.

- **Graph** = data type that represents pairwise connections.
- **Vertex** = element.
- **Edge** = connection between two vertices.




4

Graph Applications




5

One Week of Enron Emails



6


FCC Lobbying Graph



"The Evolution of FCC Lobbying Coalitions" by Pierre de Vries in JoSS Visualization Symposium 2010

7


Protein Interaction Network




Reference: Jeong et al, Nature Review | Genetics

8

ARPANET



The Internet



The Internet as mapped by The Opte Project
<http://www.opte.org>

Internet Movie Database

Input format. Movie followed by list of performers, separated by slashes.

```
% more movies.txt
...
Tin Men (1987)/DeBoy, David/Blumenfeld, Alan/... /Geppi, Cindy/Hershey, Barbara
Tirez sur le pianiste (1960)/Heymann, Claude/.../Berger, Nicole (I)
Titanic (1997)Paxton, Bill/DiCaprio, Leonardo/.../Winslet, Kate
Titus (1999)/Weisskopf, Hermann/Rhys, Matthew/.../McEwan, Geraldine
To All a Good Night (1980)/George, Michael (II)/.../Gentile, Linda
To Be or Not to Be (1942)/Verebes, Ernő (I)/.../Lombard, Carole (I)
To Be or Not to Be (1983)/Brooks, Mel (I)/.../Bancroft, Anne
To Catch a Thief (1955)/Paris, Manuel/Grant, Cary/.../Kelly, Grace
To Die For (1989)/Bond, Steve (I)/Jones, Duane (I)/.../Maddalena, Julie
To Die For (1995)/Smith, Kurtwood/Kidman, Nicole/.../Tucci, Maria
To Die Standing (1990)/Sacha, Orlando/Anthony, Gerald/.../Rose, Jamie
To End All Wars (2001)/Kimura, Sakae/Ellis, Greg (II)/.../Sutherland, Kiefer
To Kill a Clown (1972)/Alda, Alan/Clavering, Eric/Lamberts, Heath/Danner, Blythe
To Live and Die in L.A. (1985)/McGroarty, Pat/Williams, Donnie/.../Dafoe, Willem
...
```


<http://www.imdb.com/interfaces>

Internet Movie Database

Q. How to represent the movie-performer relationships?

A. Use a graph.

- Vertex: performer or movie.
- Edge: connect performer to movie.




Graph API

Graph data type.

```
public class Graph (graph with String vertices)
    Graph()                create an empty graph
    Graph(In in)           read graph from input stream
    void addEdge(String v, String w) add edge v-w
    Iterable<String> adjacentTo(String v) neighbors of v
```

to support use with foreach




```
% more tiny.txt
A/B/I
B/A/F
C/D/G/H
D/C
E/F/I
F/B/E/G/I
G/C/F/H
H/C/G
I/A/E/F
```

13

Graph Representation

Graph representation: use a symbol table.

- Key = name of vertex.
- Value = set of neighbors.



String	SET<String>
key	value
A	B I
B	A F
C	D G H
D	C
E	I F
F	E B G I
G	C F H
H	C G
I	A E F

symbol table

14

Set Data Type

Set data type. Unordered collection of distinct keys.

```
public class SET<Key extends Comparable<Key>>
    SET()                create a set
    boolean isEmpty()    is the set empty?
    void add(Key key)    add key to the set
    boolean contains(Key key) is key in the set?
```

Note: Implementations should also implement the Iterable<Key> interface to enable clients to access keys in sorted order with foreach loops

Q. How to implement?

A. Identical to symbol table, but ignore values.

15

Graph Implementation

```
public class Graph {
    private ST<String, SET<String>> st;

    public Graph() {
        st = new ST<String, SET<String>>();
    }

    public void addEdge(String v, String w) {
        if (!st.contains(v)) addVertex(v);
        if (!st.contains(w)) addVertex(w);
        st.get(v).add(w); ← add w to v's set of neighbors
        st.get(w).add(v); ← add v to w's set of neighbors
    }

    private void addVertex(String v) {
        st.put(v, new SET<String>()); ← add new vertex v
        with no neighbors
    }

    public Iterable<String> adjacentTo(String v) {
        return st.get(v);
    }
}
```


16

Graph Implementation (continued)

Second constructor. To read graph from input stream.

```
public Graph(In in) {
    st = new ST<String, SET<String>>();
    while (!in.isEmpty()) {
        String line = in.readLine();
        String[] names = line.split("/");
        for (int i = 1; i < names.length; i++)
            addEdge(names[0], names[i]);
    }
}
```

```
In in = new In("tiny.txt");
Graph G = new Graph(G, in);
```



```
% more tiny.txt
A/B/I
B/A/F
C/D/G/H
D/C
E/F/I
F/B/E/G/I
G/C/F/H
H/C/G
I/A/E/F
```

17

Graph Client: Movie Finder

Performer and movie queries.

- Given a performer, find all movies in which they appeared.
- Given a movie, find all performers.

```
public class MovieFinder {
    public static void main(String[] args) {
        In in = new In(args[0]); ← read in graph from a file
        Graph G = new Graph(in);

        while (!StdIn.isEmpty()) { ← process queries
            String v = StdIn.readLine();
            for (String w : G.adjacentTo(v))
                StdOut.println(w);
        }
    }
}
```

18

Graph Client: Movie Finder

```
% java MovieFinder action.txt
Bacon, Kevin
```

Death Sentence (2007)
River Wild, The (1994)
Tremors (1990)

Roberts, Julia

Blood Red (1989)
I Love Trouble (1994)
Mexican, The (2001)
Ocean's Eleven (2001)

Tilghman, Shirley


```
% java MovieFinder mpaa.txt
```

Bacon, Kevin

Air I Breathe, The (2007)
Air Up There, The (1994)
Animal House (1978)
Apollo 13 (1995)
Balto (1995)
Beauty Shop (2005)
Big Picture, The (1989)
...
Sleepers (1996)
Starting Over (1979)
Stir of Echoes (1999)
Telling Lies in America (1997)
Trapped (2002)
Tremors (1990)
We Married Margo (2000)
Where the Truth Lies (2005)
White Water Summer (1987)
Wild Things (1998)
Woodsman, The (2004)


19

Kevin Bacon Numbers



20

Oracle of Kevin Bacon



Kevin Bacon Game


Game. Given an actor or actress, find shortest chain of movies connecting them to Kevin Bacon.

Actor	Was in	With
Whoopi Goldberg	Ghost	Patrick Swayze
Patrick Swayze	Dirty Dancing	Jennifer Gray
Jennifer Gray	Ferris Bueller's Day Off	Matthew Broderick
Matthew Broderick	The Road to Wellville	John Cusack
John Cusack	Bullets Over Broadway	Dianne West
Dianne West	Footloose	Kevin Bacon
Kevin Bacon		



Computing Bacon Numbers

How to compute. Find shortest path in performer-movie graph.



PathFinder API

PathFinder API.

```
public class PathFinder
    Pathfinder(Graph G, String s)           constructor
    int distanceTo(String v)               length of shortest path
                                           from s to v in G
    Iterable<String> pathTo(String v)      shortest path
                                           from s to v in G
```

Design principles.

- Decouple graph algorithm from graph data type.
- Avoid feature creep: don't encrust Graph with search features; instead make a new datatype.

Computing Bacon Numbers: Java Implementation

```

public class Bacon {
    public static void main(String[] args) {

        In in = new In(args[0]);      ← read in the graph from a file
        Graph G = new Graph(in);

        String s = "Bacon, Kevin";
        Pathfinder finder = new Pathfinder(G, s);      ← create object to
        return shortest paths

        while (!StdIn.isEmpty()) {
            String performer = StdIn.readLine();      ← process queries
            for (String v : finder.pathTo(s))
                StdOut.println(v);
        }
    }
}


% java Bacon top-grossing.txt
Stallone, Sylvester
Rocky III (1982)
Tamburro, Charles A.
Terminator 2: Judgment Day (1991)
Berkeley, Xander
Apollo 13 (1995)
Bacon, Kevin

% java Bacon top-grossing.txt
Goldberg, Whoopi
Sister Act (1992)
Grodénchik, Max
Apollo 13 (1995)
Bacon, Kevin
Tilghman, Shirley
    
```


Computing Shortest Paths

To compute shortest paths:

- Source vertex is at distance 0.
- Its neighbors are at distance 1.
- Their remaining neighbors are at distance 2.
- Their remaining neighbors are at distance 3.
- ...



Computing Shortest Paths



Breadth First Search

Goal. Given a vertex s , find shortest path to every other vertex v .

BFS from source vertex s

Put s onto a FIFO queue.


Repeat until the queue is empty:

- dequeue the least recently added vertex v
- add each of v 's unvisited neighbors to the queue, and mark them as visited.



Key observation. Vertices are visited in increasing order of distance from s because we use a FIFO queue.

Breadth First Search




front

FIFO Queue

33

29

Breadth First Search



STOP

front

FIFO Queue

32

30

Breadth First Searcher: Preprocessing

```
public class Pathfinder {
    private ST<String, String> prev = new ST<String, String>();
    private ST<String, Integer> dist = new ST<String, Integer>();


    public Pathfinder(Graph G, String s) {
        Queue<String> q = new Queue<String>();
        q.enqueue(s);
        dist.put(s, 0);
        while (!q.isEmpty()) {
            String v = q.dequeue();
            for (String w : G.adjacentTo(v)) {
                if (!dist.contains(w)) {
                    q.enqueue(w);
                    dist.put(w, 1 + dist.get(v));
                    prev.put(w, v);
                }
            }
        }
        // other Pathfinder methods go here
    }
}
```

31

Breadth First Searcher: Finding the Path

To find shortest path: follow prev[] from vertex v back to source s.

- Consider vertices: v, prev[v], prev[prev[v]], ..., s.
- Ex: shortest path from c to a: c - g - f - b - a



key	prev	dist
A	-	0
B	A	1
C	G	4
D	C	5
E	I	2
F	B	2
G	F	3
H	G	4
I	A	1

symbol tables

```
public Iterable<String> pathTo(String v) {
    Stack<String> path = new Stack<String>();
    while (dist.contains(v)) {
        path.push(v);
        v = prev.get(v);
    }
    return path;
}
```

32

Running Time Analysis

Analysis. BFS scales to solve huge problems.

data File	movies	performers	edges	read input	build graph	BFS	pathTo
G.txt	1,288	21,177	28K	0.26 sec	0.52 sec	0.32 sec	0 sec
PG13.txt	2,538	70,325	100K	0.31 sec	0.99 sec	0.72 sec	0 sec
action.txt	14,938	139,861	270K	0.72 sec	2.8 sec	2.0 sec	0 sec
mpaa.txt	21,861	280,624	610K	2.1 sec	7.5 sec	5.5 sec	0 sec
all.txt	285,462	933,864	3.3M	15 sec	56 sec	39 sec	0 sec

60MB
data as of April 9, 2007

33

Data Analysis

Exercise. Compute histogram of Kevin Bacon numbers.

Input. 285,462 movies, 933,864 actors.

Bacon #	Frequency
0	1
1	2,249
2	218,088
3	561,161
4	111,149
5	7,905
6	903
7	100
8	14
∞	32,294

Buzz Mauro, Jessica Drizz, Pablo Capussi
Argentine short film *Sweet Dreams* (2005)

Fred Ott, solo actor in
Fred Ott Holding a Bird (1894)

data as of April 9, 2007


34

Applications of Breadth First Search

More BFS applications.

- Particle tracking.
- Image processing.
- Crawling the Web.
- Routing Internet packets.
- ...

Extensions. Google maps.



35

Erdős Numbers

36

Erdős Numbers

Paul Erdős. Legendary, brilliant, prolific mathematician who wrote over 1500 papers!

What's your Erdős number?

- Co-authors of a paper with Erdős: 1.
- Co-authors of those co-authors: 2.
- And so on ...




Paul Erdős (1913-1996)

Erdős #	Frequency
0	1
1	502
2	5,713
3	26,422
4	62,136
5	66,157
6	32,280
7	10,431
8	3,214
9	953
10	262
11	94
12	23
13	4
14	7
15	1
∞	4 billion +

37

Erdős Graph



38

Conclusions

Linked list. Ordering of elements.

Binary tree. Hierarchical structure of elements.

Graph. Pairwise connections between elements.

Data structures.

- Queue: linked list.
- Set: binary tree.
- Symbol table: binary tree.
- Graph: symbol table of sets.
- Breadth first searcher: graph + queue + symbol table.

Importance of data structures.

- Enables us to build and debug large programs.
- Enables us to solve large problems efficiently.

39