

Evaluation of Retrieval Systems

1

Performance Criteria

1. Expressiveness of query language
 - Can query language capture **information needs**?
2. Quality of search results
 - **Relevance** to users' **information needs**
3. Usability
 - Search Interface
 - Results page format
 - Other?
4. Efficiency
 - Speed affects usability
 - Overall efficiency affects cost of operation
5. Other?


2

Quantitative evaluation

- Concentrate on **quality** of search **results**
- Goals for measure
 - Capture **relevance** to user **information need**
 - Allow **comparison** between results of **different systems**
- Measures define for sets of documents returned
- More generally “document” could be any information object

3

Example: 3 different search results – 1st 20



4

Core measures: Precision and Recall

- Need binary evaluation by **human judge** of each retrieved document as **relevant/irrelevant**
- Need **know complete set of relevant documents** within collection being searched
- **Recall** =
$$\frac{\text{\# relevant documents retrieved}}{\text{\# relevant documents}}$$
- **Precision** =
$$\frac{\text{\# relevant documents retrieved}}{\text{\# retrieved documents}}$$

5

Use in “modern times”

- Defined in 1950s
- For small collections, these make sense
- For large collections,
 - Rarely know complete set relevant documents
 - Rarely could return complete set relevant documents
- For large collections
 - Rank returned documents
 - **Use ranking!**

6

Ranked result list

- At any point along ranked list
 - Can look at precision so far
 - Can look at recall so far
 - if know total # relevant docs
- Can focus on points at which relevant docs appear
 - If m^{th} doc in ranking is k^{th} relevant doc so far, precision is k/m
 - No a priori ranking on relevant docs

7

query: "toxic waste"

1. **Toxic waste - Wikipedia, the free encyclopedia**
en.wikipedia.org/wiki/Toxic_waste
2. **Toxic Waste** Household toxic and hazardous waste ...
www.urbanedpartnership.org/target/units/recycle/toxic.html
3. **Toxic Waste Facts, Toxic Waste Information**
environment.nationalgeographic.com/.../toxic-waste-overview.html
4. **Toxic Waste Candy Online** Toxic Waste Sour Candy ...
www.candydynamics.com/#
5. **Toxic Waste Candy Online** Toxic Waste ... chew bars...
www.toxicwastecandy.com/#
6. **Hazardous Waste - US Environ. Protection Agency**
www.epa.gov/ebtpages/wasthazardouswaste.html
7. **toxic waste — Infoplease.com** toxic waste is waste ...
www.infoplease.com/ce6/sci/A0849189.html
8. **Toxic Waste Clothing** Toxic Waste Clothing is a trend...
www.toxicwasteclothing.com/a

8

query: "toxic waste"

- ✓ 1. **Toxic waste - Wikipedia, the free encyclopedia**
en.wikipedia.org/wiki/Toxic_waste
- ✓ 2. **Toxic Waste** Household toxic and hazardous waste ...
www.urbanedpartnership.org/target/units/recycle/toxic.html
- ✓ 3. **Toxic Waste Facts, Toxic Waste Information**
environment.nationalgeographic.com/.../toxic-waste-overview.html
- X 4. **Toxic Waste Candy Online** Toxic Waste Sour Candy ...
www.candydynamics.com/#
- X 5. **Toxic Waste Candy Online** Toxic Waste ... chew bars...
www.toxicwastecandy.com/#
- ✓ 6. **Hazardous Waste - US Environ. Protection Agency**
www.epa.gov/ebtpages/wasthazardouswaste.html
- ✓ 7. **toxic waste — Infoplease.com** toxic waste is waste ...
www.infoplease.com/ce6/sci/A0849189.html
- X 8. **Toxic Waste Clothing** Toxic Waste Clothing is a trend...
www.toxicwasteclothing.com/a

9

precision at rank

- ✓ 1. 1 **toxic waste - Wikipedia, the free encyclopedia**
en.wikipedia.org/wiki/Toxic_waste
- ✓ 2. 1 **Toxic Waste** Household toxic and hazardous waste ...
www.urbanedpartnership.org/target/units/recycle/toxic.html
- ✓ 3. 1 **Toxic Waste Facts, Toxic Waste Information**
environment.nationalgeographic.com/.../toxic-waste-overview.html
- X 4. 3/4 **Toxic Waste Candy Online** Toxic Waste Sour Candy ...
www.candydynamics.com/#
- X 5. 3/5 **Toxic Waste Candy Online** Toxic Waste ... chew bars...
www.toxicwastecandy.com/#
- ✓ 6. 2/3 **Hazardous Waste - US Environ. Protection Agency**
www.epa.gov/ebtpages/wasthazardouswaste.html
- ✓ 7. 5/7 **toxic waste — Infoplease.com** toxic waste is waste ...
www.infoplease.com/ce6/sci/A0849189.html
- X 8. 5/8 **Toxic Waste Clothing** Toxic Waste Clothing is a trend...
www.toxicwasteclothing.com/a

10

Plot: precision versus recall

- Choose **standard recall levels**: $r_1, r_2 \dots$
 r_i increasing, e.g. 10%, 20% ...
- Problems
 - Standard recall levels may not be whole no. of doc.s
 - precision jumps up and down as recall increases => miss precision points
- Solution: **"interpolated precision"**
$$p_{\text{interp}}(r_i) = \max \text{ over all } r \text{ with } r \geq r_i \text{ of precision } p(r) \text{ when recall } r \text{ achieved}$$
 smooths – now monotonic

11

See precision vs recall plot in the presentation "Overview of TREC 2004" by Ellen Voorhees

Available from TREC presentations Web site:
trec.nist.gov/presentations/TREC2004/04overview.pdf

12

Single number characterizations

- “Precision at k”: look at precision at one fixed critical position k of ranking
- Examples:
 - If know are T relevant docs can choose k=T
 - May not want to look that far even if know T
 - For Web search
 - Choose k to be number pages people look at
 - k=? What expecting?

13

more single number characterizations

average precision for a query result

- 1) Record precision at each point a relevant document encountered through ranked list
 - Don't need know all relevant docs
 - Can cut off ranked list at predetermined rank
- 2) Average the recorded precisions in (1)
= average precision for a query result

Mean Average Precision (MAP):

- For a set of test queries, take the mean (i.e. average) Of the average precision for each query
- Compare retrieval systems with MAP

14

query: “toxic waste”

- ✓ 1. Toxic waste - Wikipedia, the free encyclopedia
en.wikipedia.org/wiki/Toxic_waste
- ✓ 2. Toxic Waste Household toxic and hazardous waste ...
www.urbanedpartnership.org/target/units/recycle/toxic.html
- ✓ 3. Toxic Waste Facts, Toxic Waste Information
environment.nationalgeographic.com/.../toxic-waste-overview.html
- ✗ 4. Toxic Waste Candy Online Toxic Waste Sour Candy ...
www.candydynamics.com/#
- ✗ 5. Toxic Waste Candy Online Toxic Waste ... chew bars...
www.toxicwastecandy.com/#
- ✓ 6. Hazardous Waste - US Environ. Protection Agency
www.epa.gov/ebtpages/wasthazardouswaste.html
- ✓ 7. toxic waste — Infoplease.com toxic waste is waste ...
www.infoplease.com/ce6/sci/A0849189.html
- ✗ 8. Toxic Waste Clothing Toxic Waste Clothing is a trend...
www.toxicwasteclothing.com/a

15

query: “toxic waste”

IF

↓

- ✓ 9. Jean Factory Toxic Waste Plagues Lesotho
www.cbsnews.com/stories/2009/08/02/.../main5205416.shtml
- ✗ 10. Ecopopulism: toxic waste and the movement for environmental justice - Google Books Result
books.google.com/books?isbn=0816621756..

THEN precision at rank 10 is 0.6 and
average precision at rank 10 is 0.84

$$= 1/1+2/2+3/3+4/6+5/7+6/9$$

16

even more single number characterizations

Reciprocal rank:

Capture how early get relevant result in ranking

reciprocal rank of ranked results of a query

$$= \frac{1}{\text{rank of highest ranking relevant result}}$$

- perfect = 1 → worse → 0
- = average precision if only one relevant document



get mean reciprocal rank of set of test queries₁₇

17

Summary

- Collection of measures of how well ranked search results provide relevant documents
- based on precision
- based to some degree on recall
- single numbers:
 - precision at fixed rank
 - average precision over all positions of relevant docs
 - reciprocal rank of first relevant doc

18



Beyond binary relevance

- Sense of **degree** to which document **satisfies** query
 - classes, e.g: excellent, good, fair, poor, irrelevant
- Can look at measures class by class
 - limit analysis to just excellent doc.s?
 - combine after evaluate results for each class
- Need new measure to capture all together
 - does **document ranking match**
 - “excellent, good, fair, poor, irrelevant” **rating?**

21

Discounted cumulative gain (DCG)

- Assign a **gain value** to each relevance class
 - e.g. 0 (irrel.), 1, 2, 3, 4 (best) assessor’s score
 - how much difference between values?
 - text uses $(2^{\text{assessor's score}} - 1)$
- Let d_1, d_2, \dots, d_k be returned docs in rank order
- $G(i) = \text{gain value of } d_i$
 - determined by relevance class of d_i
- $DCG(i) = \sum_{j=1}^i (G(j) / (\log_2(1+j)))$

22

Using Discounted Cumulative Gain

can compare retrieval systems on query by

- **plotting** values of $DCG(i)$ versus i for each
 - plot gives sense of progress along rank list
- choosing **fixed k** and comparing $DCG(k)$
 - if one system returns $< k$ docs, fill in at bottom with “irrel”
- can **average over multiple queries**
 - text “Normalized Discounted Cumulative Gain”
 - normalized so best score for a query is 1

23

Example

rank	gain	
1	4	$DCG(1) = 4/\log_2 2 = 4$
2	0	$DCG(2) = 4 + 0 = 4$
3	0	$DCG(3) = 4 + 0 = 4$
4	1	$DCG(4) = 4 + 1/\log_2 5 = 4.43$
5	4	$DCG(5) = 4.43 + 4/\log_2 6 = 5.98$
6	0	$DCG(6) = 5.98 + 0 = 5.98$
7	0	$DCG(7) = 5.98 + 0 = 5.98$
8	0	$DCG(8) = 5.98 + 0 = 5.98$
9	1	$DCG(9) = 5.98 + 1/\log_2 10 = 6.28$
10	1	$DCG(10) = 6.28 + 1/\log_2 11 = 6.57$

24

Expected reciprocal rank (ERR)

- Introduced 2009
- Primary effectiveness measure for recent TREC

$$ERR(i) = \sum_{j=1}^i ((1/j) * \prod_{k=1}^{j-1} (1-R(\text{score}_k)) * R(\text{score}_j))$$

where

$$R(\text{score}) = 1/16 * (2^{\text{score}} - 1) \text{ for scores } 0, 1, \dots, 4$$

25

Comparing orderings

Two retrieval systems both return k excellent documents. How different are rankings?

- Measure for two orderings of n-item list:
Kendall's Tau

inversion: pair of items ordered differently in the two orderings

$$\text{Kendall's Tau (order1, order2)} = 1 - ((\# \text{ inversions}) / (\frac{1}{4}(n)(n-1)))$$

26

Example

ranking 1	rank	ranking 2
A	1	C
B	2	D
C	3	A
D	4	B

inversions: A-C, A-D, B-C, B-D = 4

Kendall tau = 1 - 4/3 = -1/3

27

Using Measures

- **Statistical significance** versus **meaningfulness**
- Use more than one measure
- Need some set of relevant docs even if don't have complete set
How?
– Look at TREC studies

28

Relevance by TREC method

Text Retrieval Conference 1992 to present

- Fixed collection per "track"
 - E.g. ".gov", CACM articles, Web
- Each competing search engine for a track asked to retrieve documents on several "topics"
 - Search engine turns topic into query
 - Topic description has clear statement of what is to be considered **relevant** by **human judge**

29

Sample TREC topic from 2010 Blog Track

- **Query:** chinese economy
- **Description:** I am interested in blogs on the Chinese economy.
- **Narrative:** I am looking for blogs that discuss the Chinese economy. Major economic developments in China are relevant, but minor events such as factory openings are not relevant. Information about world events, or events in other countries is relevant as long as the focus is on the impact on the Chinese economy.

As appeared in "Overview of TREC-2010" by Iadh Ounis, Graig Macdonald, and Ian Soboroff, *Nineteenth Text REtrieval Conference Proceedings*. 30

Pooling

- Human judges **can't look at all docs** in collection: thousands to billions and growing
- Pooling **chooses subset of docs** of collection for human judges to rate relevance of
- Assume **docs not in pool not relevant**

31

How construct pool for a topic? Let competing search engines decide:

- Choose a parameter **k**
k=30 for 2012 TREC Web track (48 entries)
- Choose the **top k docs** as ranked by **each search engine**
- Pool = **union** of these sets of docs
Between k and (# search engines) * k docs in pool
- Give pool to judges for relevance scoring

32

Pooling cont.

- $(k+1)^{\text{st}}$ doc returned by one search engine either irrelevant or ranked higher by another search engine in competition
- In competition, each search engine is judged on **results for top $r > k$ docs** returned
r = 10,000 for 2012 TREC Web track
- Entries compared by quantitative measures

33

Web search evaluation

Kinds of searches do on collection of journal articles or newspaper articles less varied than what do on Web.

What are different purposes of Web search?

34

Web search evaluation

- Different kinds of tasks identified in TREC Web Track – some are:
 - **Ad hoc**
 - **Diversity**: "return a ranked list of pages that together provide complete coverage for a query, while avoiding excessive redundancy in the result list"
 - **Home page**: # relevant pages = 1 (except mirrors)
- Andrei Broder gave similar categories (2002)
 - **Information**
 - Broad research or single fact?
 - **Transaction**
 - **Navigation**

35

More web/online issues

- Are browser-dependent and presentation dependent issues:
 - On first page of results?
 - See result without scrolling?

36

Other issues in evaluation

- Are there dependences not accounted for?
 - ad placement?
- Many searches are interactive

37

Google v.s. Bing

- Class experiment
- for Problem Set 2

- 5th year use Bing in challenge!

38