

Chapter 1

Introduction: Some Representative Problems



Matching Residents to Hospitals

Goal. Given a set of preferences among hospitals and medical school students, design a self-reinforcing admissions process.

Unstable pair: applicant x and hospital y are unstable if:

- x prefers y to its assigned hospital.
- y prefers x to one of its admitted students.

Stable assignment. Assignment with no unstable pairs.

- Natural and desirable condition.
- Individual self-interest will prevent any applicant/hospital deal from being made.

1.1 A First Problem: Stable Matching



Goal. Given n men and n women, find a "suitable" matching.

- Participants rate members of opposite sex.
- Each man lists women in order of preference from best to worst.
- Each woman lists men in order of preference from best to worst.

	favorite ↓	least favorite ↓		2		favorite ↓	least favorit ↓	
	1 st	2 nd	3 rd			1 ^{s†}	2 nd	3 rd
Xavier	Amy	Bertha	Clare		Amy	Yancey	Xavier	Zeus
Yancey	Bertha	Amy	Clare		Bertha	Xavier	Yancey	Zeus
Zeus	Amy	Bertha	Clare		Clare	Xavier	Yancey	Zeus

Men's Preference Profile

3

Women's Preference Profile

Q. Is assignment X-C, Y-B, Z-A stable?

- Perfect matching: everyone is matched monogamously.
- Each man gets exactly one woman.
- Each woman gets exactly one man.


Stability: no incentive for some pair of participants to undermine assignment by joint action.

- In matching M, an unmatched pair m-w is unstable if man m and woman w prefer each other to current partners.
- Unstable pair m-w could each improve by eloping.

Stable matching: perfect matching with no unstable pairs.

Stable matching problem. Given the preference lists of n men and n women, find a stable matching if one exists.

	favorite ↓		least favorite ↓				
	1 st	2 nd	3 rd				
Xavier	Amy	Bertha	Clare				
Yancey	Bertha	Amy	Clare				
Zeus	Amy	Bertha	Clare				
Men's Preference Profile							



Women's Preference Profile

Stable Matching Problem

- Q. Is assignment X-C, Y-B, Z-A stable?
- A. No. Bertha and Xavier will hook up.

	favorite ↓		least favorite ↓	e		favorite ↓		least favorite ↓	
	1 ^{s†}	2 nd	3 rd			1 ^{s†}	2 nd	3rd	
Xavier	Amy	Bertha	Clare		Amy	Yancey	Xavier	Zeus	
Yancey	Bertha	Amy	Clare		Bertha	Xavier	Yancey	Zeus	
Zeus	Amy	Bertha	Clare		Clare	Xavier	Yancey	Zeus	
	Men's Prefei	rence Profile	2		Women's Preference Profile				

Stable Matching Problem

Q. Is assignment X-A, Y-B, Z-C stable? A. Yes.

	favorite ↓		least favorite ↓	2		favorite ↓
	1 ^{s†}	2 nd	3 rd			1 ^{s†}
Xavier	Amy	Bertha	Clare		Amy	Yancey
Yancey	Bertha	Amy	Clare		Bertha	Xavier
Zeus	Amy	Bertha	Clare		Clare	Xavier

Men's Preference Profile

Women's Preference Profile

2nd

Xavier

Yancey

Yancey

5

6

least favorite Ŧ

3rd

Zeus

Zeus

Zeus

Q. Do stable matchings always exist?

A. Not obvious a priori.

is core of market nonempty?

Stable roommate problem.

- 2n people; each person ranks others from 1 to 2n-1.
- Assign roommate pairs so that no unstable pairs.

	1 ^{s†}	2 nd	3 rd	
Adam	В	С	D	
Bob	С	А	D	$A-B, C-D \Rightarrow B-C$ unstable $A-C, B-D \Rightarrow A-B$ unstable
Chris	Α	В	D	A-D, B-C \Rightarrow A-C unstable
Doofus	Α	В	С	

Observation. Stable matchings do not always exist for stable roommate problem.

Proof of Correctness: Termination

Observation 1. Men propose to women in decreasing order of preference.

Observation 2. Once a woman is matched, she never becomes unmatched; she only "trades up."

Claim. Algorithm terminates after at most n^2 iterations of while loop. Pf. Each time through the while loop a man proposes to a new woman. There are only n^2 possible proposals.

	1st	2 nd	3 rd	4 th	5 th		1st	2 nd	3 rd	4 th	5 th
Victor	A	В	С	D	Е	Amy	W	х	У	Z	V
Wyatt	В	С	D	Α	Е	Bertha	Х	У	Z	v	W
Xavier	С	D	Α	В	Е	Clare	У	Z	v	W	х
Yancey	D	Α	В	С	Е	Diane	Z	v	W	х	У
Zeus	Α	В	С	D	E	Erika	V	w	х	У	Z

n(n-1) + 1 proposals required

Propose-and-reject algorithm. [Gale-Shapley 1962] Intuitive method that guarantees to find a stable matching.

Initialize each person to be free.
while (some man is free and hasn't proposed to every woman) {
Choose such a man m
$w = 1^{st}$ woman on m's list to whom m has not yet proposed
if (w is free)
assign m and w to be engaged
else if (w prefers m to her fiancé m')
assign m and w to be engaged, and m' to be free
else
w rejects m
}

Proof of Correctness: Perfection

Claim. All men and women get matched.

Pf. (by contradiction)

9

11

- Suppose, for sake of contradiction, that Zeus is not matched upon termination of algorithm.
- Then some woman, say Amy, is not matched upon termination.
- By Observation 2, Amy was never proposed to.
- But, Zeus proposes to everyone, since he ends up unmatched.

Claim. No unstable pairs.

- Pf. (by contradiction)
- Suppose A-Z is an unstable pair: each prefers each other to partner in Gale-Shapley matching S*.



- \Rightarrow Z prefers his GS partner to A.
- \Rightarrow A-Z is stable.

Amy-Yancey
Bertha-Zeus

S*

- Case 2: Z proposed to A.
 - \Rightarrow A rejected Z (right away or later)
 - \Rightarrow A prefers her GS partner to Z. \leftarrow women only trade up
 - \Rightarrow A-Z is stable.
- In either case A-Z is stable, a contradiction.

Efficient Implementation

Efficient implementation. We describe $O(n^2)$ time implementation.

Representing men and women.

- Assume men are named 1, ..., n.
- Assume women are named 1', ..., n'.

Engagements.

- Maintain a list of free men, e.g., in a queue.
- Maintain two arrays wife[m], and husband[w].
 - set entry to ${\scriptstyle 0}$ if unmatched
 - if m matched to w then wife[m]=w and husband[w]=m

Men proposing.

- For each man, maintain a list of women, ordered by preference.
- Maintain an array <code>count[m]</code> that counts the number of proposals made by man m.

Stable matching problem. Given n men and n women, and their preferences, find a stable matching if one exists.

Gale-Shapley algorithm. Guarantees to find a stable matching for any problem instance.

- Q. How to implement GS algorithm efficiently?
- Q. If there are multiple stable matchings, which one does GS find?

Efficient Implementation

Women rejecting/accepting.

- Does woman w prefer man m to man m'?
- For each woman, create inverse of preference list of men.
- Constant time access for each query after O(n) preprocessing.

Amy	1st	2 nd	3 rd	4 th	5 th	6 th	7 th	8 th
Pref	8	3	7	1	4	5	6	2
Amy	1	2	3	4	5	6	7	8
Inverse	4 th	8 th	2 nd	5^{th}	6 th	7 th	3 rd	1st

inverse[pref[i]]

for i = 1 to n

	Amy preters man	3 to 6
	<pre>since inverse[3]</pre>	<pre> inverse[6]</pre>
= i	2	7

13

Q. For a given problem instance, there may be several stable matchings. Do all executions of Gale-Shapley yield the same stable matching? If so, which one?

An instance with two stable matchings.

- A-X, B-Y, C-Z.
- A-Y, B-X, C-Z.

	1 ^{s†}	2 nd	3 rd		1 ^{s†}	2 nd	3 ^r
Xavier	Α	В	С	Amy	У	Х	Z
Yancey	В	Α	С	Bertha	Х	У	Z
Zeus	Α	В	С	Clare	Х	У	Z

Q. For a given problem instance, there may be several stable matchings. Do all executions of Gale-Shapley yield the same stable matching? If so, which one?

Def. Man m is a valid partner of woman w if there exists some stable matching in which they are matched.

Man-optimal assignment. Each man receives best valid partner.

Claim. All executions of GS yield man-optimal assignment, which is a stable matching!

- No reason a priori to believe that man-optimal assignment is perfect, let alone stable.
- Simultaneously best for each and every man.

Man Optimality

Claim. GS matching S* is man-optimal.

Pf. (by contradiction)

- Suppose some man is paired with someone other than best partner. Men propose in decreasing order of preference ⇒ some man is rejected by valid partner.
- Let Y be first such man, and let A be first valid woman that rejects him.
- Let S be a stable matching where A and Y are matched.
- When Y is rejected, A forms (or reaffirms) engagement with a man, say Z, whom she prefers to Y.
- Let B be Z's partner in S.
- Z not rejected by any valid partner at the point when Y is rejected by A. Thus, Z prefers A to B.
 Dut A mathematical T to Y.
- But A prefers Z to Y.
- Thus A-Z is unstable in S.

S Amy-Yancey Bertha-Zeus

. . .

by a valid partner

Stable Matching Summary

Stable matching problem. Given preference profiles of n men and n women, find a stable matching.

no man and woman prefer to be with each other than assigned partner

Gale-Shapley algorithm. Finds a stable matching in $O(n^2)$ time.

Man-optimality. In version of GS where men propose, each man receives best valid partner.

w is a valid partner of m if there exist some stable matching where m and w are paired

Q. Does man-optimality come at the expense of the women?

17

Woman Pessimality

Woman-pessimal assignment. Each woman receives worst valid partner.

Claim. GS finds woman-pessimal stable matching S*.

Pf.

- Suppose A-Z matched in S*, but Z is not worst valid partner for A.
- There exists stable matching S in which A is paired with a man, say Y, whom she likes less than Z.
- Let B be Z's partner in S.
- Z prefers A to B. ← man-optimality
- Thus, A-Z is an unstable in S.

Amy-Yancey
Bertha-Zeus

S

Ex: Men \approx hospitals, Women \approx med school residents.

Variant 1. Some participants declare others as unacceptable.

Variant 2. Unequal number of men and women.



Variant 3. Limited polygamy.

hospital X wants to hire 3 residents

Def. Matching S unstable if there is a hospital h and resident r such that:

- h and r are acceptable to each other; and
- either r is unmatched, or r prefers h to her assigned hospital; and
- either h does not have all its places filled, or h prefers r to at least one of its assigned residents.

Application: Matching Residents to Hospitals

NRMP. (National Resident Matching Program)

- Original use just after WWII. ← predates computer usage
- Ides of March, 23,000+ residents.

Rural hospital dilemma.

- Certain hospitals (mainly in rural areas) were unpopular and declared unacceptable by many residents.
- Rural hospitals were under-subscribed in NRMP matching.
- . How can we find stable matching that benefits "rural hospitals"?

Rural Hospital Theorem. Rural hospitals get exactly same residents in every stable matching!

Lessons Learned

Powerful ideas learned in course.

- Isolate underlying structure of problem.
- Create useful and efficient algorithms.


Potentially deep social ramifications. [legal disclaimer]

21

1.2 Five Representative Problems


Input. Set of jobs with start times and finish times. Goal. Find maximum cardinality subset of mutually compatible jobs.

jobs don't overlap




Weighted Interval Scheduling

Input. Set of jobs with start times, finish times, and weights. Goal. Find maximum weight subset of mutually compatible jobs.



Bipartite Matching

Input. Bipartite graph. Goal. Find maximum cardinality matching.



Independent Set

Competitive Facility Location

Input. Graph. Goal. Find maximum cardinality independent set.

subset of nodes such that no two joined by an edge


29

31

Input. Graph with weight on each each node.

Game. Two competing players alternate in selecting nodes. Not allowed to select a node if any of its neighbors have been selected.

Goal. Select a maximum weight subset of nodes.




30

Second player can guarantee 20, but not 25.

Five Representative Problems

Variations on a theme: independent set.

Interval scheduling: n log n greedy algorithm. Weighted interval scheduling: n log n dynamic programming algorithm. Bipartite matching: n^k max-flow based algorithm. Independent set: NP-complete. Competitive facility location: PSPACE-complete. Extra Slides



Goal: Given n men and n women, find a "suitable" matching.

- Participants rate members of opposite sex.
- Each man lists women in order of preference from best to worst.
- Each woman lists men in order of preference from best to worst.

	favorite ↓				least favorite ↓
	1 ^{s†}	2 nd	3 rd	4 th	5 th
Victor	Bertha	Amy	Diane	Erika	Clare
Wyatt	Diane	Bertha	Amy	Clare	Erika
Xavier	Bertha	Erika	Clare	Diane	Amy
Yancey	Amy	Diane	Clare	Bertha	Erika
Zeus	Bertha	Diane	Amy	Erika	Clare

Men's Preference List

33

Understanding the Solution

Claim. The man-optimal stable matching is weakly Pareto optimal.

No other perfect matching (stable or unstable) where every man does strictly better

Pf.

- Let A be last woman in some execution of GS algorithm to receive a proposal.
- No man is rejected by A since algorithm terminates when last woman receives first proposal.
- No man matched to A will be strictly better off than in man-optimal stable matching.

Goal: Given n men and n women, find a "suitable" matching.

- Participants rate members of opposite sex.
- Each man lists women in order of preference from best to worst.
- Each woman lists men in order of preference from best to worst.

	favorite ↓				least favorite ↓
	1 ^{s†}	2 nd	3 rd	4 th	5 th
Amy	Zeus	Victor	Wyatt	Yancey	Xavier
Bertha	Xavier	Wyatt	Yancey	Victor	Zeus
Clare	Wyatt	Xavier	Yancey	Zeus	Victor
Diane	Victor	Zeus	Yancey	Xavier	Wyatt
Erika	Yancey	Wyatt	Zeus	Xavier	Victor

Women's Preference List

Deceit: Machiavelli Meets Gale-Shapley

- Q. Can there be an incentive to misrepresent your preference profile?
- Assume you know men's propose-and-reject algorithm will be run.
- Assume that you know the preference profiles of all other participants.

Fact. No, for any man yes, for some women. No mechanism can guarantee a stable matching and be cheatproof.

	1 st	2 nd	3 rd
Xavier	Α	В	С
Yancey	В	А	С
Zeus	А	В	С

Men's Preference List

	1st	2 nd	3 rd
Amy	У	Х	Ζ
Bertha	Х	У	Ζ
Clare	Х	У	Z

Women's True Preference Profile

	1st	2 nd	3 rd
Amy	У	Z	Х
Bertha	Х	У	Ζ
Clare	Х	У	Ζ

Amy Lies

Powerful ideas learned in course.

- Isolate underlying structure of problem.
- Create useful and efficient algorithms.

Potentially deep social ramifications. [legal disclaimer]

- Theory can be socially enriching and fun!
- CS majors get the best partners!