


# Shortest Paths

- ▶ Dijkstra's algorithm
- ▶ implementation
- ▶ negative weights

References:  
*Algorithms in Java, Chapter 21*  
<http://www.cs.princeton.edu/algs4/54sp>


*Algorithms in Java, 4th Edition · Robert Sedgewick and Kevin Wayne · Copyright © 2008 · November 10, 2008 5:45:45 PM*

Google maps



## Shortest paths in a weighted digraph

Given a weighted digraph  $G$ , find the shortest directed path from  $s$  to  $t$ .



shortest path:  $s \rightarrow 6 \rightarrow 3 \rightarrow 5 \rightarrow t$   
cost:  $14 + 18 + 2 + 16 = 50$

3

## Shortest path versions

### Which vertices?

- From one vertex to another.
- From one vertex to every other.
- Between all pairs of vertices.

### Edge weights.

- Nonnegative weights.
- Arbitrary weights.
- Euclidean weights.

4

## Early history of shortest paths algorithms

Shimbel (1955). Information networks.

Ford (1956). RAND, economics of transportation.

Leyzorek, Gray, Johnson, Ladew, Meaker, Petry, Seitz (1957).  
Combat Development Dept. of the Army Electronic Proving Ground.

Dantzig (1958). Simplex method for linear programming.

Bellman (1958). Dynamic programming.

Moore (1959). Routing long-distance telephone calls for Bell Labs.

Dijkstra (1959). Simpler and faster version of Ford's algorithm.

5

## Shortest path applications

- Maps.
- Robot navigation.
- Texture mapping.
- Typesetting in TeX.
- Urban traffic planning.
- Optimal pipelining of VLSI chip.
- Telemarketer operator scheduling.
- Subroutine in advanced algorithms.
- Routing of telecommunications messages.
- Approximating piecewise linear functions.
- Network routing protocols (OSPF, BGP, RIP).
- Exploiting arbitrage opportunities in currency exchange.
- Optimal truck routing through given traffic congestion pattern.

Reference: Network Flows: Theory, Algorithms, and Applications, R. K. Ahuja, T. L. Magnanti, and J. B. Orlin, Prentice Hall, 1993.

6

- ▶ Dijkstra's algorithm
- ▶ implementation
- ▶ negative weights

7

## Edsger W. Dijkstra: select quote

*"The question of whether computers can think is like the question of whether submarines can swim."*

*"Do only what only you can do."*

*"In their capacity as a tool, computers will be but a ripple on the surface of our culture. In their capacity as intellectual challenge, they are without precedent in the cultural history of mankind."*

*"The use of COBOL cripples the mind; its teaching should, therefore, be regarded as a criminal offence."*

*"APL is a mistake, carried through to perfection. It is the language of the future for the programming techniques of the past: it creates a new generation of coding bums."*



Edsger Dijkstra  
Turing award 1972


8

## Single-source shortest-paths

Given. Weighted digraph  $G$ , source vertex  $s$ .

Goal. Find shortest path from  $s$  to every other vertex.

Observation. Use parent-link representation to store shortest path tree.




	s	1	2	3	4	5	6	7
dist[v]	0	15	9	32	45	34	14	50
pred[v]	-	0	0	6	5	3	0	5

9

## Edge relaxation

Relaxation along edge  $e$  from  $v$  to  $w$ .

- $\text{dist}[v]$  is length of some path from  $s$  to  $v$ .
- $\text{dist}[w]$  is length of some path from  $s$  to  $w$ .
- If  $v \rightarrow w$  gives a shorter path to  $w$  through  $v$ , update  $\text{dist}[w]$  and  $\text{pred}[w]$ .




```
int v = e.from(), w = e.to();
if (dist[w] > dist[v] + e.weight())
{
    dist[w] = dist[v] + e.weight();
    pred[w] = e;
}
```

10

## Dijkstra's algorithm


- Initialize  $S$  to  $s$ ,  $\text{dist}[s]$  to 0,  $\text{dist}[v]$  to  $\infty$  for all other  $v$ .
- Repeat until  $S$  contains all vertices connected to  $s$ :
  - find edge  $e$  with  $v$  in  $S$  and  $w$  not in  $S$  that minimizes  $\text{dist}[v] + e.\text{weight}()$ .
  - relax along edge  $e$
  - add  $w$  to  $S$



11


## Dijkstra's algorithm

- Initialize  $S$  to  $s$ ,  $\text{dist}[s]$  to 0,  $\text{dist}[v]$  to  $\infty$  for all other  $v$ .
- Repeat until  $S$  contains all vertices connected to  $s$ :
  - find edge  $e$  with  $v$  in  $S$  and  $w$  not in  $S$  that minimizes  $\text{dist}[v] + e.\text{weight}()$ .
  - relax along edge  $e$
  - add  $w$  to  $S$



12

## Dijkstra's algorithm example




## Dijkstra's algorithm: correctness proof

**Invariant.** For  $v$  in  $S$ ,  $\text{dist}[v]$  is the length of the shortest path from  $s$  to  $v$ .

**Pf.** (by induction on  $|S|$ )

- Let  $w$  be next vertex added to  $S$ .
- Let  $P^*$  be the  $s \rightarrow w$  path through  $v$ .
- Consider any other  $s \rightarrow w$  path  $P$ , and let  $x$  be first node on path outside  $S$ .
- $P$  is already longer than  $P^*$  as soon as it reaches  $x$  by greedy choice.
- Thus,  $\text{dist}[w]$  is the length of the shortest path from  $s$  to  $w$ .



## Shortest path trees

**Remark.** Dijkstra examines vertices in increasing distance from source.



- ▶ Dijkstra's algorithm
- ▶ implementation
- ▶ negative weights

## Weighted directed graph API

```
public class DirectedEdge implements Comparable<Edge>
{
    DirectedEdge(int v, int w, double weight)    create a weighted edge v→w

    int from()                                  vertex v
    int to()                                    vertex w
    double weight()                             the weight
    String toString()                           string representation
}
```

```
public class WeightedDigraph                               weighted digraph data type
{
    WeightedDigraph(int V)                               create an empty digraph with V vertices
    WeightedDigraph(In in)                               create a digraph from input stream
    void insert(DirectedEdge e)                         add an edge from v to w
    Iterable<DirectedEdge> adj(int v)                   return an iterator over edges leaving v
    int V()                                             return number of vertices
    String toString()                                  return a string representation
}
```

17

## Weighted digraph: adjacency-set implementation in Java

```
public class WeightedDigraph
{
    private final int V;
    private final SET<Edge>[] adj;

    public WeightedDigraph(int V)
    {
        this.V = V;
        adj = (SET<DirectedEdge>[] ) new SET[V];
        for (int v = 0; v < V; v++)
            adj[v] = new SET<DirectedEdge>();
    }

    public void addEdge(DirectedEdge e)
    {
        int v = e.from();
        adj[v].add(e);
    }

    public Iterable<DirectedEdge> adj(int v)
    { return adj[v]; }
}
```

← same as weighted undirected graph, but only add edge to v's adjacency set

18

## Weighted directed edge: implementation in Java

```
public class DirectedEdge implements Comparable<DirectedEdge>
{
    private final int v, w;
    private final double weight;

    public DirectedEdge(int v, int w, double weight)
    {
        this.v = v;
        this.w = w;
        this.weight = weight;
    }

    public int from() { return v; }
    public int to() { return w; }
    public int weight() { return weight; }

    public int compareTo(Edge that)
    {
        if (this.v < that.v) return -1;
        if (this.v > that.v) return +1;
        if (this.w < that.w) return -1;
        if (this.w > that.w) return +1;
        return 0;
    }
}
```

← same as Edge, except from() and to() replace either() and other()

← for use in a symbol table

19

## Shortest path data type

### Design pattern.

- Dijkstra class is a WeightedDigraph client.
- Client query methods return distance and path iterator.

```
public class Dijkstra
{
    Dijkstra(WeightedDigraph G, int s)    shortest path from s in graph G
    double distance(int v)               length of shortest path from s to v
    Iterable <DirectedEdge> path(int v)   shortest path from s to v
}
```

```
In = new In("network.txt");
WeightedDigraph G = new WeightedDigraph(in);
int s = 0, t = G.V() - 1;
Dijkstra dijkstra = new Dijkstra(G, s);
StdOut.println("distance = " + dijkstra.distance(t));
for (int v : dijkstra.path(t))
    StdOut.println(v);
```


20

## Dijkstra implementation challenge

Find edge  $e$  with  $v$  in  $S$  and  $w$  not in  $S$  that minimizes  $\text{dist}[v] + e.\text{weight}()$ .

### How difficult?

- Intractable. ← try all edges
- $O(E)$  time. ← Dijkstra with an array priority queue
- $O(V)$  time. ← Dijkstra with a binary heap
- $O(\log V)$  time.
- $O(\log^* V)$  time.
- Constant time.




21

## Dijkstra's algorithm implementation

Q. What goes onto the priority queue?

A. Fringe vertices connected by a single edge to a vertex in  $S$   
(priority = shortest path to last vertex in  $S$  + weight of single edge)



Starting to look familiar?

22

## Dijkstra's algorithm: PQ implementation approach

### Maintain these invariants.

- For  $v$  in  $S$ ,  $\text{dist}[v]$  is the length of the shortest path from  $s$  to  $v$ .
- For  $w$  not in  $S$ ,  $\text{dist}[w]$  minimizes  $\text{dist}[v] + e.\text{weight}()$  among all edges  $e$  with  $v$  in  $S$ .
- PQ contains vertices  $w$  not in  $S$ , with  $\text{dist}[w]$  as priority.

### Implications.


- To find next vertex  $w$  to add to  $S$ , delMin from PQ.
- To maintain invariants, update  $\text{dist}[]$  by relaxing all edges leaving  $w$  (and update PQ if vertex not in  $S$  gets closer to a vertex in  $S$ )

Total running time. Depends on PQ implementation.

- Exactly  $V$  delMin() operations.
- Exactly  $E$  edge relaxations.
- At most insert() operations.

23

## Lazy Dijkstra's algorithm example



24

## Lazy implementation of Dijkstra's SPT algorithm

Initialize  $\text{dist}[v] = \infty$  and  $\text{marked}[v] = \text{false}$  for all vertices  $v$ .

```

MinPQplus<Double, Integer> pq = new MinPQplus<Double, Integer>();
dist[s] = 0.0;
pq.put(dist[s], s);
while (!pq.isEmpty())
{
    int v = pq.delMin();
    if (marked[v]) continue;
    marked[v] = true;
    for (Edge e : G.adj(v))
    {
        int w = e.to();
        if (dist[w] > dist[v] + e.weight())
        {
            dist[w] = dist[v] + e.weight();
            pred[w] = e;
            pq.insert(dist[w], w);
        }
    }
}
    
```

← relax edge e

**Remark.** Same as `LazyPrim` except  $\text{dist}[v]$  is distance from  $s$  to  $v$ .

25

## Dijkstra's algorithm: which priority queue?

Running time of Dijkstra depends on PQ implementation.

PQ implementation	insert	delmin	total
array	1	V	$V^2$
binary heap	$\log V$	$\log V$	$E \log V$
d-way heap (Johnson)	$\log_d V$	$\log_d V$	$E \log_d V$
Fibonacci heap (Sleator-Tarjan)	1	$\log V$	$E + V \log V$

### Bottom line.

- Array implementation optimal for dense graphs.
- Binary heap far better for sparse graphs.
- d-way heap worth the trouble in performance-critical situations.
- Fibonacci heap best in theory, but not worth implementing.

26

## Priority-first search

**Insight.** All of our graph-search methods are the same algorithm!


- Maintain a set of explored vertices  $S$ .
- Grow  $S$  by exploring edges with exactly one endpoint leaving  $S$ .

**DFS.** Take edge from vertex which was discovered most recently.

**BFS.** Take from vertex which was discovered least recently.

**Prim.** Take edge of minimum weight.

**Dijkstra.** Take edge to vertex that is closest to  $s$ .



**Challenge.** Express this insight in reusable Java code.

27

- › Dijkstra's algorithm
- › implementation
- › negative weights

28

## Currency conversion

**Problem.** Given currencies and exchange rates, what is best way to convert one ounce of gold to US dollars?

- 1 oz. gold  $\Rightarrow$  \$327.25.
- 1 oz. gold  $\Rightarrow$  £208.10  $\Rightarrow$  \$327.00. [ 208.10  $\times$  1.5714 ]
- 1 oz. gold  $\Rightarrow$  455.2 Francs  $\Rightarrow$  304.39 Euros  $\Rightarrow$  \$327.28. [ 455.2  $\times$  .6677  $\times$  1.0752 ]


currency	£	Euro	¥	Franc	\$	Gold
UK pound	1.0000	0.6853	0.005290	0.4569	0.6368	208.100
Euro	1.45999	1.0000	0.007721	0.6677	0.9303	304.028
Japanese Yen	189.50	129.520	1.0000	85.4694	120.400	39346.7
Swiss Franc	2.1904	1.4978	0.01574	1.0000	1.3941	455.200
US dollar	1.5714	1.0752	0.008309	0.7182	1.0000	327.250
Gold (oz.)	0.004816	0.003295	0.0000255	0.002201	0.003065	1.0000

29

## Currency conversion

**Graph formulation.**

- Vertex = currency.
- Edge = transaction, with weight equal to exchange rate.
- Find path that maximizes product of weights.




**Challenge.** Express as a shortest path problem.

30

## Currency conversion

**Reduce to shortest path problem by taking logs.**

- Let weight of edge  $v \rightarrow w$  be  $-\lg$  (exchange rate from currency  $v$  to  $w$ ).
- Multiplication turns to addition.
- Shortest path with given weights corresponds to best exchange sequence.




**Challenge.** Solve shortest path problem with **negative weights**.


31

## Shortest paths with negative weights: failed attempts

**Dijkstra.** Doesn't work with negative edge weights.



**Re-weighting.** Add a constant to every edge weight also doesn't work.




**Bad news.** Need a different algorithm.

32




## Negative cycles

**Def.** A **negative cycle** is a directed cycle whose sum of edge weights is negative.



**Observations.** If negative cycle  $C$  is on a path from  $s$  to  $t$ , then shortest path can be made arbitrarily negative by spinning around cycle.




**Worse news.** Need a different problem.

33

## Shortest paths with negative weights

**Problem 1.** Does a given digraph contain a negative cycle?

**Problem 2.** Find the shortest **simple** path from  $s$  to  $t$ .



**Bad news.** Problem 2 is intractable.


**Good news.** Can solve problem 1 in  $O(VE)$  steps;  
if no negative cycles, can solve problem 2 with same algorithm!

34

## Edge relaxation

**Relaxation along edge  $e$  from  $v$  to  $w$ .**

- $\text{dist}[v]$  is length of some path from  $s$  to  $v$ .
- $\text{dist}[w]$  is length of some path from  $s$  to  $w$ .
- If  $v \rightarrow w$  gives a shorter path to  $w$  through  $v$ , update  $\text{dist}[w]$  and  $\text{pred}[w]$ .



```
int v = e.from(), w = e.to();
if (dist[w] > dist[v] + e.weight())
{
    dist[w] = dist[v] + e.weight();
    pred[w] = e;
}
```

35

## Shortest paths with negative weights: dynamic programming algorithm

**A simple solution that works!**

- Initialize  $\text{dist}[v] = \infty$ ,  $\text{dist}[s] = 0$ .
- Repeat  $V$  times: relax each edge  $e$ .


```
for (int i = 1; i <= G.V(); i++)
    for (int v = 0; v < G.V(); v++)
        for (Edge e : G.adj(v))
        {
            int w = e.to();
            if (dist[w] > dist[v] + e.weight())
            {
                dist[w] = dist[v] + e.weight();
                pred[w] = e;
            }
        }
```

← phase i

← relax edge v-w

36

## Dynamic programming algorithm trace



37

## Dynamic programming algorithm

**Running time.** Proportional to  $E V$ .

**Invariant.** At end of phase  $i$ ,  $\text{dist}[v] \leq$  length of any path from  $s$  to  $v$  using at most  $i$  edges.

**Proposition.** If there are no negative cycles, upon termination  $\text{dist}[v]$  is the length of the shortest path from  $s$  to  $v$ .

and  $\text{pred}[]$  gives the shortest paths

38

## Bellman-Ford-Moore algorithm

**Observation.** If  $\text{dist}[v]$  doesn't change during phase  $i$ , no need to relax any edge leaving  $v$  in phase  $i+1$ .

**FIFO implementation.** Maintain queue of vertices whose distance changed.

be careful to keep at most one copy of each vertex on queue

**Running time.**

- Proportional to  $EV$  in worst case.
- Much faster than that in practice.

39

## Single source shortest paths implementation: cost summary

	algorithm	worst case	typical case
nonnegative costs	Dijkstra (array heap)	$V^2$	$V^2$
	Dijkstra (binary heap)	$E \lg V$	$E$
no negative cycles	dynamic programming	$EV$	$EV$
	Bellman-Ford	$EV$	$E$

**Remark 1.** Negative weights makes the problem harder.


**Remark 2.** Negative cycles makes the problem intractable.

40

## Shortest paths application: arbitrage

Is there an arbitrage opportunity in currency graph?

- Ex: \$1 ⇒ 1.3941 Francs ⇒ 0.9308 Euros ⇒ \$1.00084.
- Is there a negative cost cycle?




Remark. Fastest algorithm is valuable!

41

## Negative cycle detection

If there is a negative cycle reachable from  $s$ .

Bellman-Ford-Moore gets stuck in loop, updating vertices in cycle.




Finding a negative cycle. If any vertex  $v$  is updated in phase  $v$ , there exists a negative cycle, and we can trace back  $\text{pred}[v]$  to find it.

42

## Negative cycle detection

Goal. Identify a negative cycle (reachable from **any** vertex).



Solution. Initialize Bellman-Ford by setting  $\text{dist}[v] = 0$  for **all** vertices  $v$ .

43

## Shortest paths summary

Dijkstra's algorithm.

- Easy and optimal for dense digraphs.
- PQ yields near optimal for sparse graphs.

Priority-first search.

- Generalization of Dijkstra's algorithm.
- Encompasses DFS, BFS, and Prim.
- Enables easy solution to many graph-processing problems.

Negative weights.

- Arise in applications.
- If negative cycles, problem is intractable (!)
- If no negative cycles, solvable via classic algorithms.

Shortest-paths is a broadly useful problem-solving model.

44