



COS 217: Introduction to Programming Systems


1

Goals for Today's Class



- **Course overview**

- Introductions
- Course goals
- Resources
- Grading
- Policies



- **Getting started with C**

- C programming language overview

2

Introductions



- **Jaswinder Pal Singh, Ph.D. (Professor)**
 - jps@cs.princeton.edu
- **Robert Dondero, Ph.D. (Lead Preceptor)**
 - rdondero@cs.princeton.edu



3

Introductions (cont.)



- **Muneeb Ali (Preceptor)**
 - muneeb@princeton.edu
- **Matvey Arye (Preceptor)**
 - arye@princeton.edu
- **Jialu Huang (Preceptor)**
 - jialuh@princeton.edu
- **Jack Tzu-Han Hung (Preceptor)**
 - thhung@princeton.edu
- **Hanjun Kim (Preceptor)**
 - hanjunk@princeton.edu
- **Indraneel Mukherjee (Preceptor)**
 - imukherj@princeton.edu
- **Richard Wang (Preceptor)**
 - rwthree@princeton.edu




4

Course Goal 1: “Programming in the Large”



• Goal 1: “Programming in the large”

- Help you learn how to write large computer programs
- Abstraction; Interfaces and implementations



• Specifically, help you learn how to:

- Write modular code
 - Hide information
 - Manage resources
 - Handle errors
- Write portable code
- Test and debug your code
- Improve your code’s performance (and when to do so)
- Use tools to support those activities

5


Course Goal 2: “Under the Hood”



• Goal 2: “Look under the hood”

- Help you learn what happens “under the hood” of computer systems

• Specifically, two downward tours



• Goal 2 supports Goal 1

- Reveals many examples of effective abstractions

6

Course Goals: Why C?



- Q: Why C instead of Java?
- A: C supports Goal 1 better
 - C is a lower-level language
 - C provides more opportunities to create abstractions
 - C has some flaws
 - C's flaws motivate discussions of software engineering principles
- A: C supports Goal 2 better
 - C facilitates language levels tour
 - C is closely related to assembly language
 - C facilitates service levels tour
 - Linux is written in C

7

Course Goals: Why Linux?



- Q: Why Linux instead of Microsoft Windows?
- A: Linux is good for education and research
 - Linux is open-source and well-specified
- A: Linux is good for programming
 - Linux is a variant of Unix
 - Unix has GNU, a rich open-source programming environment

8

Course Goals: Summary



- Help you to become a...



Power Programmer!!!

9

Resources: Lectures and Precepts



- **Lectures**
 - Describe concepts at a high level
 - Slides available online at course Web site
- **Precepts**
 - Support lectures by describing concepts at a lower level
 - Support your work on assignments

10

Resources: Website and Listserv



- Website
 - Access from <http://www.cs.princeton.edu>
 - Academics → Course Schedule → COS 217
- Listserv
 - cos217@lists.cs.princeton.edu
 - Subscription is required
 - Instructions provided in first precept

11

Resources: Books



- Required book
 - *C Programming: A Modern Approach (Second Edition)*, King, 2008.
 - Covers the C programming language and standard libraries
 - First edition is not quite so good, but is sufficient
- Highly recommended books
 - *The Practice of Programming*, Kernighan and Pike, 1999.
 - Covers “programming in the large”
 - (Required for COS 333)
 - *Computer Systems: A Programmer's Perspective*, Bryant and O'Hallaron, 2003.
 - Covers “under the hood”
 - Some key sections are on electronic reserve
 - *Programming with GNU Software*, Loukides and Oram, 1997.
 - Covers tools
- *All books are on reserve in Engineering Library*

12

Resources: Manuals




- Manuals (for reference only, available online)
 - *IA32 Intel Architecture Software Developer's Manual, Volumes 1-3*
 - *Tool Interface Standard & Executable and Linking Format*
 - *Using as, the GNU Assembler*
- See also
 - Linux `man` command
 - `man` is short for “manual”
 - For more help, type `man man`

13

Resources: Programming Environment




- Option 1



Resources: Programming Environment

- Option 2



15

Resources: Programming Environment

- Other options

- Use your own PC/Mac/Linux computer; run GNU tools locally; run your programs locally
- Use your own PC/Mac/Linux computer; run a non-GNU development environment locally; run your programs locally
- Etc.

- Notes

- Other options cannot be used for some assignments (esp. timing studies)
- Instructors cannot promise support of other options
- Strong recommendation: Use Option 1 or 2 for **all** assignments
- First precept provides setup instructions

16

Grading



- Seven programming assignments (50%)
 - Working code
 - Clean, readable, maintainable code
 - On time (penalties for late submission)
 - Final assignment counts double (12.5%)
- Exams (45%)
 - Midterm (15%)
 - Final (30%)
- Class participation (5%)
- Lecture and precept attendance is **mandatory**



17

Programming Assignments



- Programming assignments
 1. A “de-comment” program
 2. A string module
 3. A symbol table module
 4. IA-32 assembly language programs
 5. A buffer overrun attack
 6. A heap manager module
 7. A Unix shell
- Key part of the course
- Due (typically) Sundays at 9:00PM
- First assignment is available now
- Advice: Start early to allow time for debugging ...

18

Why Debugging is Necessary...



Copyright 2003 Randy Glasbergen. www.glasbergen.com

19

Policies



Study the course “Policies” web page!!!

- Especially the assignment collaboration policies
 - Violation involves **trial by Committee on Discipline**
 - Typical penalty is **suspension from University** for 1 academic year
- Some highlights:
 - Don't view anyone else's work during, before, or after the assignment time period
 - Don't allow anyone to view your work during, before, or after the assignment time period
 - In your assignment “readme” file, acknowledge all resources used
- Ask your preceptor for clarifications if necessary

20

Course Schedule



- Very generally...

Weeks	Lectures	Precepts
1-2	Intro to C (conceptual)	Intro to Linux/GNU Intro to C (mechanical)
3-6	"Pgmning in the Large"	Advanced C
6	Midterm Exam	
7	Recess	
8-13	"Under the Hood"	Assembly Language Pgmning Assignments
	Reading Period	
	Final Exam	

- See course "Schedule" web page for details


21



Any questions before we start?

22

C vs. Java: History



23

C vs. Java: Design Goals



- **Java design goals**
 - Support **object-oriented** programming
 - Allow same program to be executed on **multiple operating systems**
 - Support using **computer networks**
 - Execute code from **remote sources securely**
 - Adopt the good parts of **other languages** (esp. C and C++)
- **Implications for Java**
 - Good for **application-level** programming
 - **High-level**
 - Virtual machine insulates programmer from underlying assembly language, machine language, hardware
 - **Portability over efficiency**
 - **Security over efficiency**
 - **Security over flexibility**

24

C vs. Java: Design Goals



- C design goals
 - Support **structured** programming
 - Support **development of the Unix OS** and Unix tools
 - As Unix became popular, so did C
- Implications for C
 - Good for **system-level** programming
 - But often used for application-level programming – sometimes inappropriately
 - **Low-level**
 - Close to assembly language; close to machine language; close to hardware
 - **Efficiency over portability**
 - **Efficiency over security**
 - **Flexibility over security**

25

C vs. Java: Design Goals



- Differences in design goals explain many differences between the languages
- C's design goal explains many of its eccentricities
 - We'll see examples throughout the course

26

C vs. Java: Overview



- Dennis Ritchie on the nature of C:

- “C has always been a language that **never attempts to tie a programmer down.**”
- “C has always appealed to systems programmers who like the **terse, concise manner** in which powerful expressions can be coded.”
- “C allowed programmers to (while sacrificing portability) have **direct access to many machine-level features** that would otherwise require the use of assembly language.”
- “C is quirky, flawed, and an enormous success. While accidents of history surely helped, it evidently satisfied a need for a system implementation language **efficient enough to displace assembly language, yet sufficiently abstract and fluent to describe algorithms and interactions** in a wide variety of environments.”

27

C vs. Java: Overview (cont.)



- Bad things you **can** do in C that you **can't** do in Java
 - Shoot yourself in the foot (safety)
 - Shoot others in the foot (security)
 - Ignore wounds (error handling)
- Dangerous things you **must** do in C that you **don't** in Java
 - Explicitly manage memory via `malloc()` and `free()`
- Good things you **can** do in C, but (more or less) **must** do in Java
 - Program using the object-oriented style
- Good things you **can't** do in C but **can** do in Java
 - Write completely portable code

28

C vs. Java: Details



- Remaining slides provide some details
 - Suggestion: Use for future reference

- Slides covered briefly now, as time allows...

29

C vs. Java: Details (cont.)



	Java	C
Overall Program Structure	<pre>Hello.java: public class Hello { public static void main(String[] args) { System.out.println("Hello, world"); } }</pre>	<pre>hello.c: #include <stdio.h> int main(void) { printf("Hello, world\n"); return 0; }</pre>
Building	<pre>% javac Hello.java % ls Hello.class Hello.java %</pre>	<pre>% gcc217 hello.c % ls a.out hello.c %</pre>
Running	<pre>% java Hello Hello, world %</pre>	<pre>% a.out Hello, world %</pre>

30

C vs. Java: Details (cont.)



	Java	C
Character type	<code>char // 16-bit unicode</code>	<code>char /* 8 bits */</code>
Integral types	<code>byte // 8 bits</code> <code>short // 16 bits</code> <code>int // 32 bits</code> <code>long // 64 bits</code>	<code>(unsigned) char</code> <code>(unsigned) short</code> <code>(unsigned) int</code> <code>(unsigned) long</code>
Floating point types	<code>float // 32 bits</code> <code>double // 64 bits</code>	<code>float</code> <code>double</code> <code>long double</code>
Logical type	<code>boolean</code>	<code>/* no equivalent */</code> <code>/* use integral type */</code>
Generic pointer type	<code>// no equivalent</code>	<code>void*</code>
Constants	<code>final int MAX = 1000;</code>	<code>#define MAX 1000</code> <code>const int MAX = 1000;</code> <code>enum {MAX = 1000};</code>

31

C vs. Java: Details (cont.)



	Java	C
Arrays	<code>int [] a = new int [10];</code> <code>float [][] b =</code> <code> new float [5][20];</code>	<code>int a[10];</code> <code>float b[5][20];</code>
Array bound checking	<code>// run-time check</code>	<code>/* no run-time check */</code>
Pointer type	<code>// Object reference is an</code> <code>// implicit pointer</code>	<code>int *p;</code>
Record type	<code>class Mine {</code> <code> int x;</code> <code> float y;</code> <code>}</code>	<code>struct Mine {</code> <code> int x;</code> <code> float y;</code> <code>}</code>

32

C vs. Java: Details (cont.)



	Java	C
Strings	<code>String s1 = "Hello";</code> <code>String s2 = new</code> <code> String("hello");</code>	<code>char *s1 = "Hello";</code> <code>char s2[6];</code> <code>strcpy(s2, "hello");</code>
String concatenation	<code>s1 + s2</code> <code>s1 += s2</code>	<code>#include <string.h></code> <code>strcat(s1, s2);</code>
Logical ops	<code>&&</code> , <code> </code> , <code>!</code>	<code>&&</code> , <code> </code> , <code>!</code>
Relational ops	<code>=</code> , <code>!=</code> , <code>></code> , <code><</code> , <code>>=</code> , <code><=</code>	<code>=</code> , <code>!=</code> , <code>></code> , <code><</code> , <code>>=</code> , <code><=</code>
Arithmetic ops	<code>+</code> , <code>-</code> , <code>*</code> , <code>/</code> , <code>%</code> , unary <code>-</code>	<code>+</code> , <code>-</code> , <code>*</code> , <code>/</code> , <code>%</code> , unary <code>-</code>
Bitwise ops	<code>>></code> , <code><<</code> , <code>>>></code> , <code>&</code> , <code> </code> , <code>^</code>	<code>>></code> , <code><<</code> , <code>&</code> , <code> </code> , <code>^</code>
Assignment ops	<code>=</code> , <code>*=</code> , <code>/=</code> , <code>+=</code> , <code>-=</code> , <code><<=</code> , <code>>>=</code> , <code>>>>=</code> , <code>=</code> , <code>^=</code> , <code> =</code> , <code>%=</code>	<code>=</code> , <code>*=</code> , <code>/=</code> , <code>+=</code> , <code>-=</code> , <code><<=</code> , <code>>>=</code> , <code>=</code> , <code>^=</code> , <code> =</code> , <code>%=</code>

33

C vs. Java: Details (cont.)



	Java	C
if stmt	<code>if (i < 0)</code> <code> statement1;</code> <code>else</code> <code> statement2;</code>	<code>if (i < 0)</code> <code> statement1;</code> <code>else</code> <code> statement2;</code>
switch stmt	<code>switch (i) {</code> <code> case 1:</code> <code> ...</code> <code> break;</code> <code> case 2:</code> <code> ...</code> <code> break;</code> <code> default:</code> <code> ...</code> <code>}</code>	<code>switch (i) {</code> <code> case 1:</code> <code> ...</code> <code> break;</code> <code> case 2:</code> <code> ...</code> <code> break;</code> <code> default:</code> <code> ...</code> <code>}</code>
goto stmt	<code>// no equivalent</code>	<code>goto SomeLabel;</code>

34

C vs. Java: Details (cont.)



	Java	C
for stmt	<code>for (int i=0; i<10; i++) statement;</code>	<code>int i; for (i=0; i<10; i++) statement;</code>
while stmt	<code>while (i < 0) statement;</code>	<code>while (i < 0) statement;</code>
do-while stmt	<code>do { statement; ... } while (i < 0)</code>	<code>do { statement; ... } while (i < 0)</code>
continue stmt	<code>continue;</code>	<code>continue;</code>
labeled continue stmt	<code>continue SomeLabel;</code>	<i>/* no equivalent */</i>
break stmt	<code>break;</code>	<code>break;</code>
labeled break stmt	<code>break SomeLabel;</code>	<i>/* no equivalent */</i>

C vs. Java: Details (cont.)



	Java	C
return stmt	<code>return 5; return;</code>	<code>return 5; return;</code>
Compound stmt (alias block)	<code>{ statement1; statement2; }</code>	<code>{ statement1; statement2; }</code>
Exceptions	<code>throw, try-catch-finally</code>	<i>/* no equivalent */</i>
Comments	<code>/* comment */ // another kind</code>	<code>/* comment */</code>
Method / function call	<code>f(x, y, z); someObject.f(x, y, z); SomeClass.f(x, y, z);</code>	<code>f(x, y, z);</code>

Example C Program



```
#include <stdio.h>
#include <stdlib.h>

const double KMETERS_PER_MILE = 1.609;

int main(void) {
    int miles;
    double kmeters;
    printf("miles: ");
    if (scanf("%d", &miles) != 1) {
        fprintf(stderr, "Error: Expect a number.\n");
        exit(EXIT_FAILURE);
    }
    kmeters = miles * KMETERS_PER_MILE;
    printf("%d miles is %f kilometers.\n",
        miles, kmeters);
    return 0;
}
```

37

Summary



- Course overview
 - Goals
 - Goal 1: Learn “programming in the large”
 - Goal 2: Look “under the hood”
 - Goal 2 supports Goal 1
 - Use of C and Linux supports both goals
 - Learning resources
 - Lectures, precepts, programming environment, course listserv, textbooks
 - Course Web site: access via <http://www.cs.princeton.edu>

38

Summary



- Getting started with C
 - C was designed for system programming
 - Differences in design goals of Java and C explain many differences between the languages
 - Knowing C design goals explains many of its eccentricities
 - Knowing Java gives you a head start at learning C
 - C is not object-oriented, but many aspects are similar

39

Getting Started



- Check out course [Web site](#) [soon](#)
 - Study "Policies" page
 - First assignment is available
- Establish a reasonable [computing environment](#) [soon](#)
 - Instructions given in first precept

40