

Dynamic Memory Management

I

Goals of this Lecture



- Help you learn about:
 - Dynamic memory management techniques
 - Design decisions for the "K&R" heap manager implementation



Part 1:

What do malloc() and free() do?

3

Memory Layout: Heap char* string = "hello"; **Text** int iSize; RoData char* f() Data **BSS** char* p; Heap scanf("%d", &iSize); p = malloc(iSize); return p; Needed when required memory size is not **Stack** known before the program runs

Allocating & Deallocating Memory



- Dynamically allocating memory
 - Programmer explicitly requests space in memory
 - Space is allocated dynamically on the heap
 - E.g., using "malloc" in C, and "new" in Java
- Dynamically deallocating memory
 - · Must reclaim or recycle memory that is never used again
 - To avoid (eventually) running out of memory
- · "Garbage"
 - Allocated block in heap that will not be accessed again
 - Can be reclaimed for later use by the program

Option #1: Garbage Collection



- Run-time system does garbage collection (Java)
 - Automatically determines objects that can't be accessed
 - And then reclaims the resources used by these objects

```
Object x = new Foo();
Object y = new Bar();
                              Object Foo ()
                              is never used
x = new Quux();
                                 again!
if (x.check something()) {
  x.do something(y);
System.exit(0);
```

Challenges of Garbage Collection



- Detecting the garbage is not always easy
 - "if (complex_function(y)) x = new Quux();"
 - · Run-time system cannot collect all of the garbage
- Detecting the garbage introduces overhead
 - Keeping track of references to objects (e.g., counter)
 - · Scanning through accessible objects to identify garbage
 - Sometimes walking through a large amount of memory
- Cleaning the garbage leads to bursty delays
 - E.g., periodic scans of the objects to hunt for garbage
 - Leading to unpredictable "freeze" of the running program
 - Very problematic for real-time applications
 - ... though good run-time systems avoid long freezes

Option #2: Manual Deallocation



- Programmer deallocates the memory (C and C++)
 - · Manually determines which objects can't be accessed
 - And then explicitly returns the resources to the heap
 - E.g., using "free" in C or "delete" in C++
- Advantages
 - Lower overhead
 - No unexpected "pauses"
 - More efficient use of memory
- Disadvantages
 - · More complex for the programmer
 - · Subtle memory-related bugs
 - · Security vulnerabilities in the (buggy) code

Manual Deallocation Can Lead to Bugs



- Dangling pointers
 - · Programmer frees a region of memory
 - · ... but still has a pointer to it
 - Dereferencing pointer reads or writes nonsense values

```
int main(void) {
    char *p;
    p = malloc(10);
    free(p);
    putchar(*p);
```

May print nonsense character.

Manual Deallocation Can Lead to Bugs



- Memory leak
 - Programmer neglects to free unused region of memory
 - · So, the space can never be allocated again
 - Eventually may consume all of the available memory

```
void f(void) {
    char *s;
    s = malloc(50);
    return;
}
int main(void) {
    while (1) f();
    return 0;
}
```

Eventually, malloc() returns **NULL**

Manual Deallocation Can Lead to Bugs



- Double free
 - Programmer mistakenly frees a region more than once
 - · Leading to corruption of the heap data structure
 - ... or premature destruction of a different object

```
int main(void) {
   char *p, *q;
   p = malloc(10);
    free(p);
    q = malloc(10);
    free(p);
```


Might free the space allocated to q!


malloc() and free() Challenges





- •malloc() may ask for arbitrary number of bytes
- Memory may be allocated & freed in different order
- Cannot reorder requests to improve performance


```
char *p1 = malloc(3);
char *p2 = malloc(1);
char *p3 = malloc(4);
free (p2);
char *p4 = malloc(6);
free (p3);
char *p5 = malloc(2);
free (p1);
free (p4);
free (p5);
```





























Part 2:

How do malloc() and free() work?



Acquiring Heap Memory



Q: How does malloc() acquire heap memory?

A: Moves the program break downward via **sbrk()** or **brk** () system call

void *sbrk(intptr t increment);

- Increment the program break by the specified amount. Calling the function with an increment of 0 returns the current location of the program break. Return 0 if successful and -1 otherwise.
- Beware: On Linux contains a known bug; should call only with argument 0.

int brk(void *newBreak);

 Move the program break to the specified address. Return 0 if successful and -1 otherwise.

2

Using Heap Memory



Q: Having acquired heap memory, how do malloc() and free() manipulate it?

A: Topic of much research; an introduction...

Goals for malloc() and free()



- Maximizing throughput
 - · Maximize number of requests completed per unit time
 - Need both malloc() and free() to be fast
- Maximizing memory utilization
 - Minimize the amount of wasted memory
 - Need to minimize size of data structures
- Strawman #1: free() does nothing
 - Good throughput, but poor memory utilization
- Strawman #2: malloc() finds "best fit" in memory
 - · Good memory utilization, but poor throughput

2

Keeping Track of Free Blocks



- Maintain a list of free blocks of memory
 - Allocate memory from one of the blocks in the free list
 - Deallocate memory by returning the block to the free list
 - When necessary, call brk () to ask OS for additional memory, and create a new large block
- Design questions
 - How to keep track of the free blocks in memory?
 - How to choose an appropriate free block to allocate?
 - What to do with the left-over space in a free block?
 - What to do with a block that has just been freed?


free	free	free

8.

Need to Minimize Fragmentation



- Internal fragmentation
 - · Allocated block is larger than program requested
 - E.g., malloc() imposes a minimum size (e.g., 64 bytes)



- External fragmentation
 - Enough free memory exists, but no block is big enough
 - E.g., malloc() asks for 128 contiguous bytes



29

Simple "K&R-Like" Approach



- Memory available in multiples of a base size
 - E.g., 16 bytes, 32 bytes, 48 bytes, ...
- Linked list of free blocks
 - malloc() and free() walk through list to allocate and deallocate
- malloc() allocates the first big-enough block
 - · To avoid sequencing further through the list
- malloc() splits the free block
 - · To allocate what is needed, and leave the rest available
- Linked list is circular
 - · To be able to continue where you left off
- Linked list in the order the blocks appear in memory
 - · To be able to "coalesce" neighboring free blocks

Allocate Memory in Multiples of Base Size



- Allocate memory in multiples of a base size
 - Align memory on size of largest data type (e.g., double)
- Converting request size to no. of base-size units
 - Allocation in units of base_size
 - Round:(nbytes + base_size 1)/base_size
- Example:
 - Suppose nbytes is 37
 - · And base_size is 16 bytes
 - Then (37 + 16 1)/16 is 52/16 which rounds down to 3



31


Newly

• Linked List of Free Blocks • Linked list of free blocks • malloc() allocates a big-enough block Allocated • free() adds newly-freed block to the list

"First-Fit" Allocation



- Handling a request for memory (e.g., malloc())
 - Find a free block that satisfies the request
 - Must have a "size" that is big enough, or bigger
- Simplest approach: first fit
 - Sequence through the linked list
 - Stop upon encountering a "big enough" free block
- Example: request for 64 bytes
 - First-fit algorithm stops at the 128-byte block




Splitting an Oversized Free Block





- Simple case: perfect fit
 - malloc() asks for 128 bytes, free block has 128 bytes
 - Simply remove the free block from the list



- Complex case: splitting the block
 - malloc() asks for 64 bytes, free block has 128 bytes







Conclusion



- Elegant simplicity of K&R malloc() and free()
 - Simple header with pointer and size in each free block
 - · Simple circular linked list of free blocks
 - Relatively small amount of code (~25 lines each)
- Limitations of K&R functions in terms of efficiency
 - \bullet malloc() requires scanning the free list
 - To find the first free block that is big enough
 - free () requires scanning the free list
 - To find the location to insert the to-be-freed block