




COS 217: Introduction to Programming Systems

1



Goals for Today's Class

- **Course overview**
 - Introductions
 - Course goals
 - Resources
 - Grading
 - Policies
- **Getting started with C**
 - C programming language overview



2



Introductions

- **Lecturer**
 - Prof. Jaswinder Pal (J.P.) Singh
- **Preceptors (in alphabetical order)**
 - Dr. Robert Dondero (Lead Preceptor)
 - Margo Flynn
 - Madhuvanathi Jayakumar
 - Sasha Koruga
 - Siyu Liu
 - Akshay Mittal
 - Tobechukwu (Tobe) Nwanna
 - Reid Oda

3



Course Goal 1: "Programming in the Large"


- **How to write large programs**
- **Specifically, how to:**
 - Break things down into modules
 - Use abstraction
 - Write modular code
 - Separate interface from implementation
 - Write code as part of a large team
 - Write portable code
 - Test and debug your code
 - Improve your code's performance
 - Use tools to support these activities

4

Course Goal 2: “Under the Hood”



- What happens inside in computer systems?
- Specifically, two downward tours
 - We will cover some key aspects of both



- Goal 2 supports Goal 1
 - Reveals many examples of effective abstractions

5

Course Goals: Why C, not Java?



- The course is not about a language. The language is merely a vehicle to convey the key concepts.
- C happens to better support the goals of the course.
- C supports Goal 1 better
 - C is a lower-level language
 - Forces you to create your own abstractions
 - C has some useful flaws
 - Motivates discussion of software engineering principles
- C supports Goal 2 better
 - C facilitates language levels tour
 - C is closely related to assembly language
 - C facilitates service levels tour
 - Linux operating system is written in C

6

Course Goals: Why Linux?



- Q: Why Linux?
- A: Good for education and research
 - Linux is open-source and well-specified
- A: Has good support for programming
 - Linux is a variant of Unix
 - Unix has GNU, a rich open-source programming environment

7

Course Goals: Summary



- Help you to become a...



Power Programmer

8

Resources: Lectures and Precepts

- **Lectures**
 - Describe concepts at a high level
 - Slides available online at course Web site
- **Precepts**
 - Support lectures by describing concepts at a lower level
 - Support your work on assignments
- **Note:** Precepts begin on Monday

9

Resources: Website and Piazza

- **Website**
 - Access from <http://www.cs.princeton.edu>
 - Academics → Course Schedule → COS 217
- **Piazza**
 - <https://piazza.com/login?#cos217>
 - Subscription is required
 - Instructions provided in first precept

10

Resources: Books

- **Required book**
 - *C Programming: A Modern Approach (2nd Edition)*, King, 2008
 - Covers the C programming language and standard libraries
- **Highly recommended books**
 - *The Practice of Programming*, Kernighan and Pike, 1999.
 - Covers “programming in the large”
 - (Required for COS 333)
 - *Computer Systems: A Programmer's Perspective (2nd Edition)*, Bryant and O'Hallaron, 2010.
 - Covers “under the hood”
 - Some key sections are on electronic reserve
 - First edition is sufficient
- *All books are on reserve in Engineering Library*

11

Resources: Manuals


- **Manuals (for reference only, available online)**
 - *IA32 Intel Architecture Software Developer's Manual, Volumes 1-3*
 - *Tool Interface Standard & Executable and Linking Format*
 - *Using as, the GNU Assembler*
- **See also**
 - Linux `man` command
 - `man` is short for “manual”
 - For more help, type `man man`

12

Resources: Programming Environment



• Option 1




13

Resources: Programming Environment



• Option 2



14

Resources: Programming Environment



• Other options

- Use your own Windows/Mac/Linux computer; run GNU tools locally; run your programs locally
- Use your own Windows/Mac/Linux computer; run a non-GNU development environment locally; run your programs locally
- Build your own hardware, port Windows/Mac/Linux to it, ...
- Develop a new material, build hardware using it, port a new OS to it, ...

• Notes

- Other options cannot be used for some assignments (esp. timing studies)
- Instructors cannot promise support of other options
- Strong recommendation: Use Option 1 or 2 for **all** assignments
- First precept provides setup instructions

15

Grading



• Seven programming assignments (48%)

- Working code
- Clean, readable, maintainable code
- On time (penalties for late submission)
- Final assignment counts double (12%)

• Exams (40%)

- Midterm (15%)
- Final (25%)

• Class participation (12%)

- Lecture and precept attendance is **mandatory**
- **We will circulate an attendance sheet in lecture; make sure you mark it every time**



16

Programming Assignments



- Programming assignments
 1. A "de-comment" program (individual)
 2. A string module (individual)
 3. A symbol table module (individual)
 4. IA-32 assembly language programs (individual)
 5. A buffer overrun attack (teams-of-two)
 6. A heap manager module (teams-of-two)
 7. A Unix shell (individual)
- See course "Schedule" web page for due dates/times
- First assignment is available now
- Advice: Start early to allow time for
 - Understanding the assignment and how to get started
 - Debugging
 - Osmosis, background processes, eureka moments ...

17

Why Debugging is Necessary...



Copyright 2003 Randy Glasbergen. www.glasbergen.com

18

Policies



Study the course "Policies" web page!!!

- Especially the assignment collaboration policies
 - Violation involves **trial by Committee on Discipline**
 - Typical penalty is **suspension from University** for 1 academic year
- Some highlights:
 - Don't view anyone else's work during, before, or after the assignment time period
 - Don't allow anyone to view your work during, before, or after the assignment time period
 - In your assignment "readme" file, acknowledge all resources used
- Ask your preceptor for clarifications if necessary

19

Course Schedule



- Very generally...

Weeks	Lectures	Precepts
1-2	Intro to C (conceptual)	Intro to Linux/GNU Intro to C (mechanical)
3-6	"Prog. in the Large"	Advanced C
6	Midterm Exam	
7	Recess	
8-13	"Under the Hood"	Assignment Support Assembly Language
Reading Period		
Final Exam		

- See course "Schedule" web page for details


20



Any questions before we start?



C vs. Java: History



C vs. Java: Design Goals

- **Java design goals**
 - Support **object-oriented** programming
 - Allow same program to be executed on **multiple operating systems**
 - Support download-and-run over **computer networks**
 - Execute code from **remote sources securely**
 - Adopt the good parts of **other languages** (esp. C and C++)
- **Implications for Java**
 - Good for **application-level** programming
 - **High-level**
 - Virtual machine insulates programmer from underlying assembly language, machine language, hardware
 - Protects you from shooting yourself in the foot
 - **Portability over efficiency**
 - **Security over efficiency**
 - **Security over flexibility**



C vs. Java: Design Goals

- **C design goals**
 - Support **structured** programming
 - Support **development of the Unix OS** and Unix tools
 - As Unix became popular, so did C
- **Implications for C**
 - Good for **system-level** programming
 - And often used for application-level programming
 - **Low-level**
 - Close to assembly language; close to machine language; close to hardware
 - **Efficiency over portability**
 - **Efficiency over security**
 - **Flexibility over security**
 - Shoot away (yourself in the foot ...)

C vs. Java: Design Goals



- Differences in design goals explain many differences between the languages
- C's design goal explains many of its eccentricities
- We'll see examples throughout the course

25

C vs. Java: Overview



Dennis Ritchie on the nature of C:

- "C has always been a language that **never attempts to tie a programmer down.**"
- "C has always appealed to systems programmers who like the **terse, concise manner** in which powerful expressions can be coded."
- "C allowed programmers to (while sacrificing portability) have **direct access to many machine-level features** that would otherwise require the use of assembly language."
- "C is quirky, flawed, and an enormous success."
- "While accidents of history surely helped, it evidently satisfied a need for a system implementation language **efficient enough to displace assembly language, yet sufficiently abstract and fluent to describe algorithms and interactions** in a wide variety of environments."

26

C vs. Java: Overview (cont.)



- Bad things you **can** do in C that you **can't** do in Java
 - Shoot yourself in the foot (safety)
 - Shoot others in the foot (security)
 - Ignore wounds (error handling)
- Dangerous things you **must** do in C that you **don't** do in Java
 - Explicitly manage memory via `malloc()` and `free()`
- Good things you **can** do in C, but (more or less) **must** do in Java
 - Program using the object-oriented style
- Good things you **can't** do in C but **can** do in Java
 - Write completely portable code

27

Course Goals: Why C, not Java?



- The course is not about a language. The language is merely a vehicle to convey the key concepts.
- C happens to better support the goals of the course.
- C supports Goal 1 better
 - C is a lower-level language
 - Forces you to create your own abstractions
 - C has some flaws
 - Motivates discussion of software engineering principles
- C supports Goal 2 better
 - C facilitates language levels tour
 - C is closely related to assembly language
 - C facilitates service levels tour
 - Linux operating system is written in C

28

C vs. Java: Details



- Remaining slides provide some details
 - Suggestion: Use for future reference
- Slides covered briefly now, as time allows...

29

C vs. Java: Details (cont.)



	Java	C
Overall Program Structure	<pre> Hello.java: public class Hello { public static void main(String[] args) { System.out.println("Hello, world"); } } </pre>	<pre> hello.c: #include <stdio.h> int main(void) { printf("Hello, world\n"); return 0; } </pre>
Building	<pre> % javac Hello.java % ls Hello.class Hello.java % </pre>	<pre> % gcc217 hello.c % ls a.out hello.c % </pre>
Running	<pre> % java Hello Hello, world % </pre>	<pre> % a.out Hello, world % </pre>

30

C vs. Java: Details (cont.)



	Java	C
Character type	<code>char</code> // 16-bit unicode	<code>char</code> /* 8 bits */
Integral types	<code>byte</code> // 8 bits <code>short</code> // 16 bits <code>int</code> // 32 bits <code>long</code> // 64 bits	(unsigned) <code>char</code> (unsigned) <code>short</code> (unsigned) <code>int</code> (unsigned) <code>long</code>
Floating point types	<code>float</code> // 32 bits <code>double</code> // 64 bits	<code>float</code> <code>double</code> <code>long double</code>
Logical type	<code>boolean</code>	/* no equivalent */ /* use integral type */
Generic pointer type	// no equivalent	<code>void*</code>
Constants	<code>final int MAX = 1000;</code>	<code>#define MAX 1000</code> <code>const int MAX = 1000;</code> <code>enum {MAX = 1000};</code>

31

C vs. Java: Details (cont.)



	Java	C
Arrays	<code>int [] a = new int [10];</code> <code>float [][] b = new float [5][20];</code>	<code>int a[10];</code> <code>float b[5][20];</code>
Array bound checking	// run-time check	/* no run-time check */
Pointer type	// Object reference is an // implicit pointer	<code>int *p;</code>
Record type	<pre> class Mine { int x; float y; } </pre>	<pre> struct Mine { int x; float y; } </pre>

32

C vs. Java: Details (cont.)



	Java	C
Strings	<code>String s1 = "Hello"; String s2 = new String("hello");</code>	<code>char *s1 = "Hello"; char s2[6]; strcpy(s2, "hello");</code>
String concatenation	<code>s1 + s2 s1 += s2</code>	<code>#include <string.h> strcat(s1, s2);</code>
Logical ops	<code>&&, , !</code>	<code>&&, , !</code>
Relational ops	<code>==, !=, >, <, >=, <=</code>	<code>==, !=, >, <, >=, <=</code>
Arithmetic ops	<code>+, -, *, /, %, unary -</code>	<code>+, -, *, /, %, unary -</code>
Bitwise ops	<code>>>, <<, >>=, &, , ^</code>	<code>>>, <<, &, , ^</code>
Assignment ops	<code>=, *=, /=, +=, -=, <<=, >>=, >>>=, =, ^=, =, %=</code>	<code>=, *=, /=, +=, -=, <<=, >>=, =, ^=, =, %=</code>

33

C vs. Java: Details (cont.)



	Java	C
if stmt	<code>if (i < 0) statement1; else statement2;</code>	<code>if (i < 0) statement1; else statement2;</code>
switch stmt	<code>switch (i) { case 1: ... break; case 2: ... break; default: ... }</code>	<code>switch (i) { case 1: ... break; case 2: ... break; default: ... }</code>
goto stmt	<code>// no equivalent</code>	<code>goto SomeLabel;</code>

34

C vs. Java: Details (cont.)



	Java	C
for stmt	<code>for (int i=0; i<10; i++) statement;</code>	<code>int i; for (i=0; i<10; i++) statement;</code>
while stmt	<code>while (i < 0) statement;</code>	<code>while (i < 0) statement;</code>
do-while stmt	<code>do { statement; ... } while (i < 0);</code>	<code>do { statement; ... } while (i < 0);</code>
continue stmt	<code>continue;</code>	<code>continue;</code>
labeled continue stmt	<code>continue SomeLabel;</code>	<code>/* no equivalent */</code>
break stmt	<code>break;</code>	<code>break;</code>
labeled break stmt	<code>break SomeLabel;</code>	<code>/* no equivalent */</code>

35

C vs. Java: Details (cont.)



	Java	C
return stmt	<code>return 5; return;</code>	<code>return 5; return;</code>
Compound stmt (alias block)	<code>{ statement1; statement2; }</code>	<code>{ statement1; statement2; }</code>
Exceptions	<code>throw, try-catch-finally</code>	<code>/* no equivalent */</code>
Comments	<code>/* comment */ // another kind</code>	<code>/* comment */</code>
Method / function call	<code>f(x, y, z); someObject.f(x, y, z); SomeClass.f(x, y, z);</code>	<code>f(x, y, z);</code>

36

Example C Program



```
#include <stdio.h>
#include <stdlib.h>

const double KMETERS_PER_MILE = 1.609;

int main(void) {
    int miles;
    double kmeters;
    printf("miles: ");
    if (scanf("%d", &miles) != 1) {
        fprintf(stderr, "Error: Expect a number.\n");
        exit(EXIT_FAILURE);
    }
    kmeters = miles * KMETERS_PER_MILE;
    printf("%d miles is %f kilometers.\n",
        miles, kmeters);
    return 0;
}
```

37

Summary



- Course overview
 - Goals
 - Goal 1: Learn “programming in the large”
 - **Modularity, abstraction, separation of interface from implementation**
 - Goal 2: Look “under the hood”
 - Goal 2 supports Goal 1
 - Use of C and Linux supports both goals
 - Learning resources
 - Lectures, precepts, programming environment, Piazza, textbooks
 - Course Web site: access via <http://www.cs.princeton.edu>

38

Summary



- Getting started with C
 - C was designed for system programming
 - Differences in design goals of Java and C explain many differences between the languages
 - Knowing C design goals explains many of its eccentricities
 - Knowing Java gives you a head start at learning C
 - C is not object-oriented, but many aspects are similar

39

Getting Started



- Check out course **Web site** [soon](#)
 - Study “Policies” page
 - First assignment is available
- Establish a reasonable **computing environment** [soon](#)
 - Instructions given in first precept

40