



<https://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *divide-and-conquer*

Two classic sorting algorithms: mergesort and quicksort

Critical components in the world's computational infrastructure.

- Full scientific understanding of their properties has enabled us to develop them into practical system sorts.
- Quicksort honored as one of top 10 algorithms of 20th century in science and engineering.

Mergesort. [this lecture]



Quicksort. [next lecture]





<https://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *divide-and-conquer*

Mergesort

Basic plan.


- Divide array into two halves.
- **Recursively** sort each half.
- Merge two halves.

input	M	E	R	G	E	S	O	R	T	E	X	A	M	P	L	E
sort left half	E	E	G	M	O	R	R	S	T	E	X	A	M	P	L	E
sort right half	E	E	G	M	O	R	R	S	A	E	E	L	M	P	T	X
merge results	A	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X

Mergesort overview


First Draft
of a
Report on the
EDVAC

John von Neumann




Abstract in-place merge demo

Goal. Given two sorted subarrays $a[lo]$ to $a[mid]$ and $a[mid+1]$ to $a[hi]$, replace with sorted subarray $a[lo]$ to $a[hi]$.



Mergesort: Transylvanian-Saxon folk dance



http://www.youtube.com/watch?v=XaqR3G_NVoo

Merging: Java implementation

```
private static void merge(Comparable[] a, Comparable[] aux, int lo, int mid, int hi)
{
```

```
    for (int k = lo; k <= hi; k++)          copy
        aux[k] = a[k];
```

```
    int i = lo, j = mid+1;                  merge
    for (int k = lo; k <= hi; k++)
    {
        if      (i > mid)                    a[k] = aux[j++];
        else if (j > hi)                    a[k] = aux[i++];
        else if (less(aux[j], aux[i])) a[k] = aux[j++];
        else                                a[k] = aux[i++];
    }
```

```
}
```





How many calls does `merge()` make to `less()` in order to merge two sorted subarrays, each of length $n / 2$, into a sorted array of length n ?


- A. $\sim \frac{1}{4} n$ to $\sim \frac{1}{2} n$
- B. $\sim \frac{1}{2} n$
- C. $\sim \frac{1}{2} n$ to $\sim n$
- D. $\sim n$

Mergesort: Java implementation

```
public class Merge
{
    private static void merge(...)
    { /* as before */ }

    private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
    {
        if (hi <= lo) return;
        int mid = lo + (hi - lo) / 2;
        sort(a, aux, lo, mid);
        sort(a, aux, mid+1, hi);
        merge(a, aux, lo, mid, hi);
    }

    public static void sort(Comparable[] a)
    {
        Comparable[] aux = new Comparable[a.length];
        sort(a, aux, 0, a.length - 1);
    }
}
```



Mergesort: trace

	a[]															
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	M	E	R	G	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 0, 0, 1)	E	M	R	G	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 2, 2, 3)	E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 0, 1, 3)	E	G	M	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 4, 4, 5)	E	G	M	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 6, 6, 7)	E	G	M	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 4, 5, 7)	E	G	M	R	E	O	R	S	T	E	X	A	M	P	L	E
merge(a, aux, 0, 3, 7)	E	E	G	M	O	R	R	S	T	E	X	A	M	P	L	E
merge(a, aux, 8, 8, 9)	E	E	G	M	O	R	R	S	E	T	X	A	M	P	L	E
merge(a, aux, 10, 10, 11)	E	E	G	M	O	R	R	S	E	T	A	X	M	P	L	E
merge(a, aux, 8, 9, 11)	E	E	G	M	O	R	R	S	A	E	T	X	M	P	L	E
merge(a, aux, 12, 12, 13)	E	E	G	M	O	R	R	S	A	E	T	X	M	P	L	E
merge(a, aux, 14, 14, 15)	E	E	G	M	O	R	R	S	A	E	T	X	M	P	E	L
merge(a, aux, 12, 13, 15)	E	E	G	M	O	R	R	S	A	E	T	X	E	L	M	P
merge(a, aux, 8, 11, 15)	E	E	G	M	O	R	R	S	A	E	E	L	M	P	T	X
merge(a, aux, 0, 7, 15)	A	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X

result after recursive call




Which of the following subarray lengths will occur when running mergesort on an array of length 12?

- A.** { 1, 2, 3, 4, 6, 8, 12 }
- B.** { 1, 2, 3, 6, 12 }
- C.** { 1, 2, 4, 8, 12 }
- D.** { 1, 3, 6, 9, 12 }

Mergesort: animation

50 random items




<http://www.sorting-algorithms.com/merge-sort>





- ▲ algorithm position
- in order
- current subarray
- not in order

Mergesort: animation

50 reverse-sorted items



<http://www.sorting-algorithms.com/merge-sort>

-  algorithm position
-  in order
-  current subarray
-  not in order

Mergesort: empirical analysis

Running time estimates:

- Laptop executes 10^8 compares/second.
- Supercomputer executes 10^{12} compares/second.

	insertion sort (n^2)			mergesort ($n \log n$)		
computer	thousand	million	billion	thousand	million	billion
home	instant	2.8 hours	317 years	instant	1 second	18 min
super	instant	1 second	1 week	instant	instant	instant


Bottom line. Good algorithms are better than supercomputers.

Mergesort analysis: number of compares

Proposition. Mergesort uses $\leq n \lg n$ compares to sort any array of length n .


Pf sketch. The number of compares $C(n)$ to mergesort an array of length n satisfies the recurrence:

$$C(n) \leq C(\lceil n/2 \rceil) + C(\lfloor n/2 \rfloor) + n - 1 \quad \text{for } n > 1, \text{ with } C(1) = 0.$$


left half right half merge

We solve this simpler recurrence, and assume n is a power of 2:


$$D(n) = 2 D(n/2) + n, \text{ for } n > 1, \text{ with } D(1) = 0.$$

 result holds for all n
(analysis cleaner in this case)

Divide-and-conquer recurrence

Proposition. If $D(n)$ satisfies $D(n) = 2 D(n / 2) + n$ for $n > 1$, with $D(1) = 0$, then $D(n) = n \lg n$.

Pf by picture. [assuming n is a power of 2]



Mergesort analysis: number of array accesses

Proposition. Mergesort uses $\leq 6n \lg n$ array accesses to sort any array of length n .

Pf sketch. The number of array accesses $A(n)$ satisfies the recurrence:

$$A(n) \leq A(\lceil n/2 \rceil) + A(\lfloor n/2 \rfloor) + 6n \text{ for } n > 1, \text{ with } A(1) = 0.$$

Key point. Any algorithm with the following structure takes $n \log n$ time:

```
public static void f(int n)
{
    if (n == 0) return;
    f(n/2);      ← solve two problems
    f(n/2);      ← of half the size
    linear(n);   ← do a linear amount of work
}
```

Notable examples. FFT, hidden-line removal, Kendall-tau distance, ...

Mergesort analysis: memory

Proposition. Mergesort uses extra space proportional to n .

Pf. The array `aux[]` needs to be of length n for the last merge.

two sorted subarrays

A C D G H I M N U V

B E F J O P Q R S T

merged result

A B C D E F G H I J M N O P Q R S T U V

Def. A sorting algorithm is **in-place** if it uses $\leq c \log n$ extra memory.

Ex. Insertion sort and selection sort.

Challenge 1 (not hard). Use `aux[]` array of length $\sim \frac{1}{2} n$ instead of n .

Challenge 2 (very hard). In-place merge. [Kronrod 1969]



Is our implementation of mergesort **stable**?

- A. Yes.
- B. No, but it can be easily modified to be stable.
- C. No, mergesort is inherently unstable.
- D. *I don't remember what stability means.*



a sorting algorithm is stable if it
preserves the relative order of equal keys

input

C A₁ B A₂ A₃

sorted

A₃ A₁ A₂ B C

not stable

Stability: mergesort

Proposition. Mergesort is **stable**.

```
public class Merge
{
    private static void merge(...)
    { /* as before */ }

    private static void sort(Comparable[] a, Comparable[] aux, int lo, int hi)
    {
        if (hi <= lo) return;
        int mid = lo + (hi - lo) / 2;
        sort(a, aux, lo, mid);
        sort(a, aux, mid+1, hi);
        merge(a, aux, lo, mid, hi);
    }

    public static void sort(Comparable[] a)
    { /* as before */ }
}
```

Pf. Suffices to verify that merge operation is stable.

Stability: mergesort

Proposition. Merge operation is **stable**.

```
private static void merge(...)
{
    for (int k = lo; k <= hi; k++)
        aux[k] = a[k];

    int i = lo, j = mid+1;
    for (int k = lo; k <= hi; k++)
    {
        if      (i > mid)                a[k] = aux[j++];
        else if (j > hi)                a[k] = aux[i++];
        else if (less(aux[j], aux[i])) a[k] = aux[j++];
        else                            a[k] = aux[i++];
    }
}
```

0	1	2	3	4	5	6	7	8	9	10
A ₁	A ₂	A ₃	B	D	A ₄	A ₅	C	E	F	G

Pf. Takes from left subarray if equal keys.

Mergesort: practical improvement


Use insertion sort for small subarrays.

- Mergesort has too much overhead for tiny subarrays.
- Cutoff to insertion sort for ≈ 10 items.

```
private static void sort(...)
{
    if (hi <= lo + CUTOFF - 1)
    {
        Insertion.sort(a, lo, hi);
        return;
    }

    int mid = lo + (hi - lo) / 2;
    sort (a, aux, lo, mid);
    sort (a, aux, mid+1, hi);
    merge(a, aux, lo, mid, hi);
}
```


Mergesort with cutoff to insertion sort: visualization





<https://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *divide-and-conquer*

Bottom-up mergesort

Basic plan.

- Pass through array, merging subarrays of size 1.
- Repeat for subarrays of size 2, 4, 8,

					a[i]															
					0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
sz = 1					M	E	R	G	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 0, 0, 1)					E	M	R	G	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 2, 2, 3)					E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 4, 4, 5)					E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 6, 6, 7)					E	M	G	R	E	S	O	R	T	E	X	A	M	P	L	E
merge(a, aux, 8, 8, 9)					E	M	G	R	E	S	O	R	E	T	X	A	M	P	L	E
merge(a, aux, 10, 10, 11)					E	M	G	R	E	S	O	R	E	T	A	X	M	P	L	E
merge(a, aux, 12, 12, 13)					E	M	G	R	E	S	O	R	E	T	A	X	M	P	L	E
merge(a, aux, 14, 14, 15)					E	M	G	R	E	S	O	R	E	T	A	X	M	P	E	L
sz = 2					E	G	M	R	E	S	O	R	E	T	A	X	M	P	E	L
merge(a, aux, 0, 1, 3)					E	G	M	R	E	O	R	S	E	T	A	X	M	P	E	L
merge(a, aux, 4, 5, 7)					E	G	M	R	E	O	R	S	A	E	T	X	M	P	E	L
merge(a, aux, 8, 9, 11)					E	G	M	R	E	O	R	S	A	E	T	X	M	P	E	L
merge(a, aux, 12, 13, 15)					E	G	M	R	E	O	R	S	A	E	T	X	E	L	M	P
sz = 4					E	E	G	M	O	R	R	S	A	E	T	X	E	L	M	P
merge(a, aux, 0, 3, 7)					E	E	G	M	O	R	R	S	A	E	E	L	M	P	T	X
merge(a, aux, 8, 11, 15)					E	E	G	M	O	R	R	S	A	E	E	L	M	P	T	X
sz = 8					A	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X
merge(a, aux, 0, 7, 15)					A	E	E	E	E	G	L	M	M	O	P	R	R	S	T	X


Bottom-up mergesort: Java implementation

```
public class MergeBU
{
    private static void merge(...)
    { /* as before */ }


    public static void sort(Comparable[] a)
    {
        int n = a.length;
        Comparable[] aux = new Comparable[n];
        for (int sz = 1; sz < n; sz = sz+sz)
            for (int lo = 0; lo < n-sz; lo += sz+sz)
                merge(a, aux, lo, lo+sz-1, Math.min(lo+sz+sz-1, n-1));
    }
}
```

Bottom line. Simple and non-recursive version of mergesort.

Mergesort: visualizations



top-down mergesort (cutoff = 12)



bottom-up mergesort (cutoff = 12)



Which is faster in practice: top-down mergesort or bottom-up mergesort? You may assume that n is a power of 2.

- A. Top-down (recursive) mergesort.
- B. Bottom-up (non-recursive) mergesort.
- C. No observable difference.
- D. *I don't know.*

Natural mergesort

Idea. Exploit pre-existing order by identifying naturally occurring runs.

input

1	5	10	16	3	4	23	9	13	2	7	8	12	14
---	---	----	----	---	---	----	---	----	---	---	---	----	----

first run

1	5	10	16	3	4	23	9	13	2	7	8	12	14
---	---	----	----	---	---	----	---	----	---	---	---	----	----

second run

1	5	10	16	3	4	23	9	13	2	7	8	12	14
---	---	----	----	---	---	----	---	----	---	---	---	----	----

merge two runs

1	3	4	5	10	16	23	9	13	2	7	8	12	14
---	---	---	---	----	----	----	---	----	---	---	---	----	----

Tradeoff. Fewer passes vs. extra compares per pass to identify runs.

Timsort

- Natural mergesort.
- Use binary insertion sort to make initial runs (if needed).
- A few more clever optimizations.

Intro

This describes an adaptive, stable, natural mergesort, modestly called timsort (hey, I earned it <wink>). It has supernatural performance on many kinds of partially ordered arrays (less than $\lg(n!)$ comparisons needed, and as few as $n-1$), yet as fast as Python's previous highly tuned samplesort hybrid on random arrays.

In a nutshell, the main routine marches over the array once, left to right, alternately identifying the next run, then merging it into the previous runs "intelligently". Everything else is complication for speed, and some hard-won measure of memory efficiency.

...



Tim Peters

Consequence. Linear time on many arrays with pre-existing order.

Now widely used. Python, Java 7–11, GNU Octave, Android,

<http://hg.openjdk.java.net/jdk7/jdk7/jdk/file/tip/src/share/classes/java/util/Arrays.java>

Envisage: Engineering Virtualized Services

[Envisage](#)[About Envisage](#)[Follow Envisage](#)[Dissemination](#)[Log in](#)

Proving that Android's, Java's and Python's sorting algorithm is broken (and showing how to fix it)

🕒 February 24, 2015 📁 Envisage ✍️ Written by [Stijn de Gouw](#). 💰 \$s

Tim Peters developed the [Timsort hybrid sorting algorithm](#) in 2002. It is a clever combination of ideas from merge sort and insertion sort, and designed to perform well on real world data. TimSort was first developed for Python, but later ported to Java (where it appears as `java.util.Collections.sort` and `java.util.Arrays.sort`) by [Joshua Bloch](#) (the designer of Java Collections who also pointed out that [most binary search algorithms were broken](#)). TimSort is today used as the default sorting algorithm for Android SDK, Sun's JDK and OpenJDK. Given the popularity of these platforms this means that the number of computers, cloud services and mobile phones that use TimSort for sorting is well into the billions.



Timsort bug (May 2018)



JDK / [JDK-8203864](#)

Execution error in Java's Timsort

Details

Type:	 Bug
Status:	RESOLVED
Priority:	 P3
Resolution:	Fixed
Affects Version/s:	None
Fix Version/s:	11
Component/s:	core-libs
Labels:	None
Subcomponent:	java.util:collections
Introduced In Version:	6
Resolved In Build:	b20

Description

Carine Pivoteau wrote:

While working on a proper complexity analysis of the algorithm, we realised that there was an error in the last paper reporting such a bug (<http://envisage-project.eu/wp-content/uploads/2015/02/sorting.pdf>).

This implies that the correction implemented in the Java source code (changing Timsort stack size) is wrong and that it is still possible to make it break.

This is explained in full details in our analysis:

<https://arxiv.org/pdf/1805.08612.pdf>.

We understand that coming upon data that actually causes this error is very unlikely, but we thought you'd still like to know and do something about it. As the authors of the previous article advocated for, we strongly believe that you should consider modifying the algorithm as explained in their article (and as was done in Python) rather than trying to fix the stack size.

Sorting summary

	inplace?	stable?	best	average	worst	remarks
selection	✓		$\frac{1}{2} n^2$	$\frac{1}{2} n^2$	$\frac{1}{2} n^2$	n exchanges
insertion	✓	✓	n	$\frac{1}{4} n^2$	$\frac{1}{2} n^2$	use for small n or partially ordered
shell	✓		$n \log_3 n$?	$c n^{3/2}$	tight code; subquadratic
merge		✓	$\frac{1}{2} n \lg n$	$n \lg n$	$n \lg n$	$n \log n$ guarantee; stable
timsort		✓	n	$n \lg n$	$n \lg Q$	improves mergesort when pre-existing order
?	✓	✓	n	$n \lg n$	$n \lg n$	holy sorting grail

$Q = \# \text{ runs}$
(proved in August 2018)



<https://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *divide-and-conquer*

Complexity of sorting

Computational complexity. Framework to study efficiency of algorithms for solving a particular problem X .

Model of computation. Allowable operations.

Cost model. Operation counts.

Upper bound. Cost guarantee provided by **some** algorithm for X .

Lower bound. Proven limit on cost guarantee of **all** algorithms for X .


Optimal algorithm. Algorithm with best possible cost guarantee for X .

lower bound ~ upper bound

model of computation	<i>comparison tree</i>
cost model	<i># compares</i>
upper bound	<i>$\sim n \lg n$ from mergesort</i>
lower bound	?
optimal algorithm	?

can access information
only through compares
(e.g., Java Comparable framework)

Comparison tree (for 3 distinct keys a, b, and c)




each reachable leaf corresponds to one (and only one) ordering;
exactly one reachable leaf for each possible ordering

Compare-based lower bound for sorting

Proposition. Any compare-based sorting algorithm must make at least $\lg(n!) \sim n \lg n$ compares in the worst case.

Pf.

- Assume array consists of n distinct values a_1 through a_n .
- Worst-case number of compares = **height** h of pruned comparison tree.
- Binary tree of height h has $\leq 2^h$ leaves.
- $n!$ different orderings $\Rightarrow n!$ reachable leaves.



Compare-based lower bound for sorting

Proposition. Any compare-based sorting algorithm must make at least $\lg(n!) \sim n \lg n$ compares in the worst case.

Pf.

- Assume array consists of n distinct values a_1 through a_n .
- Worst-case number of compares = **height** h of pruned comparison tree.
- Binary tree of height h has $\leq 2^h$ leaves.
- $n!$ different orderings $\Rightarrow n!$ reachable leaves.

$$2^h \geq \# \text{ reachable leaves} = n!$$

$$\Rightarrow h \geq \lg(n!)$$

$$\sim n \lg n$$


Stirling's formula

Complexity of sorting

Model of computation. Allowable operations.

Cost model. Operation count(s).

Upper bound. Cost guarantee provided by some algorithm for X .

Lower bound. Proven limit on cost guarantee of all algorithms for X .

Optimal algorithm. Algorithm with best possible cost guarantee for X .

model of computation	<i>comparison tree</i>
cost model	<i># compares</i>
upper bound	$\sim n \lg n$
lower bound	$\sim n \lg n$
optimal algorithm	<i>mergesort</i>

complexity of sorting

First goal of algorithm design: optimal algorithms.

Complexity results in context

Compares? Mergesort **is** optimal with respect to number compares.

Space? Mergesort **is not** optimal with respect to space usage.




Lessons. Use theory as a guide.

Ex. Design sorting algorithm that guarantees $\sim \frac{1}{2} n \lg n$ compares?

Ex. Design sorting algorithm that is both time- and space-optimal?

Commercial break

Q. Why doesn't this Skittles sorter violate the sorting lower bound?



<https://www.youtube.com/watch?v=tSEHDBSynVo>

Complexity results in context (continued)

Lower bound may not hold if the algorithm can take advantage of:

- The initial order of the input array.

Ex: insertion sort requires only a linear number of compares on partially sorted arrays.

- The distribution of key values.

Ex: 3-way quicksort requires only a linear number of compares on arrays with a constant number of distinct keys. [stay tuned]

- The representation of the keys.

Ex: radix sorts require no key compares — they access the data via character/digit compares. [stay tuned]

BIG O NOTATION (AND COUSINS)



notation	provides	example	shorthand for
Tilde	leading term	$\sim \frac{1}{2} n^2$	$\frac{1}{2} n^2$ $\frac{1}{2} n^2 + 22 n \log n + 3 n$
Big Theta	order of growth	$\Theta(n^2)$	$\frac{1}{2} n^2$ $10 n^2$ $5 n^2 + 22 n \log n + 3 n$
Big O	upper bound	$O(n^2)$	$10 n^2$ $100 n$ $22 n \log n + 3 n$
Big Omega	lower bound	$\Omega(n^2)$	$\frac{1}{2} n^2$ n^5 $n^3 + 22 n \log n + 3 n$

SORTING LOWER BOUND



Interviewer. Give a formal description of the sorting lower bound for sorting an array of n elements.





<https://algs4.cs.princeton.edu>

2.2 MERGESORT

- ▶ *mergesort*
- ▶ *bottom-up mergesort*
- ▶ *sorting complexity*
- ▶ *divide-and-conquer*

SORTING A LINKED LIST



Problem. Given a singly linked list, rearrange its nodes in sorter order.

Version 1. Linearithmic time, linear extra space.

Version 2. Linearithmic time, logarithmic (or constant) extra space.

