



<https://algs4.cs.princeton.edu>

## 5.2 TRIES

---

- ▶ *R-way tries*
- ▶ *ternary search tries*
- ▶ *character-based operations*

# Summary of the performance of symbol-table implementations

---

Order of growth of the frequency of operations.

implementation	typical case			ordered operations	operations on keys
	search	insert	delete		
red-black BST	$\log n$	$\log n$	$\log n$	✓	compareTo()
hash table	$1^\dagger$	$1^\dagger$	$1^\dagger$		equals() hashCode()

† under uniform hashing assumption

**Q.** Can we do better?

**A.** Yes, if we can avoid examining the entire key, as with string sorting.

# String symbol table implementations cost summary

**Challenge.** Efficient performance for string keys.

implementation	character accesses (typical case)				dedup	
	search hit	search miss	insert	space (references)	moby.txt	actors.txt
red-black BST	$L + c \lg^2 n$	$c \lg^2 n$	$c \lg^2 n$	$4n$	1.4	97.4
hashing (linear probing)	$L$	$L$	$L$	$4n$ to $16n$	0.76	40.6

$n$  = number of string

$L$  = length of string

$R$  = radix

file	size	words	distinct
moby.txt	1.2 MB	210 K	32 K
actors.txt	82 MB	11.4 M	900 K

# String symbol table basic API

---

**String symbol table.** Symbol table specialized to string keys.

```
public class StringST<Value>
```

```
    StringST()
```

*create an empty symbol table*

```
    void put(String key, Value val)
```

*put key–value pair into the symbol table*

```
    Value get(String key)
```

*return value paired with given key*

```
    void delete(String key)
```

*delete key and corresponding value*

```
        ⋮
```

```
        ⋮
```

**Goal.** Faster than hashing, more flexible than BSTs.



<https://algs4.cs.princeton.edu>

## 5.2 TRIES

---

- ▶ *R-way tries*
- ▶ *ternary search tries*
- ▶ *character-based operations*

# Tries


---



# Tries

**Tries.** [ from retrieval, but pronounced “try” ]

- Store characters in nodes (not keys).
- Each node has  $R$  children, one for each possible character.  
(for now, we do not draw null links)



key	value
by	4
sea	6
sells	1
she	0
shells	3
shore	7
the	5


# Search in a trie

---

Follow links corresponding to each character in the key.

- **Search hit:** node where search ends has a non-null value.
- Search miss: reach null link or node where search ends has null value.

**get("shells")**






# Search in a trie

---

Follow links corresponding to each character in the key.

- **Search hit:** node where search ends has a non-null value.
- Search miss: reach null link or node where search ends has null value.

`get("she")`




# Search in a trie

---

Follow links corresponding to each character in the key.

- Search hit: node where search ends has a non-null value.
- **Search miss:** reach null link or node where search ends has null value.

**get("shell")**



no value associated  
node corresponding to  
last character in key  
(return null)


# Search in a trie

---

Follow links corresponding to each character in the key.

- Search hit: node where search ends has a non-null value.
- **Search miss:** reach null link or node where search ends has null value.

**get("shelter")**




# Insertion into a trie

---

Follow links corresponding to each character in the key.

- Encounter a null link: create new node.
- Encounter the last character of the key: set value in that node.


`put("shore", 7)`



# Trie construction demo

---


trie



# Trie representation: Java implementation

**Node.** A value, plus references to  $R$  nodes.

```
private static class Node
{
    private Object val; ← no generic array creation
    private Node[] next = new Node[R];
}
```



**Remark.** Neither keys nor characters are stored explicitly.

# R-way trie: Java implementation

---

```
public class TrieST<Value>
{
    private static final int R = 256;
    private Node root = new Node(); ← extended ASCII

    private static class Node
    { /* see previous slide */ }

    public void put(String key, Value val)
    { root = put(root, key, val, 0); }

    private Node put(Node x, String key, Value val, int d)
    {
        if (x == null) x = new Node();
        if (d == key.length()) { x.val = val; return x; }
        char c = key.charAt(d);
        x.next[c] = put(x.next[c], key, val, d+1);
        return x;
    }

    private Value get(String key)
    { /* similar, see book or booksite */ }
}
```



What is order of growth of the running time (in the worst case) to insert a key of length  $L$  into an  $R$ -way trie?

- A.  $L$
- B.  $R + L$
- C.  $n + L$
- D.  $RL$

$R$  = alphabet size

$L$  = length of key

$n$  = number of keys



# Trie performance


---

**Search hit.** Need to examine all  $L$  characters for equality.

**Search miss.**

- Worst case: examine  $L$  characters.
- Typical case: examine only a few characters before mismatch (sublinear).

**Space.** At least  $R$  links per key.



**Bottom line.** Fast search hit and even faster search miss, but wastes space.


# Deletion in an R-way trie

---

To delete a key-value pair:

- Find the node corresponding to key and set value to null.
- If node has null value and all null links, remove that node (and recur).

**delete("shells")**




# Deletion in an R-way trie

To delete a key–value pair:

- Find the node corresponding to key and set value to null.
- If node has null value and all null links, remove that node (and recur).

**delete("shells")**



# String symbol table implementations cost summary

implementation	character accesses (typical case)				dedup	
	search hit	search miss	insert	space (references)	moby.txt	actors.txt
red-black BST	$L + c \lg^2 n$	$c \lg^2 n$	$c \lg^2 n$	$4n$	1.4	97.4
hashing (linear probing)	$L$	$L$	$L$	$4n$ to $16n$	0.76	40.6
R-way trie	$L$	$\log_R n$	$R + L$	$(R+1)n$	1.12	<i>out of memory</i>

## R-way trie.

- Method of choice for small  $R$ .
- Works well for medium  $R$ .
- Too much memory for large  $R$ .

**Challenge.** Use less memory, e.g., a 65,536-way trie for Unicode!



<https://algs4.cs.princeton.edu>

## 5.2 TRIES

---

- ▶ *R-way tries*
- ▶ *ternary search tries*
- ▶ *character-based operations*

# Ternary search tries

---

- Store characters and values in nodes (not keys).
- Each node has 3 children: smaller (left), equal (middle), larger (right).

## Fast Algorithms for Sorting and Searching Strings

Jon L. Bentley\*

Robert Sedgwick#

### Abstract

We present theoretical algorithms for sorting and searching multikey data, and derive from them practical C implementations for applications in which keys are character strings. The sorting algorithm blends Quicksort and radix sort; it is competitive with the best known C sort codes. The searching algorithm blends tries and binary search trees; it is faster than hashing and other commonly used search methods. The basic ideas behind the algo-

that is competitive with the most efficient string sorting programs known. The second program is a symbol table implementation that is faster than hashing, which is commonly regarded as the fastest symbol table implementation. The symbol table implementation is much more space-efficient than multiway trees, and supports more advanced searches.


In many application programs, sorts use a Quicksort implementation based on an abstract compare operation,




# Ternary search tries

- Store characters and values in nodes (not keys).
- Each node has 3 children: smaller (left), equal (middle), larger (right).

abstract trie



TST




# Trie quiz 2



Which value is associated with the key CAC ?


- A. 3
- B. 4
- C. 5
- D. *null*





# Search hit in a TST


get("sea")



return value in node  
corresponding to  
last character in key

# Search miss in a TST

get("shelter")



# Search in a TST

---

Follow links corresponding to each character in the key.


- If less, take left link; if greater, take right link.
- If equal, take the middle link and move to the next key character.

**Search hit.** Node where search ends has a non-null value.

**Search miss.** Reach a null link or node where search ends has null value.

# Ternary search trie construction demo

ternary search trie




# Trie quiz 3




In which subtrie would the key CCC be inserted?

- A.
- B.
- C.
- D.
- E.




# 26-way trie vs. TST

26-way trie. 26 null links in each leaf.



26-way trie (1035 null links, not shown)

TST. 3 null links in each leaf.



TST (155 null links)


now  
for  
tip  
ilk  
dim  
tag  
jot  
sob  
nob  
sky  
hut  
ace  
bet  
men  
egg  
few  
jay  
owl  
joy  
rap  
gig  
wee  
was  
cab  
wad  
caw  
cue  
fee  
tap  
ago  
tar  
jam  
dug  
and

# TST representation in Java

## A TST node is five fields:

- A value.
- A character.
- A reference to a left TST.
- A reference to a middle TST.
- A reference to a right TST.

```
private class Node
{
    private Value val;
    private char c;
    private Node left, mid, right;
}
```



# TST: Java implementation

---

```
public class TST<Value>
{
    private Node root;
    private class Node
    { /* see previous slide */ }

    public Value get(String key)
    { return get(root, key, 0); }
```

```
private Value get(Node x, String key, int d)
{
    if (x == null) return null;
    char c = key.charAt(d);
    if (c < x.c) return get(x.left, key, d);
    else if (c > x.c) return get(x.right, key, d);
    else if (d < key.length() - 1) return get(x.mid, key, d+1);
    else return x.val;
}
```

```
public void put(String key, Value val)
{ /* similar, see book or booksite */ }
}
```



# String symbol table implementation cost summary

implementation	character accesses (typical case)				dedup	
	search hit	search miss	insert	space (references)	moby.txt	actors.txt
red-black BST	$L + c \lg^2 n$	$c \lg^2 n$	$c \lg^2 n$	$4n$	1.4	97.4
hashing (linear probing)	$L$	$L$	$L$	$4n$ to $16n$	0.76	40.6
R-way trie	$L$	$\log_R n$	$R + L$	$(R+1)n$	1.12	<i>out of memory</i>
TST	$L + \ln n$	$\ln n$	$L + \ln n$	$4n$	0.72	38.7

**Remark.** Can build balanced TSTs via rotations to achieve  $L + \log n$  worst-case guarantees.


**Bottom line.** TST is as fast as hashing (for string keys) and space efficient.

# TST with $R^2$ branching at root

---

## Hybrid of R-way trie and TST.

- Do  $R^2$ -way branching at root.
- Each of  $R^2$  root nodes points to a TST.



Q. What about one- and two-letter words?

# String symbol table implementation cost summary

---

implementation	character accesses (typical case)				dedup	
	search hit	search miss	insert	space (references)	moby.txt	actors.txt
red-black BST	$L + c \lg^2 n$	$c \lg^2 n$	$c \lg^2 n$	$4n$	1.4	97.4
hashing (linear probing)	$L$	$L$	$L$	$4n$ to $16n$	0.76	40.6
R-way trie	$L$	$\log_R n$	$R + L$	$(R+1)n$	1.12	<i>out of memory</i>
TST	$L + \ln n$	$\ln n$	$L + \ln n$	$4n$	0.72	38.7
TST with $R^2$	$L + \ln n$	$\ln n$	$L + \ln n$	$4n + R^2$	0.51	32.7

**Bottom line.** Faster than hashing for our benchmark client.

# TST vs. hashing

---

## Hashing.

- Need to examine entire key.
- Search hits and misses cost about the same.
- Performance relies on hash function.
- Does not support ordered symbol table operations.

## TSTs.

- Works only for string (or digital) keys.
- Search miss may involve only a few characters.
- Supports ordered symbol table operations (plus extras!).

## Bottom line. TSTs are:

- Faster than hashing (especially for search misses).
- More flexible than red–black BSTs. [stay tuned]



# Algorithms

ROBERT SEDGEWICK | KEVIN WAYNE

<https://algs4.cs.princeton.edu>

## 5.2 TRIES

---

- ▶ *R-way tries*
- ▶ *ternary search tries*
- ▶ *character-based operations*

# String symbol table API

---

**Character-based operations.** The string symbol table API supports several useful character-based operations.

key	value
by	4
sea	6
se11s	1
she	0
she11s	3
shore	7
the	5

**Prefix match.** Keys with prefix sh: she, she11s, and shore.

**Longest prefix.** Key that is the longest prefix of she11sort: she11s.

# String symbol table API

---

```
public class StringST<Value>
```

```
    StringST()
```

*create a symbol table with string keys*

```
    void put(String key, Value val)
```

*put key-value pair into the symbol table*

```
    Value get(String key)
```

*value paired with key*

```
    void delete(String key)
```

*delete key and corresponding value*

```
    :
```

```
    Iterable<String> keys()
```

*all keys*

```
    Iterable<String> keysWithPrefix(String s)
```

*keys having s as a prefix*

```
    String longestPrefixOf(String s)
```

*longest key that is a prefix of s*


**Remark.** Can also add other ordered ST methods, e.g., `floor()` and `rank()`.

# Warmup: ordered iteration

---

To iterate through all keys in sorted order:

- Do inorder traversal of trie; add keys encountered to a queue.
- Maintain sequence of characters on path from root to node.





# Ordered iteration: Java implementation

---

To iterate through all keys in sorted order:

- Do inorder traversal of trie; add keys encountered to a queue.
- Maintain sequence of characters on path from root to node.

```
public Iterable<String> keys()
{
    Queue<String> queue = new Queue<String>();
    collect(root, "", queue);
    return queue;
}

private void collect(Node x, String prefix, Queue<String> queue)
{
    if (x == null) return;
    if (x.val != null) queue.enqueue(prefix);
    for (char c = 0; c < R; c++)
        collect(x.next[c], prefix + c, queue);
}
```

sequence of characters  
on path from root to x

or use `StringBuilder`



# Prefix matches

---

Find all keys in a symbol table starting with a given prefix.

**Ex.** Autocomplete in a cell phone, search bar, text editor, or shell.



- User types characters one at a time.
- System reports all matching strings.



# Prefix matches in an R-way trie

Find all keys in a symbol table starting with a given prefix.

```
keysWithPrefix("sh");
```



# Longest prefix

---

Find longest key in symbol table that is a prefix of query string.

**Ex 1.** To send packet toward destination IP address, router chooses IP address in routing table that is longest prefix match.

"128"  
"128.112"  
"128.112.055"  
"128.112.055.15"  
"128.112.136"  
"128.112.155.11"  
"128.112.155.13"  
"128.222"  
"128.222.136"

← represented as 32-bit  
binary number for IPv4  
(instead of string)


`LongestPrefixOf("128.112.136.11") = "128.112.136"`  
`LongestPrefixOf("128.112.100.16") = "128.112"`  
`LongestPrefixOf("128.166.123.45") = "128"`

**Note.** Not the same as floor: `floor("128.112.100.16") = "128.112.055.15"`

# Longest prefix in an R-way trie

Find longest key in symbol table that is a prefix of query string.

- Search for query string.
- Keep track of longest key encountered.



Possibilities for LongestPrefixOf()

# T9 texting (predictive texting)

---

**Goal.** Type text messages on a phone keypad.

**Multi-tap input.** Enter a letter by repeatedly pressing a key.

**Ex.** good: 4 6 6 6 6 6 6 3


“a much faster and more fun way to enter text”

T9 text input (on 4 billion handsets).

- Find all words that correspond to given sequence of numbers.

4663: good, home, gone, hoof. ← textonyms

- Press \* to select next option.
- Press 0 to see all completion options.
- System adapts to user's tendencies.



<http://www.t9.com>

# T9 TEXTING



Q. How to implement T9 texting on a mobile phone?

**SONY**




**SIEMENS**

**NEC**



1	2 ABC	3 DEF	-
4 GHI	5 JKL	6 MNO	.
7 PRQS	8 TUV	9 WXYZ	DEL X
* # (	0 +	⏪	Next



# Patricia trie


**Patricia trie.** [Practical Algorithm to Retrieve Information Coded in Alphanumeric]

- Remove one-way branching.
- Each node represents a sequence of characters.
- Implementation: one step beyond this course.

```
put("shells", 1);  
put("shellfish", 2);
```

standard  
trie

no one-way  
branching



## Applications.

- Database search.
- P2P network search.
- IP routing tables: find longest prefix match.
- Compressed quad-tree for  $n$ -body simulation.
- Efficiently storing and querying XML documents.

**Also known as:** crit-bit tree, radix tree.




# Suffix tree

---

## Suffix tree.

- Patricia trie of suffixes of a string.
- Linear-time construction: well beyond scope of this course.

suffix tree for BANANAS



## Applications.

- Linear-time: longest repeated substring, longest common substring, longest palindromic substring, substring search, tandem repeats, ....
- Computational biology databases (BLAST, FASTA).

# String symbol tables summary

---

A success story in algorithm design and analysis.

## Red–black BST.

- Performance guarantee:  $\log n$  key compares.
- Supports ordered symbol table API.

## Hash tables.

- Performance guarantee: constant number of probes.
- Requires good hash function for key type.

## Tries. R-way, TST.

- Performance guarantee:  $\log n$  **characters** accessed.
- Supports character-based operations.