

Peer-to-Peer Systems and Distributed Hash Tables



COS 418: *Advanced Computer Systems*
Lecture 8

Mike Freedman


[Credit: Slides Adapted from Kyle Jamieson and Daniel Suo]

Today

1. Peer-to-Peer Systems
 - Napster, Gnutella, BitTorrent, challenges
2. Distributed Hash Tables
3. The Chord Lookup Service
4. Concluding thoughts on DHTs, P2P

2

What is a Peer-to-Peer (P2P) system?



- A **distributed** system architecture:
 - **No centralized control**
 - Nodes are **roughly symmetric** in function
- **Large** number of **unreliable** nodes

3

Why might P2P be a win?

- **High capacity for services** through parallelism:
 - Many disks
 - Many network connections
 - Many CPUs
- **Absence of a centralized server** may mean:
 - **Less chance** of service overload as load increases
 - Easier **deployment**
 - A single failure **won't wreck** the whole system
 - System as a whole is **harder to attack**

4

P2P adoption

Successful adoption in **some niche areas**

1. Client-to-client (legal, illegal) **file sharing**
2. **Digital currency**: no natural single owner (Bitcoin)
3. **Voice/video telephony**: user to user anyway
 - Issues: Privacy and control

5


Example: Classic BitTorrent

1. User clicks on download link
 - Gets **torrent** file with content hash, IP addr of **tracker**
2. User's BitTorrent (BT) client talks to tracker
 - Tracker tells it **list of peers** who have file
3. User's BT client downloads file from peers
4. User's BT client tells tracker it has a copy now, too
5. User's BT client serves the file to others for a while

Provides huge download bandwidth,
without expensive server or network links


6

The lookup problem




7

Centralized lookup (Napster)




8

Flooded queries (original Gnutella)



9

Routed DHT queries (Chord)



10

Today

1. Peer-to-Peer Systems
- 2. Distributed Hash Tables**
3. The Chord Lookup Service
4. Concluding thoughts on DHTs, P2P

11

What is a DHT (and why)?

- Local hash table:
key = Hash(name)
put(key, value)
get(key) → value

- **Service:** Constant-time insertion and lookup

How can I do (roughly) this across millions of hosts on the Internet?
Distributed Hash Table (DHT)


12

What is a DHT (and why)?

- Distributed Hash Table:
key = hash(data)
lookup(key) → IP addr (Chord lookup service)
send-RPC(IP address, put, key, data)
send-RPC(IP address, get, key) → data
- Partitioning data in large-scale distributed systems
 - Tuples in a global database engine
 - Data blocks in a global file system
 - Files in a P2P file-sharing system

13

Cooperative storage with a DHT



- App may be **distributed** over many nodes
- DHT **distributes data storage** over many nodes

14

BitTorrent over DHT

- BitTorrent can use DHT instead of (or with) a tracker
- BitTorrent clients use DHT:
 - Key = **file content hash** (“infohash”)
 - Value = **IP address of peer** willing to serve file
 - Can store multiple values (*i.e.* IP addresses) for a key
- Client does:
 - get(infohash) to find other clients willing to serve
 - put(infohash, my-ipaddr) to identify itself as willing

15

Why the put/get DHT interface?

- API supports a wide range of applications
 - DHT imposes no structure/meaning on keys
- Key/value pairs are persistent and global
 - Can store keys in other DHT values
 - And thus build complex data structures

16

Why might DHT design be hard?

- Decentralized: no central authority
- Scalable: low network traffic overhead
- Efficient: find items quickly (latency)
- Dynamic: nodes fail, new nodes join

17

Today

1. Peer-to-Peer Systems
2. Distributed Hash Tables
- 3. The Chord Lookup Service**
 - **Basic design**
 - Integration with *DHash* DHT, performance

18

Chord lookup algorithm properties

- **Interface:** lookup(key) → IP address
- **Efficient:** $O(\log N)$ messages per lookup
 - N is the total number of servers
- **Scalable:** $O(\log N)$ state per node
- **Robust:** survives massive failures
- **Simple to analyze**


19

Chord identifiers

- **Key identifier** = SHA-1(key)
- **Node identifier** = SHA-1(IP address)
- SHA-1 distributes both uniformly
- **How does Chord partition data?**
 - *i.e.*, map key IDs to node IDs


20

Consistent hashing [Karger '97]




21

Chord: Successor pointers



22

Basic lookup



23

Simple lookup algorithm

```

Lookup(key-id)
  succ ← my successor
  if my-id < succ < key-id //next hop
    call Lookup(key-id) on succ
  else //done
    return succ
  
```

Correctness depends only on **successors**


24

Improving performance

- **Problem:** Forwarding through successor is slow
- Data structure is a linked list: $O(n)$
- **Idea:** Can we make it more like a binary search?
 - Need to be able to halve distance at each step


25

“Finger table” allows log N-time lookups



26

Finger i Points to Successor of $n+2^i$



27

Implication of finger tables

- A **binary lookup tree** rooted at every node
 - Threaded through other nodes' finger tables
- Better than arranging nodes in a single tree
 - Every node acts as a root
 - So there's **no root hotspot**
 - **No single point** of failure
 - But a **lot more state** in total


28

Lookup with finger table

```
Lookup(key-id)
  look in local finger table for
    highest n: my-id < n < key-id
  if n exists
    call Lookup(key-id) on node n //next hop
  else
    return my successor //done
```

29

Lookups Take $O(\log N)$ Hops




30

An aside: Is $\log(n)$ fast or slow?

- For a million nodes, it's 20 hops
- If each hop takes 50ms, lookups take **a second**
- If each hop has 10% chance of failure, it's a couple of timeouts
- So in practice $\log(n)$ is better than $O(n)$ but **not great**


31

Joining: Linked list insert




32

Join (2)




33

Join (3)




34

Notify maintains predecessors




35

Stabilize message fixes successor



36


Joining: Summary



- Predecessor pointer allows link to new node
- Update finger pointers in the background
- Correct successors produce correct lookups

37

Failures may cause incorrect lookup



38

Successor lists

- Each node stores a **list** of its **r immediate successors**
 - After failure, will know first live successor
 - **Correct successors** guarantee **correct lookups**
 - Guarantee is with some probability

39

Today

1. Peer-to-Peer Systems
2. Distributed Hash Tables
3. **The Chord Lookup Service**
 - Basic design
 - **Integration with *DHash* DHT, performance**

42


The DHash DHT

- Builds key/value storage on Chord
- **Replicates** blocks for availability
 - Stores k replicas at the k successors after the block on the Chord ring
- **Caches** blocks for load balancing
 - Client sends **copy of block** to each server it contacted along **lookup path**
- **Authenticates** block contents

43


DHash data authentication

- Two types of DHash blocks:
 - **Content-hash**: key = SHA-1(data)
 - **Public-key**: Data signed by corresponding private key
- Chord File System example:



44

DHash replicates blocks at r successors



- **Replicas** are **easy to find** if successor fails
- Hashed node IDs ensure **independent failure**

45

Today

1. Peer-to-Peer Systems
2. Distributed Hash Tables
3. The Chord Lookup Service
 - Basic design
 - Integration with *DHash* DHT, performance
4. **Concluding thoughts on DHT, P2P**

50

DHTs: Impact

- Original DHTs (CAN, Chord, Kademlia, Pastry, Tapestry) proposed in 2001-02
- Next 5-6 years saw proliferation of DHT-based apps:
 - Filesystems (e.g., CFS, Ivy, OceanStore, Pond, PAST)
 - Naming systems (e.g., SFR, Beehive)
 - DB query processing [PIER, Wisc]
 - Content distribution systems (e.g., CoralCDN)
 - distributed databases (e.g., PIER)

51

Why don't all services use P2P?

1. **High latency and limited bandwidth** between peers (vs. intra/inter-datacenter)
2. User computers are **less reliable** than managed servers
3. **Lack of trust** in peers' correct behavior
 - Securing DHT routing hard, unsolved in practice

52

DHTs in retrospective

- Seem promising for finding data in large P2P systems
- Decentralization seems good for load, fault tolerance
- **But:** the **security problems** are difficult
- **But:** **churn** is a problem, particularly if $\log(n)$ is big
- **And:** cloud computing solved many economics reasons, as did rise of ad-based business models
- DHTs have not had the hoped-for impact

53

What DHTs got right

- **Consistent hashing**
 - Elegant way to divide a workload across machines
 - Very useful in clusters: actively used today in Amazon Dynamo and other systems
- **Replication** for high availability, efficient recovery
- **Incremental scalability**
- **Self-management:** minimal configuration
- **Unique trait:** no single server to shut down/monitor

54