Texture Mapping

Thomas Funkhouser
Princeton University
C0S 426, Fall 2000

3D Rendering Pipeline (for direct illumination)



Texture mapping

Textures

- Describe color variation in interior of 3D polygon
  - When scan converting a polygon, vary pixel colors according to values fetched from a texture



Angel Figure 9.3

Surface Textures

- Add visual detail to surfaces of 3D objects



With surface texture

Polygonal model

Overview

- Texture mapping methods
  - Mapping
  - Filtering
- Texture mapping applications
  - Modulation textures
  - Illumination mapping
  - Bump mapping
  - Environment mapping
  - Image-based rendering
  - Non-photorealistic rendering

Texture Mapping

- Steps:
  - Define texture
  - Specify mapping from texture to surface
  - Lookup texture values during scan conversion



Texture Mapping

- When scan convert, map from …
  - image coordinate system (x,y) to
  - modeling coordinate system (u,v) to
  - texture image (t,s)



Texture Mapping

- Texture mapping is a 2D projective transformation
  - texture coordinate system: (t,s) to
  - image coordinate system (x,y)



Chris Buehler & Leonard McMillan, MIT

Texture Mapping

- Scan conversion
  - Interpolate texture coordinates down/across scan lines
  - Distortion due to bilinear interpolation approximation
    - » Cut polygons into smaller ones, or
    - » Perspective divide at each pixel



Texture Mapping



Linear interpolation of texture coordinates

Correct interpolation with perspective divide

Hill Figure 8.42

Overview

- Texture mapping methods
  - Mapping
  - Filtering
- Texture mapping applications
  - Modulation textures
  - Illumination mapping
  - Bump mapping
  - Environment mapping
  - Image-based rendering
  - Non-photorealistic rendering

Texture Filtering

- Must sample texture to determine color at each pixel in image



Angel Figure 9.4

Texture Filtering

- Aliasing is a problem



Point sampling



Area filtering

Angel Figure 9.5

Texture Filtering

- Ideally, use elliptically shaped convolution filters



In practice, use rectangles

Texture Filtering

- Size of filter depends on projective warp
  - Can prefiltering images
    - » Mip maps
    - » Summed area tables



Magnification



Minification

Angel Figure 9.14

Mip Maps

- Keep textures prefiltered at multiple resolutions
  - For each pixel, linearly interpolate between two closest levels (e.g., trilinear filtering)
  - Fast, easy for hardware



Overview

- Texture mapping methods
  - Mapping
  - Filtering
- Texture mapping applications
  - Modulation textures
  - Illumination mapping
  - Bump mapping
  - Environment mapping
  - Image-based rendering
  - Non-photorealistic rendering

Modulation textures

- Map texture values to scale factor



$$I = T(s,t)(I_E + K_A I_A + \sum_L (K_D (N \bullet L) + K_S (V \bullet R)^n) S_L I_L + K_T I_T + K_S I_S)$$

Illumination Mapping

- Map texture values to surface material parameter
  - K_A
  - K_D
  - K_S
  - K_T
  - n

$K_T = T(s,t)$

$$I = I_E + K_A I_A + \sum_L (K_D (N \bullet L) + K_S (V \bullet R)^n) S_L I_L + K_T I_T + K_S I_S$$

Bump Mapping

- Map texture values to perturbations of surface normals



Bump Mapping



H&B Figure 14.100

Environment Mapping

- Map texture values to perturbations of surface normals



H&B Figure 14.93

Image-Based Rendering

- Map photographic textures to provide details for coarsely detailed polygonal model

Nonphotorealistic Rendering



Art-Maps



Summary

- Texture mapping methods
  - Mapping
  - Filtering
- Texture mapping applications
  - Modulation textures
  - Illumination mapping
  - Bump mapping
  - Environment mapping
  - Image-based rendering
  - Non-photorealistic rendering