Modeling Transformations

Thomas Funkhouser
Princeton University
C0S 426, Fall 2000

Modeling Transformations

- Specify transformations for objects
  - Allows definitions of objects in own coordinate systems
  - Allows use of object definition multiple times in a scene



H&B Figure 109

Overview

- 2D Transformations
  - Basic 2D transformations
  - Matrix representation
  - Matrix composition
- 3D Transformations
  - Basic 3D transformations
  - Same as 2D
- Transformation Hierarchies
  - Scene graphs
  - Ray casting

2D Modeling Transformations



2D Modeling Transformations



2D Modeling Transformations



2D Modeling Transformations

Modeling Coordinates

Scale .3, .3



2D Modeling Transformations

Modeling Coordinates

Scale .3, .3
Rotate -90



2D Modeling Transformations



Basic 2D Transformations

- Translation:
  - x' = x + tx
  - y' = y + ty
- Scale:
  - x' = x * sx
  - y' = y * sy
- Rotation:
  - x' = x*cosΘ - y*sinΘ
  - y' = x*sinΘ + y*cosΘ
- Shear:
  - x' = x + hx*y
  - y' = y + hy*x

Basic 2D Transformations

- Translation:
  - x’ = x + tx
  - y’ = y + ty
- Scale:
  - x’ = x * sx
  - y’ = y * sy
- Shear:
  - x’ = x + hx*y
  - y’ = y + hy*x
- Rotation:
  - x’ = x*cosΘ - y*sinΘ
  - y’ = x*sinΘ + y*cosΘ



Transformations
can be combined
(with simple algebra)

Basic 2D Transformations

- Translation:
  - x’ = x + tx
  - y’ = y + ty
- Scale:
  - x’ = x * sx
  - y’ = y * sy
- Shear:
  - x’ = x + hx*y
  - y’ = y + hy*x
- Rotation:
  - x’ = x*cosΘ - y*sinΘ
  - y’ = x*sinΘ + y*cosΘ



Basic 2D Transformations

- Translation:
  - x’ = x + tx
  - y’ = y + ty
- Scale:
  - x’ = x * sx
  - y’ = y * sy
- Shear:
  - x’ = x + hx*y
  - y’ = y + hy*x
- Rotation:
  - x’ = x*cosΘ - y*sinΘ
  - y’ = x*sinΘ + y*cosΘ



x’ = x*sx
y’ = y*sy

Basic 2D Transformations

- Translation:
  - x’ = x + tx
  - y’ = y + ty
- Scale:
  - x’ = x * sx
  - y’ = y * sy
- Shear:
  - x’ = x + hx*y
  - y’ = y + hy*x
- Rotation:
  - x’ = x*cosΘ - y*sinΘ
  - y’ = x*sinΘ + y*cosΘ



x’ = (x*sx)*cosΘ – (y*sy)*sinΘ
y’ = (x*sx)*sinΘ + (y*sy)*cosΘ

Basic 2D Transformations

- Translation:
  - x’ = x + tx
  - y’ = y + ty
- Scale:
  - x’ = x * sx
  - y’ = y * sy
- Shear:
  - x’ = x + hx*y
  - y’ = y + hy*x
- Rotation:
  - x’ = x*cosΘ - y*sinΘ
  - y’ = x*sinΘ + y*cosΘ



x’ = ((x*sx)*cosΘ – (y*sy)*sinΘ) + tx
y’ = ((x*sx)*sinΘ + (y*sy)*cosΘ) + ty

Basic 2D Transformations

- Translation:
  - x’ = x + tx
  - y’ = y + ty
- Scale:
  - x’ = x * sx
  - y’ = y * sy
- Shear:
  - x’ = x + hx*y
  - y’ = y + hy*x
- Rotation:
  - x’ = x*cosΘ - y*sinΘ
  - y’ = x*sinΘ + y*cosΘ



x’ = ((x*sx)*cosΘ – (y*sy)*sinΘ) + tx
y’ = ((x*sx)*sinΘ + (y*sy)*cosΘ) + ty

Overview

- 2D Transformations
  - Basic 2D transformations
  - Matrix representation
  - Matrix composition
- 3D Transformations
  - Basic 3D transformations
  - Same as 2D
- Transformation Hierarchies
  - Scene graphs
  - Ray casting

Matrix Representation

- We can represent a 2D transformation by a matrix

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix}$$

- Multiplying a matrix by a column vector corresponds to applying the transformation to a point

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} \qquad \begin{aligned} x' &= ax + by \\ y' &= cx + dy \end{aligned}$$

Matrix Representation

- Transformations can be combined by matrix multiplication

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} e & f \\ g & h \end{bmatrix} \begin{bmatrix} i & j \\ k & l \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$

Matrices are a convenient and efficient way to represent a sequence of transformations

2x2 Matrices

- What types of transformations can be represented with a 2x2 matrix?

2D Identity?

$x' = x$
$y' = y$

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$

2D Scale around (0,0)?

$x' = sx * x$
$y' = sy * y$

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} sx & 0 \\ 0 & sy \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$

2x2 Matrices

- What types of transformations can be represented with a 2x2 matrix?

2D Rotate around (0,0)?

$$x' = \cos\Theta * x - \sin\Theta * y \qquad \begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos\Theta & -\sin\Theta \\ \sin\Theta & \cos\Theta \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$
$$y' = \sin\Theta * x + \cos\Theta * y$$

2D Shear?

$$x' = x + shx * y \qquad \begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} 1 & shx \\ shy & 1 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$
$$y' = shy * x + y$$

2x2 Matrices

- What types of transformations can be represented with a 2x2 matrix?

2D Mirror over Y axis?

$$x' = -x \qquad \begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$
$$y' = y$$

2D Mirror over (0,0)?

$$x' = -x \qquad \begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$
$$y' = -y$$

2x2 Matrices

- What types of transformations can be represented with a 2x2 matrix?

2D Translation?

$$x' = x + tx$$
$$y' = y + ty$$

NO!

Only linear 2D transformations can be represented with a 2x2 matrix

2D Translation

- 2D translation can be represented by a 3x3 matrix
  - Point represented with homogeneous coordinates

$$x' = x + tx$$
$$y' = y + ty$$

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} 1 & 0 & tx \\ 0 & 1 & ty \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

Basic 2D Transformations

- Basic 2D transformations as 3x3 matrices

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} 1 & 0 & tx \\ 0 & 1 & ty \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

Translate

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} sx & 0 & 0 \\ 0 & sy & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

Scale

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} \cos\Theta & -\sin\Theta & 0 \\ \sin\Theta & \cos\Theta & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

Rotate

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} 1 & shx & 0 \\ shy & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

Shear

Homogeneous Coordinates

- Add a 3rd coordinate to every 2D point
  - (x, y, w) represents a point at location (x/w, y/w)
  - (x, y, 0) represents a point at infinity
  - (0, 0, 0) is not allowed



Convenient coordinate system to represent many useful transformations

Linear Transformations

- Linear transformations are combinations of …
  - Scale,
  - Rotation,
  - Shear, and
  - Mirror

$$\begin{bmatrix} x' \\ y' \\ w \end{bmatrix} = \begin{bmatrix} a & b & 0 \\ c & d & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ w \end{bmatrix}$$

- Properties of linear transformations:
  - Satisfies: $T(s_1\mathbf{p}_1 + s_2\mathbf{p}_2) = s_1T(\mathbf{p}_1) + s_2T(\mathbf{p}_2)$
  - Origin maps to origin
  - Lines map to lines
  - Parallel lines remain parallel
  - Ratios are preserved
  - Closed under composition

Affine Transformations

- Affine transformations are combinations of …
  - Linear transformations, and
  - Translations

$$\begin{bmatrix} x' \\ y' \\ w \end{bmatrix} = \begin{bmatrix} a & b & c \\ d & e & f \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ w \end{bmatrix}$$

- Properties of affine transformations:
  - Origin does not map to origin
  - Lines map to lines
  - Parallel lines remain parallel
  - Ratios are preserved
  - Closed under composition

Projective Transformations

- Projective transformations …
  - Affine transformations, and
  - Projective warps

$$\begin{bmatrix} x' \\ y' \\ w' \end{bmatrix} = \begin{bmatrix} a & b & c \\ d & e & f \\ g & h & i \end{bmatrix} \begin{bmatrix} x \\ y \\ w \end{bmatrix}$$

- Properties of projective transformations:
  - Origin does not map to origin
  - Lines map to lines
  - Parallel lines do not necessarily remain parallel
  - Ratios are not preserved (but “cross-ratios” are)
  - Closed under composition

Overview

- 2D Transformations
  - Basic 2D transformations
  - Matrix representation
  - Matrix composition
- 3D Transformations
  - Basic 3D transformations
  - Same as 2D
- Transformation Hierarchies
  - Scene graphs
  - Ray casting

Matrix Composition

- Transformations can be combined by matrix multiplication

$$\begin{bmatrix} x' \\ y' \\ w' \end{bmatrix} = \left(\begin{bmatrix} 1 & 0 & tx \\ 0 & 1 & ty \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} \cos\Theta & -\sin\Theta & 0 \\ \sin\Theta & \cos\Theta & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} sx & 0 & 0 \\ 0 & sy & 0 \\ 0 & 0 & 1 \end{bmatrix} \right) \begin{bmatrix} x \\ y \\ w \end{bmatrix}$$

p' = T(tx,ty) R(Θ) S(sx,sy) **p**



Matrix Composition

- Matrices are a convenient and efficient way to represent a sequence of transformations
  - General purpose representation
  - Hardware matrix multiply
  - Efficiency with premultiplication
    - » Matrix multiplication is associative

p' = (T * (R * (S***p**)))
p' = (T*R*S) * **p**



Matrix Composition

- Be aware: order of transformations matters
  - » Matrix multiplication is not commutative

$$\mathbf{p}' = T * R * S * \mathbf{p}$$

"Global" "Local"



Matrix Composition

- Rotate by Θ around arbitrary point (a,b)
  - M=T(-a,-b) * R(Θ) * T(a,b)



- Scale by sx,sy around arbitrary point (a,b)
  - M=T(-a,-b) * S(sx,sy) * T(a,b)



Overview

- 2D Transformations
  - Basic 2D transformations
  - Matrix representation
  - Matrix composition
- 3D Transformations
  - Basic 3D transformations
  - Same as 2D
- Transformation Hierarchies
  - Scene graphs
  - Ray casting

3D Transformations

- Same idea as 2D transformations
  - Homogeneous coordinates: (x,y,z,w)
  - 4x4 transformation matrices

$$\begin{bmatrix} x' \\ y' \\ z' \\ w' \end{bmatrix} = \begin{bmatrix} a & b & c & d \\ e & f & g & h \\ i & j & k & l \\ m & n & o & p \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

Basic 3D Transformations

$$\begin{bmatrix} x' \\ y' \\ z' \\ w \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

Identity

$$\begin{bmatrix} x' \\ y' \\ z' \\ w \end{bmatrix} = \begin{bmatrix} sx & 0 & 0 & 0 \\ 0 & sy & 0 & 0 \\ 0 & 0 & sz & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

Scale

$$\begin{bmatrix} x' \\ y' \\ z' \\ w \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & tx \\ 0 & 1 & 0 & ty \\ 0 & 0 & 1 & tz \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

Translation

$$\begin{bmatrix} x' \\ y' \\ z' \\ w \end{bmatrix} = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

Mirror over X axis

Basic 3D Transformations

Rotate around Z axis:

$$\begin{bmatrix} x' \\ y' \\ z' \\ w \end{bmatrix} = \begin{bmatrix} \cos\Theta & -\sin\Theta & 0 & 0 \\ \sin\Theta & \cos\Theta & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

Rotate around Y axis:

$$\begin{bmatrix} x' \\ y' \\ z' \\ w \end{bmatrix} = \begin{bmatrix} \cos\Theta & 0 & -\sin\Theta & 0 \\ 0 & 1 & 0 & 0 \\ \sin\Theta & 0 & \cos\Theta & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

Rotate around X axis:

$$\begin{bmatrix} x' \\ y' \\ z' \\ w \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & \cos\Theta & -\sin\Theta & 0 \\ 0 & \sin\Theta & \cos\Theta & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

Overview

- 2D Transformations
  - Basic 2D transformations
  - Matrix representation
  - Matrix composition
- 3D Transformations
  - Basic 3D transformations
  - Same as 2D
- Transformation Hierarchies
  - Scene graphs
  - Ray casting

Transformation Hierarchies

- Build scene with hierarchy of coordinate systems
  - Each level stores matrix representing transformation from parent's coordinate system



Robot Arm



Angel Figures 8.8 & 8.9

Transformation Example 1

- Well-suited for humanoid characters





Rose et al. '96

Transformation Example 1



Mike Marr, COS 426, Princeton University, 1995

Transformation Example 2

- An object may appear in a scene multiple times



Draw same 3D data with different transformations

Transformation Example 2



Ray Casting With Hierarchies

- Transform rays, not primitives
  - For each node ...
    - » Transform ray by inverse of matrix
    - » Intersect with primitives
    - » Transform hit by matrix



Robot Arm



Angel Figures 8.8 & 8.9

Summary

- Coordinate systems
  - World coordinates
  - Modeling coordinates
- Representations of 3D affine transformations
  - Scale, rotate, translate, shear
  - 4x4 Matrices
- Composition of 3D transformations
  - Matrix multiplication (order matters)
  - Transformation hierarchies