


Lecture 8

Programming Languages



The important ideas

- programming languages evolve
- as we get more understanding
- and have more computing resources
 - so the computer can do more of the work
- there is a lot of religious fervor about languages
- but all are equivalent in the Turing sense

- you can ignore syntax details completely
 - but pay attention when we talk about Python


- you should understand the processes by which the programs we write get to do actual computing

Evolution of programming languages

- 1940's: machine level
 - use binary or equivalent notations for actual numeric values
- 1950's: "assembly language"
 - names for instructions: ADD instead of 0110101, etc.
 - names for locations: assembler keeps track of where things are in memory; translates this more humane language into machine language
 - this is the level used in the "toy" machine
 - needs a total rewrite if it's moved to a different kind of CPU

```
loop  get          # read a number
      ifzero done  # no more input if number is zero
      add   sum    # add in accumulated sum
      store sum    # store new value back in sum
      goto  loop   # read another number
done  load   sum   # print sum
      print
      stop
sum   0      # sum will be 0 when program starts
```

assembly lang
program




binary instrs

Evolution of programming languages, 1960's

- "high level" languages: Fortran, Cobol, Basic
 - write in a more natural notation, e.g., mathematical formulas
 - a program ("compiler", "translator") converts into assembler
 - potential disadvantage: lower efficiency in use of machine
 - enormous advantages:
 - accessible to much wider population of users
 - portable: same program can be translated for different machines
 - more efficient in programmer time

```
sum = 0
10 read(5,*) num
   if (num .eq. 0) goto 20
   sum = sum + num
   goto 10
20 write(6,*) sum
   stop
   end
```




Evolution of programming languages, 1970's

- "system programming" languages: C
 - efficient and expressive enough to take on any programming task
writing assemblers, compilers, operating systems
 - a program ("compiler", "translator") converts into assembler
 - enormous advantages:
 - accessible to much wider population of programmers
 - portable: same program can be translated for different machines
 - faster, cheaper hardware helps make this happen

```
#include <stdio.h>
main() {
    int num, sum = 0;

    while (scanf("%d", &num) != -1 && num != 0)
        sum += num;
    printf("%d\n", sum);
}
```



C code compiled to assembly language (x86, Mac)

```
#include <stdio.h>
main() {
    int num, sum = 0;

    while (scanf("%d", &num) != -1
        && num != 0)
        sum = sum + num;
    printf("%d\n", sum);
}
```

(You are not expected to understand this!)

```
Ltmp2:
    movl $0, -8(%rbp)
    movl $0, -12(%rbp)
    jmp LBB1_2
LBB1_1:
    movl -12(%rbp), %eax
    movl -8(%rbp), %ecx
    addl %eax, %ecx
    movl %ecx, -8(%rbp)
LBB1_2:
    leaq -12(%rbp), %rax
    xorb %cl, %cl
    leaq L_.str(%rip), %rdx
    movq %rdx, %rdi
    movq %rax, %rsi
    movb %cl, %al
    callq _scanf
    movl %eax, %ecx
    cmpl $-1, %ecx
    je LBB1_4
    movl -12(%rbp), %eax
    cmpl $0, %eax
    jne LBB1_1
LBB1_4:
```

Evolution of programming languages, 1980's

- "object-oriented" languages: C++
 - better control of structure of really large programs
better internal checks, organization, safety
 - a program ("compiler", "translator") converts into assembler or C
 - enormous advantages:
 - portable: same program can be translated for different machines
 - faster, cheaper hardware helps make this happen

```
#include <iostream>
main() {
    int num, sum = 0;

    while (cin >> num && num != 0)
        sum += num;
    cout << sum << endl;
}
```



Bjarne Stroustrup
1950-

Java (1995)

```
import java.util.*;
class Addup {
    public static void main (String [] args) {
        Scanner keyboard = new Scanner(System.in);
        int num, sum;
        sum = 0;
        num = keyboard.nextInt();
        while (num != 0) {
            sum = sum + num;
            num = keyboard.nextInt();
        }
        System.out.println(sum);
    }
}
```



James Gosling 1955-

JavaScript (1995)

```
var sum = 0; // javascript
var num = prompt("Enter new value, or 0 to end")
while (num != 0) {
    sum = sum + parseInt(num)
    num = prompt("Enter new value, or 0 to end")
}
alert("Sum = " + sum)
```



Brendan Eich
1961-

Python (1990)

```
sum = 0
num = input()
while num != '0':
    sum = sum + int(num)
    num = input()
print(sum)
```



Guido van Rossum
1956-

Programming languages in the 21st century?

- **new(ish) general-purpose languages**
 - Go, Rust, Swift, Scala, Kotlin, Julia, ...
- **ongoing refinements / evolution of existing languages**
 - C, C++, Fortran, Cobol, Javascript all have new standards in last few years
- **specialized languages for specific application areas**
 - e.g., R for statistics
- **old languages rarely die**
 - it costs too much to rewrite programs in a new language

Why so many programming languages?

- **every language is a tradeoff among competing pressures**
 - reaction to perceived failings of others; personal taste
- **notation is important**
 - "Language shapes the way we think and determines what we can think about."
Benjamin Whorf
 - the more natural and close to the problem domain, the easier it is to get the machine to do what you want
- **higher-level languages hide differences between machines and between operating systems**
- **we can define idealized "machines" or capabilities and have a program simulate them -- "virtual machines"**
 - programming languages are another example of Turing equivalence