

# Combinatorial Search



- ▶ permutations
- ▶ backtracking
- ▶ counting
- ▶ subsets
- ▶ paths in a graph

Algorithms, 4<sup>th</sup> Edition · Robert Sedgewick and Kevin Wayne · Copyright © 2002–2010 · April 26, 2011 8:31:18 PM

## Overview

**Exhaustive search.** Iterate through all elements of a search space.

**Applicability.** Huge range of problems (include intractable ones).



**Caveat.** Search space is typically exponential in size ⇒ effectiveness may be limited to relatively small instances.

**Backtracking.** Systematic method for examining **feasible** solutions to a problem, by systematically pruning **infeasible** ones.

2

## Warmup: enumerate N-bit strings

**Goal.** Process all  $2^N$  bit strings of length  $N$ .

- Maintain array  $a[]$  where  $a[i]$  represents bit  $i$ .
- Simple recursive method does the job.

[Invariant: enumerates all possibilities in  $a[k..N-1]$ , beginning and ending with all 0s]

```
// enumerate bits in a[k] to a[N-1]
private void enumerate(int k)
{
    if (k == N)
        { process(); return; }
    enumerate(k+1);
    a[k] = 1;
    enumerate(k+1);
    a[k] = 0;
}
```

```
enumerate(0)      0 0
enumerate(1)      0 0
enumerate(2)      0 0
    a[1] = 1;      0 1
    enumerate(2)      0 1
    a[1] = 0;      0 0
    a[0] = 1;      1 0
    enumerate(1)      1 0
    enumerate(2)      1 0
    a[1] = 1;      1 1
    enumerate(2)      1 1
    a[1] = 0;      1 0
    a[0] = 0;      0 0
```

**Remark.** Equivalent to counting in binary from 0 to  $2^N - 1$ .

3

## Warmup: enumerate N-bit strings

**Goal.** Process all  $2^N$  bit strings of length  $N$ .

- Maintain array  $a[]$  where  $a[i]$  represents bit  $i$ .
- Simple recursive method does the job.

```
// enumerate bits in a[k] to a[N-1]
private void enumerate(int k)
{
    if (k == N)
        { process(); return; }
    enumerate(k+1);
    a[k] = 1;
    enumerate(k+1);
    a[k] = 0; ← clean up
}
```

N = 3	N = 4
0 0 0	0 0 0
0 0 1	0 0 1
0 1 0	0 1 0
0 1 1	0 1 1
1 0 0	1 0 0
1 0 1	1 0 1
1 1 0	1 1 0
1 1 1	1 1 1
2 0 0	1 0 0 0
2 0 1	1 0 0 1
2 1 0	1 0 1 0
2 1 1	1 0 1 1
3 0 0	1 1 0 0
3 0 1	1 1 0 1
3 1 0	1 1 1 0
3 1 1	1 1 1 1

**Remark.** Equivalent to counting in binary from 0 to  $2^N - 1$ .

4

## Warmup: enumerate N-bit strings

```

public class BinaryCounter
{
    private int N;      // number of bits
    private int[] a;   // a[i] = ith bit

    public BinaryCounter(int N)
    {
        this.N = N;
        this.a = new int[N];
        enumerate(0);
    }

    private void process()
    {
        for (int i = 0; i < N; i++)
            StdOut.print(a[i] + " ");
        StdOut.println();
    }

    private void enumerate(int k)
    {
        if (k == N)
        { process(); return; }
        enumerate(k+1);
        a[k] = 1;
        enumerate(k+1);
        a[k] = 0;
    }
}

```

all programs in this lecture are variations on this theme

```

% java BinaryCounter 4
0 0 0 0
0 0 0 1
0 0 1 0
0 0 1 1
0 1 0 0
0 1 0 1
0 1 1 0
0 1 1 1
1 0 0 0
1 0 0 1
1 0 1 0
1 0 1 1
1 1 0 0
1 1 0 1
1 1 1 0
1 1 1 1

```

5

- ▶ permutations
- ▶ backtracking
- ▶ counting
- ▶ subsets
- ▶ paths in a graph

6

## N-rooks problem

Q. How many ways are there to place  $N$  rooks on an  $N$ -by- $N$  board so that no rook can attack any other?



```
int[] a = { 2, 0, 1, 3, 6, 7, 4, 5 };
```

Representation. No two rooks in the same row or column  $\Rightarrow$  permutation.


Challenge. Enumerate all  $N!$  permutations of 0 to  $N - 1$ .

7

## Enumerating permutations

Recursive algorithm to enumerate all  $N!$  permutations of  $N$  elements.

- Start with permutation  $a[0]$  to  $a[N-1]$ .
- For each value of  $i$ :
  - swap  $a[i]$  into position 0
  - enumerate all  $(N-1)!$  permutations of  $a[1]$  to  $a[N-1]$
  - clean up (swap  $a[i]$  back to original position)



8

## Enumerating permutations

Recursive algorithm to enumerate all  $N!$  permutations of  $N$  elements.

- Start with permutation  $a[0]$  to  $a[N-1]$ .
- For each value of  $i$ :
  - swap  $a[i]$  into position 0
  - enumerate all  $(N-1)!$  permutations of  $a[1]$  to  $a[N-1]$
  - clean up (swap  $a[i]$  back to original position)

```
// place N-k rooks in a[k] to a[N-1]
private void enumerate(int k)
{
    if (k == N)
        process(); return;

    for (int i = k; i < N; i++)
    {
        exch(k, i);
        enumerate(k+1);
        exch(i, k); ← clean up
    }
}
```

```
% java Rooks 4
0|1 2 3
0 1 3 2
0 2 1 3
0 2 3 1
0 3 2 1
0 3 1 2
1|0 2 3
1 0 3 2
1 2 0 3
1 2 3 0
1 3 2 0
1 3 0 2
2|1 0 3
2 1 3 0
2 0 1 3
2 0 3 1
2 3 0 1
2 3 1 0
3|1 2 0
3 1 0 2
3 2 1 0
3 2 0 1
3 0 2 1
3 0 1 2
```

a[0] a[N-1]

9

## Enumerating permutations

```
public class Rooks
{
    private int N;
    private int[] a; // bits (0 or 1)

    public Rooks(int N)
    {
        this.N = N;
        a = new int[N];
        for (int i = 0; i < N; i++)
            a[i] = i; ← initial permutation
        enumerate(0);
    }

    private void enumerate(int k)
    { /* see previous slide */ }

    private void exch(int i, int j)
    { int t = a[i]; a[i] = a[j]; a[j] = t; }


    public static void main(String[] args)
    {
        int N = Integer.parseInt(args[0]);
        new Rooks(N);
    }
}
```

```
% java Rooks 2
0 1
1 0

% java Rooks 3
0 1 2
0 2 1
1 0 2
1 2 0
2 1 0
2 0 1
```

10

## 4-rooks search tree



11

## N-rooks problem: back-of-envelope running time estimate

Slow way to compute  $N!$ .

```
% java Rooks 7 | wc -l
5040 ← instant

% java Rooks 8 | wc -l
40320 ← 1.6 seconds

% java Rooks 9 | wc -l
362880 ← 15 seconds

% java Rooks 10 | wc -l
3628800 ← 170 seconds

% java Rooks 25 | wc -l
...
← forever
```

Hypothesis. Running time is about  $2(N! / 8!)$  seconds.


12

- permutations
- backtracking
- counting
- subsets
- paths in a graph

13

## N-queens problem

Q. How many ways are there to place  $N$  queens on an  $N$ -by- $N$  board so that no queen can attack any other?



```
int[] a = { 2, 7, 3, 6, 0, 5, 1, 4 };
```



Representation. No two queens in the same row or column  $\Rightarrow$  permutation.

Additional constraint. No diagonal attack is possible.

Challenge. Enumerate (or even count) the solutions.

← unlike N-rooks problem,  
nobody knows answer for  $N > 30$

14



## N-queens problem: backtracking solution

- Backtracking paradigm.** Iterate through elements of search space.
- When there are several possible choices, make one choice and recur.
  - If the choice is a **dead end**, backtrack to previous choice, and make next available choice.

**Benefit.** Identifying dead ends allows us to **prune** the search tree.

### Ex. [backtracking for N-queens problem]

- Dead end: a diagonal conflict.
- Pruning: backtrack and try next column when diagonal conflict found.

17

## N-queens problem: backtracking solution

```
private boolean backtrack(int k)
{
    for (int i = 0; i < k; i++)
    {
        if ((a[i] - a[k]) == (k - i)) return true;
        if ((a[k] - a[i]) == (k - i)) return true;
    }
    return false;
}

// place N-k queens in a[k] to a[N-1]
private void enumerate(int k)
{
    if (k == N)
    { process(); return; }

    for (int i = k; i < N; i++)
    {
        exch(k, i);
        if (!backtrack(k)) enumerate(k+1);
        exch(i, k);
    }
}
```

stop enumerating if adding queen k leads to a diagonal violation

```
% java Queens 4
1 3 0 2
2 0 3 1

% java Queens 5
0 2 4 1 3
0 3 1 4 2
1 3 0 2 4
1 4 2 0 3
2 0 3 1 4
2 4 1 3 0
3 1 4 2 0
3 0 2 4 1
4 1 3 0 2
4 2 0 3 1

% java Queens 6
1 3 5 0 2 4
2 5 1 4 0 3
3 0 4 1 5 2
4 2 0 5 3 1
```

a[0] a[N-1]

18

## N-queens problem: effectiveness of backtracking

Pruning the search tree leads to enormous time savings.

N	Q(N)	N!
2	0	2
3	0	6
4	2	24
5	10	120
6	4	720
7	40	5,040
8	92	40,320
9	352	362,880
10	724	3,628,800
11	2,680	39,916,800
12	14,200	479,001,600
13	73,712	6,227,020,800
14	365,596	87,178,291,200

19

## N-queens problem: How many solutions?

```
% java Queens 13 | wc -l
73712 ← 1.1 seconds

% java Queens 14 | wc -l
365596 ← 5.4 seconds

% java Queens 15 | wc -l
2279184 ← 29 seconds

% java Queens 16 | wc -l
14772512 ← 210 seconds

% java Queens 17 | wc -l
...
...
```

← 1.1 seconds  
← 5.4 seconds  
← 29 seconds  
← 210 seconds  
← 1352 seconds

**Hypothesis.** Running time is about  $(N! / 2.5^N) / 43,000$  seconds.

**Conjecture.**  $Q(N) \sim N! / c^N$ , where  $c$  is about 2.54.


20

- permutations
  - backtracking
  - counting
  - subsets
  - paths in a graph

21

## Counting application: Sudoku

**Goal.** Fill 9-by-9 grid so that every row, column, and box contains each of the digits 1 through 9.



**Remark.** Natural generalization is NP-complete.

23

## Counting: Java implementation

**Goal.** Enumerate all  $N$ -digit base- $R$  numbers.

**Solution.** Generalize binary counter in lecture warmup.

```
// enumerate base-R numbers in a[k] to a[N-1]
private static void enumerate(int k)
{
    if (k == N)
    { process(); return; }

    for (int r = 0; r < R; r++)
    {
        a[k] = r;
        enumerate(k+1);
    }
    a[k] = 0;           ← cleanup not needed; why?
}
```


```
% java Counter 2 4
0 0
0 1
0 2
0 3
1 0
1 1
1 2
1 3
2 0
2 1
2 2
2 3
3 0
3 1
3 2
3 3

% java Counter 3 2
0 0 0
0 0 1
0 1 0
0 1 1
1 0 0
1 0 1
1 1 0
1 1 1
```


22

## Counting application: Sudoku

**Goal.** Fill 9-by-9 grid so that every row, column, and box contains each of the digits 1 through 9.



**Solution.** Enumerate all 81-digit base-9 numbers (with backtracking).


using digits 1 to 9 → 

24

## Sudoku: backtracking solution

Iterate through elements of search space.

- For each empty cell, there are 9 possible choices.
- Make one choice and recur.
- If you find a conflict in row, column, or box, then backtrack.



backtrack on 3, 4, 5, 7, 8, 9

25

## Sudoku: Java implementation

```
private void enumerate(int k)
{
    if (k == 81)
    { process(); return; }

    if (a[k] != 0)
    { enumerate(k+1); return; }

    for (int r = 1; r <= 9; r++)
    {
        a[k] = r;
        if (!backtrack(k))
            enumerate(k+1);
    }

    a[k] = 0;
}
```

↑ found a solution  
↑ cell k initially filled in;  
↑ recur on next cell  
↑ try 9 possible digits  
↑ for cell k  
↑ unless it violates a  
↑ Sudoku constraint  
↑ (see booksite for code)  
↑ clean up

```
% more board.txt
7 0 8 0 0 0 3 0 0
0 0 0 2 0 1 0 0 0
5 0 0 0 0 0 0 0 0
0 4 0 0 0 0 0 2 6
3 0 0 0 8 0 0 0 0
0 0 0 1 0 0 0 9 0
0 9 0 6 0 0 0 0 4
0 0 0 0 7 0 5 0 0
0 0 0 0 0 0 0 0 0

% java Sudoku < board.txt
7 2 8 9 4 6 3 1 5
9 3 4 2 5 1 6 7 8
5 1 6 7 3 8 2 4 9
1 4 7 5 9 3 8 2 6
3 6 9 4 8 2 1 5 7
8 5 2 1 6 7 4 9 3
2 9 3 6 1 5 7 8 4
4 8 1 3 7 9 5 6 2
6 7 5 8 2 4 9 3 1
```

26

- ▶ permutations
- ▶ backtracking
- ▶ counting
- ▶ subsets
- ▶ paths in a graph

27

## Enumerating subsets: natural binary encoding

Given  $N$  elements, enumerate all  $2^N$  subsets.

- Count in binary from 0 to  $2^N - 1$ .
- Bit  $i$  represents element  $i$ .
- If 1, in subset; if 0, not in subset.

i	binary	subset	complement
0	0 0 0 0	empty	4 3 2 1
1	0 0 0 1	1	4 3 2
2	0 0 1 0	2	4 3 1
3	0 0 1 1	2 1	4 3
4	0 1 0 0	3	4 2 1
5	0 1 0 1	3 1	4 2
6	0 1 1 0	3 2	4 1
7	0 1 1 1	3 2 1	4
8	1 0 0 0	4	3 2 1
9	1 0 0 1	4 1	3 2
10	1 0 1 0	4 2	3 1
11	1 0 1 1	4 2 1	3
12	1 1 0 0	4 3	2 1
13	1 1 0 1	4 3 1	2
14	1 1 1 0	4 3 2	1
15	1 1 1 1	4 3 2 1	empty

28

## Enumerating subsets: natural binary encoding

Given  $N$  elements, enumerate all  $2^N$  subsets.

- Count in binary from 0 to  $2^N - 1$ .
- Maintain array  $a[]$  where  $a[i]$  represents element  $i$ .
- If 1,  $a[i]$  in subset; if 0,  $a[i]$  not in subset.

Binary counter from warmup does the job.

```
private void enumerate(int k)
{
    if (k == N)
        { process(); return; }
    enumerate(k+1);
    a[k] = 1;
    enumerate(k+1);
    a[n] = 0;
}
```

29

## Digression: Samuel Beckett play

**Quad.** Starting with empty stage, 4 characters enter and exit one at a time, such that each subset of actors appears exactly once.

code	subset	move
0 0 0 0	empty	
0 0 0 1	1	enter 1
0 0 1 1	2 1	enter 2
0 0 1 0	2	exit 1
0 1 1 0	3 2	enter 3
0 1 1 1	3 2 1	enter 1
0 1 0 1	3 1	exit 2
0 1 0 0	3	exit 1
1 1 0 0	4 3	enter 4
1 1 0 1	4 3 1	enter 1
1 1 1 1	4 3 2 1	enter 2
1 1 1 0	4 3 2	exit 1
1 0 1 0	4 2	exit 3
1 0 1 1	4 2 1	enter 1
1 0 0 1	4 1	exit 2
1 0 0 0	4	exit 1



ruler function

30

## Digression: Samuel Beckett play

**Quad.** Starting with empty stage, 4 characters enter and exit one at a time, such that each subset of actors appears exactly once.



"faceless, emotionless one of the far future, a world where people are born, go through prescribed movements, fear non-being even though their lives are meaningless, and then they disappear or die." — Sidney Homan

31

## Binary reflected gray code

**Def.** The  $k$ -bit **binary reflected Gray code** is:

- The  $(k - 1)$  bit code with a 0 prepended to each word, followed by
- The  $(k - 1)$  bit code in reverse order, with a 1 prepended to each word.

1-bit code	4-bit	3-bit code
0	0 0 0 0	0 0 0 0
0	0 0 0 1	0 0 0 1
1	0 0 1 1	0 0 1 1
1	0 0 1 0	0 0 1 0
0	0 1 1 0	0 1 1 0
1	0 1 1 1	0 1 1 1
1	0 1 0 0	0 1 0 0
0	0 1 0 1	0 1 0 1
1	1 1 1 0	1 1 1 0
1	1 1 1 1	1 1 1 1
0	1 1 0 0	1 1 0 0
1	1 1 0 1	1 1 0 1
1	1 0 1 0	1 0 1 0
0	1 0 1 1	1 0 1 1
1	0 0 0 1	1 0 0 1
0	0 0 0 0	1 0 0 0

↓                    ↓                    ↓

$a[0] \quad a[N-1]$

↑                    ↑                    ↑

2-bit code (reversed)      2-bit code      2-bit code (reversed)

32

## Enumerating subsets using Gray code

Two simple changes to binary counter from warmup:

- Flip  $a[k]$  instead of setting it to 1.
- Eliminate cleanup.

### Gray code binary counter

```
// all bit strings in a[k] to a[N-1]
private void enumerate(int k)
{
    if (k == N)
        process(); return;
    enumerate(k+1);
    a[k] = 1 - a[k];
    enumerate(k+1);
}
```

0	0
0	1
0	1
0	0
1	0
1	1
1	1
1	0
1	0

### standard binary counter (from warmup)

```
// all bit strings in a[k] to a[N-1]
private void enumerate(int k)
{
    if (k == N)
        process(); return;
    enumerate(k+1);
    a[k] = 1;
    enumerate(k+1);
    a[k] = 0;
}
```


0	0	0
0	0	1
0	1	0
0	1	1
1	0	0
1	0	1
1	1	0
1	1	1

same values  
since no cleanup


**Advantage.** Only one item in subset changes at a time.

33


## More applications of Gray codes




3-bit rotary encoder



8-bit rotary encoder



Towers of Hanoi




Chinese ring puzzle

34

## Scheduling

**Scheduling (set partitioning).** Given  $N$  jobs of varying length, divide among two machines to minimize the makespan (time the last job finishes).



**Remark.** This scheduling problem is NP-complete.

35

## Scheduling (full implementation)

```
public class Scheduler
{
    private int N;           // Number of jobs.
    private int[] a;          // Subset assignments.
    private int[] b;          // Best assignment.
    private double[] jobs;   // Job lengths.

    public Scheduler(double[] jobs)
    {
        this.N = jobs.length;
        this.jobs = jobs;
        a = new int[N];
        b = new int[N];
        enumerate(N);
    }

    public int[] best()
    {
        return b;
    }

    private void enumerate(int k)
    {
        /* Gray code enumeration. */
    }

    private void process()
    {
        if (cost(a) < cost(b))
            for (int i = 0; i < N; i++)
                b[i] = a[i];
    }

    public static void main(String[] args)
    {
        /* create Scheduler, print results */
    }
}
```

a[]	finish times	cost
0 0 0 0	7.38	0.00
0 0 0 1	5.15	2.24
0 0 1 1	3.15	4.24
0 0 1 0	5.38	2.00
0 1 1 0	3.65	3.73
0 1 1 1	1.41	5.97
0 1 0 1	3.41	3.97
0 1 0 0	5.65	1.73
1 1 0 0	4.24	3.15
1 1 0 1	2.00	5.38
1 1 1 1	0.00	7.38
1 1 1 0	2.24	5.15
1 0 1 0	3.97	3.41
1 0 1 1	1.73	5.65
1 0 0 1	3.73	3.65
1 0 0 0	5.97	1.41

MACHINE 0      MACHINE 1

1.4142135624      1.7320508076

2.0000000000      2.2360679775

-----

3.6502815399      3.7320508076

36

## Scheduling: improvements

Many opportunities (details omitted).

- Fix last job to be on machine 0 (quick factor-of-two improvement).
- Maintain difference in finish times (instead of recomputing from scratch).
- Backtrack when partial schedule cannot beat best known.  
(check total against goal: half of total job times)

```
private void enumerate(int k)
{
    if (k == N-1)
    { process(); return; }
    if (backtrack(k)) return;
    enumerate(k+1);
    a[k] = 1 - a[k];
    enumerate(k+1);
}
```

- Process all  $2^k$  subsets of last  $k$  jobs, keep results in memory,  
(reduces time to  $2^{N-k}$  when  $2^k$  memory available).


37

► permutations  
► backtracking  
► counting  
► subsets  
► paths in a graph

38

## Enumerating all paths on a grid

**Goal.** Enumerate all simple paths on a grid of adjacent sites.




no two atoms can occupy  
same position at same time

**Application.** Self-avoiding lattice walk to model polymer chains.

39

## Enumerating all paths on a grid: Boggle

**Boggle.** Find all words that can be formed by tracing a simple path of adjacent cubes (left, right, up, down, diagonal).



**Pruning.** Stop as soon as no word in dictionary contains string of letters on current path as a prefix  $\Rightarrow$  use a trie.

B  
BA  
BAX

40

## Boggle: Java implementation

```

private void dfs(String prefix, int i, int j)
{
    if ((i < 0 || i >= N) ||
        (j < 0 || j >= N) ||
        (visited[i][j]) ||
        !dictionary.containsAsPrefix(prefix))
        return;

    visited[i][j] = true;
    prefix = prefix + board[i][j];

    if (dictionary.contains(prefix))
        found.add(prefix);

    for (int ii = -1; ii <= 1; ii++)
        for (int jj = -1; jj <= 1; jj++)
            dfs(prefix, i + ii, j + jj);

    visited[i][j] = false;
}

```


Annotations:

- string of letters on current path to (i, j)
- backtrack
- add current character
- add to set of found words
- try all possibilities
- clean up

41

## Hamilton path

**Goal.** Find a simple path that visits every vertex exactly once.



visit every edge exactly once

**Remark.** Euler path easy, but Hamilton path is NP-complete.


42

## Knight's tour

**Goal.** Find a sequence of moves for a knight so that (starting from any desired square) it visits every square on a chessboard exactly once.



legal knight moves



a knight's tour

**Solution.** Find a Hamilton path in knight's graph.

43

## Hamilton path: backtracking solution

**Backtracking solution.** To find Hamilton path starting at  $v$ :

- Add  $v$  to current path.
- For each vertex  $w$  adjacent to  $v$ 
  - find a simple path starting at  $w$  using all remaining vertices
- Clean up: remove  $v$  from current path.

**Q.** How to implement?

**A.** Add cleanup to DFS (!!)

44

## Hamilton path: Java implementation

```

public class HamiltonPath
{
    private boolean[] marked;      // vertices on current path
    private int count = 0;         // number of Hamiltonian paths

    public HamiltonPath(Graph G)
    {
        marked = new boolean[G.V()];
        for (int v = 0; v < G.V(); v++)
            dfs(G, v, 1);
    }

    private void dfs(Graph G, int v, int depth)
    {
        marked[v] = true;
        if (depth == G.V()) count++;

        for (int w : G.adj(v))
            if (!marked[w]) dfs(G, w, depth+1); ← backtrack if w is
                                         already part of path

        marked[v] = false; ← clean up
    }
}

```

found one →

length of current path  
(depth of recursion)

45

## Exhaustive search: summary

problem	enumeration	backtracking
N-rooks	permutations	no
N-queens	permutations	yes
Sudoku	base-9 numbers	yes
scheduling	subsets	yes
Boggle	paths in a grid	yes
Hamilton path	paths in a graph	yes

46

## The longest path

Woh-oh-oh-oh, find the longest path!  
Woh-oh-oh-oh, find the longest path!

If you said P is NP tonight,  
There would still be papers left to write,  
I have a weakness,  
I'm addicted to completeness,  
And I keep searching for the longest path.

The algorithm I would like to see  
Is of polynomial degree,  
But it's elusive:  
Nobody has found conclusive  
Evidence that we can find a longest path.

I have been hard working for so long.  
I swear it's right, and he marks it wrong.  
Some how I'll feel sorry when it's done: GPA 2.1.  
Is more than I hope for.

Garey, Johnson, Karp and other men (and women)  
Tried to make it order  $N \log N$ .  
Am I a mad fool  
If I spend my life in grad school,  
Forever following the longest path?

Woh-oh-oh-oh, find the longest path!  
Woh-oh-oh-oh, find the longest path!  
Woh-oh-oh-oh, find the longest path.

Recorded by Dan Barrett in 1988 while a student  
at Johns Hopkins during a difficult algorithms final

47

That's all, folks: keep searching!



The world's longest path (Sendero de Chile): 9,700 km.  
(originally scheduled for completion in 2010; now delayed until 2038)

48