



A Taste of C

COS 217 Spring 2015

Lecture 2



Goals of this Lecture

Help you learn about:

- The basics of C
- Deterministic finite state automata (DFA)
- Expectations for programming assignments

Why?

- Help you get started with Assignment 1
 - Required readings...
 - + coverage of programming env in precepts...
 - + minimal coverage of C in this lecture...
 - = enough info to start Assignment 1
- DFAs are useful in many contexts
 - e.g. Assignment 1, Assignment 7



Agenda

The charcount program

The upper program


The upper1 program



The “charcount” Program

Functionality:

- Read all chars from stdin (standard input stream)
- Write to stdout (standard output stream) the number of chars read





The “charcount” Program

The program:


charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```



“charcount” Building and Running

```
$ gcc217 charcount.c -o charcount
$ charcount
Line 1
Line 2
^D
14
$
```



What is this?
What is the effect?



“charcount” Building and Running

```
$ cat somefile  
Line 1  
Line 2  
$ charcount < somefile  
14  
$
```

What is this?
What is the effect?



“charcount” Building and Running

```
$ charcount > someotherfile  
Line 1  
Line 2  
^D  
$ cat someotherfile  
14
```

What is this?
What is the effect?



The “charcount” Program

The program:

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

Preprocessor Directive

Comment

Functions: getchar, printf



“charcount” Building Steps


Question:

- Exactly what happens when you issue the command
`gcc217 charcount.c -o charcount`

Answer: Four steps

1. **Preprocess:** removes comments, handles preprocessor directives
2. **Compile:** translates to assembly language, matches function calls with declarations
3. **Assemble:** translates to machine language
4. **Link:** resolves references, fetches functions from libraries

charcount.c charcount.i charcount.s charcount.o charcount



More details in Appendix

Executable!



Running “charcount”

Command to run:

- `charcount < somefile`



Running “charcount”

Run-time trace, referencing the original C code...

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

Computer allocates space
for **c** and **charCount** in the
stack section of memory

Why **int** instead
of **char**?



Running “charcount”

Run-time trace, referencing the original C code...

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

- Computer calls `getchar()`
- `getchar()` tries to read char from `stdin`
 - Success => returns char (within an int)
 - Failure => returns **EOF**

EOF is a special non-char value that `getchar()` returns to indicate failure



Running “charcount”

Run-time trace, referencing the original C code...

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

Assuming $c \neq \text{EOF}$,
computer increments
charCount



Running “charcount”

Run-time trace, referencing the original C code...

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

Computer calls getchar()
again, and repeats



Running “charcount”

Run-time trace, referencing the original C code...

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

- Eventually getchar() returns EOF
- Computer breaks out of loop
- Computer calls printf() to write charCount



Running “charcount”

Run-time trace, referencing the original C code...

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

- Computer executes return stmt
- Return from main() terminates program

Normal execution => return 0 or **EXIT_SUCCESS**
Abnormal execution => return **EXIT_FAILURE**



Other Ways to “charcount”

1

```
for (c=getchar(); c!=EOF; c=getchar())
      charCount++;
```

2

```
while ((c=getchar()) !=EOF)
      charCount++;
```

Which way
is best?

3

```
for (;;)
{   c = getchar();
    if (c == EOF)
        break;
    charCount++;
}
```

4

```
c = getchar();
while (c!=EOF)
{   charCount++;
    c = getchar();
}
```



Review of Example 1

Input/Output

- Including `stdio.h`
- Functions `getchar()` and `printf()`
- Representation of a character as an integer
- Predefined constant `EOF`

Program control flow

- The `for` and `while` statements
- The `break` statement
- The `return` statement

Operators

- Assignment: `=`
- Increment: `++`
- Relational: `== !=`



Agenda

The charcount program

The upper program


The upper1 program



Example 2: “upper”

Functionality

- Read all chars from stdin
- Convert each lower case alphabetic char to upper case
 - Leave other kinds of chars alone
- Write result to stdout





“upper” Building and Running

```
$ gcc217 upper.c -o upper
```

```
$ cat somefile
```

Does this work?

It seems to work.

```
$ upper < somefile
```

DOES THIS WORK?

IT SEEMS TO WORK.

```
$
```



ASCII

American Standard Code for Information Interchange

| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|-----|-----|---|---|---|----|---|---|---|---|---|----|----|----|----|----|----|
| 0 | NUL | | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | HT | LF | | | | |
| 32 | SP | ! | " | # | \$ | % | & | ' | (|) | * | + | , | - | . | / |
| 48 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | : | ; | < | = | > | ? |
| 64 | @ | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O |
| 80 | P | Q | R | S | T | U | V | W | X | Y | Z | [| \ |] | ^ | _ |
| 96 | ` | a | b | c | d | e | f | g | h | i | j | k | l | m | n | o |
| 112 | p | q | r | s | t | u | v | w | x | y | z | { | | } | ~ | |

Partial map

Note: Lower case and upper case letters are 32 apart



EBCDIC

Extended Binary Coded Decimal Interchange Code

| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|-----|-----|---|---|---|----|----|---|---|---|---|----|----|----|----|----|----|
| 0 | NUL | | | | | | | | | | | | | | | |
| 16 | | | | | HT | | | | | | | | | | | |
| 32 | | | | | | LF | | | | | | | | | | |
| 48 | | | | | | | | | | | | | | | | |
| 64 | SP | | | | | | | | | | . | < | (|) | + |) |
| 80 | & | | | | | | | | | | ! | \$ | * |) | ; | |
| 96 | - | / | | | | | | | | | , | % | - | > | ? | |
| 112 | | | | | | | | | | | ' | : | # | @ | ' | = |
| 128 | a | b | c | d | e | f | g | h | i | | | { | | | | |
| 144 | j | k | l | m | n | o | p | q | r | | | } | | | | |
| 160 | ~ | s | t | u | v | w | x | y | z | | | | | | | |
| 176 | | | | | | | | | | | | | | | | |
| 192 | A | B | C | D | E | F | G | H | I | | | | | | | |
| 208 | J | K | L | M | N | O | P | Q | R | | | | | | | |
| 224 | \ | S | T | U | V | W | X | Y | Z | | | | | | | |
| 240 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | | | | |

Partial map

Note: Lower case not contiguous; same for upper case



“upper” Version 1

```
#include <stdio.h>
int main(void)
{    int c;
    while ((c = getchar()) != EOF)
    {    if ((c >= 97) && (c <= 122))
        c -= 32;
        putchar(c);
    }
    return 0;
}
```

What's wrong?



Character Literals

Examples

| | |
|------|---|
| 'a' | the a character 97 on ASCII systems 129 on EBCDIC systems |
| '\n' | newline 10 on ASCII systems 37 on EBCDIC systems |
| '\t' | horizontal tab 9 on ASCII systems 5 on EBCDIC systems |
| '\\' | backslash 92 on ASCII systems 224 on EBCDIC systems |
| '\' | single quote 39 on ASCII systems 125 on EBCDIC systems |
| '\0' | the null character (alias NUL) 0 on all systems |



“upper” Version 2

```
#include <stdio.h>
int main(void)
{ int c;
  while ((c = getchar()) != EOF)
  { if ((c >= 'a') && (c <= 'z'))
      c += 'A' - 'a';
    putchar(c);
  }
  return 0;
}
```

Arithmetic
on chars?

What's wrong?



ctype.h Functions

```
$ man islower
```

NAME

isalnum, isalpha, isascii, isblank, iscntrl, isdigit, isgraph,
islower, isprint, ispunct, isspace, isupper, isxdigit -
character classification routines

SYNOPSIS

```
#include <ctype.h>
int isalnum(int c);
int isalpha(int c);
int isascii(int c);
int isblank(int c);
int iscntrl(int c);
int isdigit(int c);
int isgraph(int c);
int islower(int c);          These functions
int isprint(int c);         check whether c...
int ispunct(int c);         falls into a
int isspace(int c);         certain character
int isupper(int c);         class...
int isxdigit(int c);
```



ctype.h Functions

```
$ man toupper
```

NAME

toupper, tolower - convert letter to upper or lower case

SYNOPSIS

```
#include <ctype.h>
int toupper(int c);
int tolower(int c);
```

DESCRIPTION

`toupper()` converts the letter `c` to upper case, if possible.
`tolower()` converts the letter `c` to lower case, if possible.

If `c` is not an unsigned char value, or EOF, the behavior of these functions is undefined.

RETURN VALUE

The value returned is that of the converted letter, or `c` if the conversion was not possible.



“upper” Final Version

```
#include <stdio.h>
#include <ctype.h>
int main(void)
{   int c;
    while ((c = getchar()) != EOF)
    {   if (islower(c))
        c = toupper(c);
        putchar(c);
    }
    return 0;
}
```



Review of Example 2

Representing characters

- ASCII and EBCDIC character sets
- Character literals (e.g., 'A' or 'a')

Manipulating characters

- Arithmetic on characters
- Functions such as `islower()` and `toupper()`



Agenda

The charcount program

The upper program


The upper1 program



Example 3: “upper1”

Functionality

- Read all chars from stdin
- Capitalize the first letter of each word
 - “cos 217 rocks” => “Cos 217 Rocks”
- Write result to stdout





“upper1” Building and Running

```
$ gcc217 upper1.c -o upper1
$ cat somefile
cos 217 rocks
Does this work?
It seems to work.
$ upper1 < somefile
Cos 217 Rocks
Does This Work?
It Seems To Work.
$
```



“upper1” Challenge

Problem

- Must remember where you are
- Capitalize “c” in “cos”, but not “o” in “cos” or “c” in “rocks”


Solution

- Maintain some extra information
- “In a word” vs “not in a word”



Deterministic Finite Automaton

Deterministic Finite State Automaton (DFA)



- **States**, one of which is denoted the **start state**
- **Transitions** labeled by chars or char categories
- Optionally, **actions** on transitions (not part of DFA)



Implementation Skeleton

```
#include <stdio.h>
#include <ctype.h>
int main (void) {
    int c;
    while ((c = getchar()) != EOF) {
        <process one character>
    }
    return 0;
}
```



Implementation

<process one character> =

```
switch (state) {
```

```
    case 0:
```

<state 0 action>

```
        break;
```

```
    case 1:
```


<state 1 action>

```
        break;
```

```
    default:
```

<this should never happen>

```
}
```




```
        if (isalpha(c)) {  
            putchar(toupper(c));  
            state = 1; }  
        else {  
            putchar(c); state = 0; }
```

```
        if (isalpha(c)) {  
            putchar(c); state = 1; }  
        else {  
            putchar(c); state = 0; }
```



“upper1” Version 1

```
#include <stdio.h>
#include <ctype.h>
int main(void)
{ int c;
    int state = 0;
    while ((c = getchar()) != EOF)
    { switch (state)
        { case 0:
            if (isalpha(c))
                { putchar(toupper(c)); state = 1; }
            else
                { putchar(c); state = 0; }
            break;
        case 1:
            if (isalpha(c))
                { putchar(c); state = 1; }
            else
                { putchar(c); state = 0; }
            break;
        }
    }
    return 0;
}
```



That's a B.
What's wrong?



“upper1” Toward Version 2

Problem:

- The program works, but ...
- Mysterious integer constants (“magic numbers”)
- Instead, states should have names

Solution:

- Define your own named constants
- `enum Statetype {NORMAL, INWORD};`
 - Define an enumeration type
- `enum Statetype state;`
 - Define a variable of that type



“upper1” Version 2

```
#include <stdio.h>
#include <ctype.h>
enum Statetype {NORMAL, INWORD};
int main(void)
{ int c;
    enum Statetype state = NORMAL;
    while ((c = getchar()) != EOF)
    { switch (state)
        { case NORMAL:
            if (isalpha(c))
                { putchar(toupper(c)); state = INWORD; }
            else
                { putchar(c); state = NORMAL; }
            break;
        case INWORD:
            if (isalpha(c))
                { putchar(c); state = INWORD; }
            else
                { putchar(c); state = NORMAL; }
            break;
        }
    }
    return 0;
}
```

That's a B+.
What's wrong?



“upper1” Toward Version 3

Problem:

- The program works, but...
- Deeply nested statements
- No modularity

Solution:

- Handle each state in a separate function



“upper1” Version 3

```
#include <stdio.h>
#include <ctype.h>
enum Statetype {NORMAL, INWORD};

enum Statetype handleNormalState(int c)
{ enum Statetype state;
  if (isalpha(c))
  { putchar(toupper(c));
    state = INWORD;
  }
  else
  { putchar(c);
    state = NORMAL;
  }
  return state;
}

enum Statetype handleInwordState(int c)
{ enum Statetype state;
  if (!isalpha(c))
  { putchar(c);
    state = NORMAL;
  }
  else
  { putchar(c);
    state = INWORD;
  }
  return state;
}
```

```
int main(void)
{ int c;
  enum Statetype state = NORMAL;
  while ((c = getchar()) != EOF)
  { switch (state)
    { case NORMAL:
        state = handleNormalState(c);
        break;
      case INWORD:
        state = handleInwordState(c);
        break;
    }
  }
  return 0;
}
```

That's an A-.
What's wrong?



“upper1” Toward Final Version

Problem:

- The program works, but...
- No comments

Solution:

- Add (at least) function-level comments



Function Comments

Function comment should describe

what the function does (from the caller's viewpoint)

- Input to the function
 - Parameters, input streams
- Output from the function
 - Return value, output streams, (call-by-reference parameters)

Function comment should **not** describe

how the function works



Function Comment Examples

Bad main() function comment

Read a character from stdin. Depending upon the current DFA state, pass the character to an appropriate state-handling function. The value returned by the state-handling function is the next DFA state. Repeat until end-of-file.

- Describes **how the function works**

Good main() function comment

Read text from stdin. Convert the first character of each "word" to uppercase, where a word is a sequence of letters. Write the result to stdout.
Return 0.

- Describes **what the function does** from caller's viewpoint



“upper1” Final Version

```
/*-----*/  
/* upper1.c */  
/* Author: Bob Dondero */  
/*-----*/  
  
#include <stdio.h>  
#include <ctype.h>  
  
enum Statetype {NORMAL, INWORD};
```

Continued on
next page



“upper1” Final Version

```
/*-----*/  
  
/* Implement the NORMAL state of the DFA. c is the current  
DFA character. Write c or its uppercase equivalent to  
stdout, as specified by the DFA. Return the next state. */  
  
enum Statetype handleNormalState(int c)  
{  enum Statetype state;  
  if (isalpha(c))  
  {    putchar(toupper(c));  
      state = INWORD;  
  }  
  else  
  {    putchar(c);  
      state = NORMAL;  
  }  
  return state;  
}
```

Continued on
next page



“upper1” Final Version

```
/*-----*/  
  
/* Implement the INWORD state of the DFA. c is the current  
DFA character. Write c to stdout, as specified by the DFA.  
Return the next state. */  
  
enum Statetype handleInwordState(int c)  
{  enum Statetype state;  
  if (!isalpha(c))  
  {    putchar(c);  
    state = NORMAL;  
  }  
  else  
  {    putchar(c);  
    state = INWORD;  
  }  
  return state;  
}
```

Continued on
next page



“upper1” Final Version

```
/*-----*/  
  
/* Read text from stdin. Convert the first character of each  
 "word" to uppercase, where a word is a sequence of  
 letters. Write the result to stdout. Return 0. */  
  
int main(void)  
{ int c;  
    /* Use a DFA approach. state indicates the DFA state. */  
    enum Statetype state = NORMAL;  
    while ((c = getchar()) != EOF)  
    { switch (state)  
        { case NORMAL:  
            state = handleNormalState(c);  
            break;  
        case INWORD:  
            state = handleInwordState(c);  
            break;  
        }  
    }  
    return 0;  
}
```



Review of Example 3

Deterministic finite state automaton

- Two or more states
- Transitions between states
 - Next state is a function of current state and current character
 - Actions can occur during transitions

Expectations for COS 217 assignments

- Readable
 - Meaningful names for variables and literals
 - Reasonable max nesting depth
- Modular
 - Multiple functions, each of which does one well-defined job
- Function-level comments
 - Should describe what function does
- See K&P book for style guidelines specification



Summary

The C programming language

- Overall program structure
- Control statements (`if`, `while`, `for`, and `switch`)
- Character I/O functions (`getchar()` and `putchar()`)

Deterministic finite state automata (DFA)

Expectations for programming assignments

- Especially Assignment 1

Start Assignment 1 soon!



Appendix:

Additional DFA Examples




Another DFA Example

Does the string have “nano” in it?

- “banano” => yes
- “nnnnnnnanofff” => yes
- “bananananonano” => yes
- “banananananashbanana” => no

Double circle is *accepting state*

Single circle is *rejecting state*





Yet Another DFA Example

Old Exam Question

Compose a DFA to identify whether or not
a string is a floating-point literal

Valid literals

- “-34”
- “78.1”
- “+298.3”
- “-34.7e-1”
- “34.7E-1”
- “7.”
- “.7”
- “999.99e99”

Invalid literals

- “abc”
- “-e9”
- “1e”
- “+”
- “17.9A”
- “0.38+”
- “.”
- “38.38f9”



Appendix: Building “charcount” in Detail



“charcount” Building and Running in Detail

The starting point

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

- C language
- Missing definitions of `getchar()` and `printf()`



Step 1: Preprocessing “charcount”

Command to preprocess:

- `gcc217 -E charcount.c > charcount.i`

Preprocessor functionality

- Removes comments
- Handles **preprocessor directives**



Step 1: Preprocessing “charcount”

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

Preprocessor replaces
#include <stdio.h>
with contents of
/usr/include/stdio.h



Step 1: Preprocessing “charcount”

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

Preprocessor
removes comment



Step 1: Preprocessing “charcount”

The result

charcount.i

```
...
int getchar();
int printf(char *fmt, ...);
...
int main(void)
{    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {    charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

Why `int` instead
of `char`?

- C language
- Missing comments
- Missing preprocessor directives
- Contains code from stdio.h
 - **Declarations** of `getchar()` and `printf()`
- Missing **definitions** of `getchar()` and `printf()`



Step 2: Compiling “charcount”

Command to compile:

- `gcc217 -S charcount.i`

Compiler functionality

- Translate from C to assembly language
- Use function declarations to check calls of `getchar()` and `printf()`



Step 2: Compiling “charcount”

charcount.i

```
...
int getchar();
int printf(char *fmt, ...);
...

int main(void)
{ int c;
  int charCount = 0;
  c = getchar();
  while (c != EOF)
  { charCount++;
    c = getchar();
  }
  printf("%d\n", charCount);
  return 0;
}
```

- Compiler sees function declarations
- So compiler has enough information to check subsequent calls of `getchar()` and `printf()`



Step 2: Compiling “charcount”

charcount.i

```
...
int getchar();
int printf(char *fmt, ...);
...

int main(void)
{ int c;
  int charCount = 0;
  c = getchar();
  while (c != EOF)
  { charCount++;
    c = getchar();
  }
  printf("%d\n", charCount);
  return 0;
}
```

- Definition of main() function
- Compiler checks calls of getchar() and printf()
- Compiler translates to assembly language



Step 2: Compiling “charcount”

The result: charcount.s

```
.section ".rodata"
format:
    .string "%d\n"
.section ".text"
.globl main
.type main,@function
main:
    pushl %ebp
    movl %esp, %ebp
    subl $4, %esp
    call getchar
loop:
    cmpl $-1, %eax
    je endloop
    incl -4(%ebp)
    call getchar
    jmp loop
endloop:
    pushl -4(%ebp)
    pushl $format
    call printf
    addl $8, %esp
    movl $0, %eax
    movl %ebp, %esp
    popl %ebp
    ret
```

- Assembly language
- Missing definitions of getchar() and printf()



Step 3: Assembling “charcount”

Command to assemble:

- `gcc217 -c charcount.s`

Assembler functionality

- Translate from assembly language to machine language



Assembling “charcount” (Step 3)

The result:

charcount.o

Machine language
version of the
program

No longer human
readable

- Machine language
- Missing definitions of getchar() and printf()



Step 4: Linking “charcount”

Command to link:

- `gcc217 charcount.o -o charcount`

Linker functionality

- Resolve references
- Fetch machine language code from the standard C library (/usr/lib/libc.a) to make the program complete



Step 4: Linking “charcount”

The result:

charcount

Machine language
version of the
program

No longer human
readable

- Machine language
- Contains definitions of
getchar() and printf()

Complete! Executable!