



# Boids

COS 426

# Boids



- Overall idea
  - Simulate group behavior by specifying rules for individual behavior (self-organizing distributed system)

***"... and the thousands off fishes moved as a huge beast , piercing the water.***

***They appeared united, inexorably bound to a common fate.***

***How comes this unity?.. "***

***- Anonymous.***


# Boids

- Powerful, simple model
  - No central control
  - Only simple rules for each individual
  - Complex, emergent phenomena
  - Self-organization, swarm intelligence




# Boids

- Computer graphics motivation
  - Scripting of the path of many individual objects using traditional computer animation techniques is tedious.





# Boids

- Like a particle system, except ...
  - Each boid may be an entire polygonal object with a local coordinate system (rather than a point)



# Boids


- Like a particle system, except ...
  - Each boid can “perceive” a local region around it, e.g., a spherical neighborhood



# Boids



- Like a particle system, except ...
  - Each boid exerts “intentional forces”




# Flocking



- Complex flocking behaviors can be modeled with simple “intentional forces”
  - Separation
  - Alignment
  - Cohesion


# Flocking – 3 Behaviors (1)

- Separation = collision avoidance:  
avoid collisions with nearby flockmates




# Flocking – 3 Behaviors (2)

- Alignment = velocity matching:  
attempt to match velocity with nearby flockmates



# Flocking – 3 Behaviors (3)

- Cohesion = flock centering:  
attempt to stay close to nearby flockmates



# Other Examples (single behavior)



- Example behaviors
  - Seek
  - Flee
  - Evasion
  - Pursuit
  - Wander
  - Arrival
  - Obstacle Avoidance
  - Containment
  - Wall Following
  - Path Following

# Other Examples (single behavior)



- Example behaviors

- Seek

- Flee

- Evasion

- Pursuit

- Wander

- Arrival


- Obstacle

- Avoidance

- Containment

- Wall Following


- Path Following



# Other Examples (single behavior)




- Example behaviors
  - Seek
  - Flee
  - Evasion
  - Pursuit
  - Wander
  - Arrival
  - Obstacle Avoidance
  - Containment
  - Wall Following
  - Path Following



# Other Examples (single behavior)



- Example behaviors
  - Seek
  - Flee
  - Evasion
  - Pursuit
  - Wander
  - Arrival
  - Obstacle Avoidance
  - Containment
  - Wall Following
  - Path Following




# Other Examples (single behavior)



- Example behaviors


- Seek
- Flee
- Evasion
- Pursuit
- Wander
- **Arrival**
- Obstacle Avoidance
- Containment
- Wall Following
- Path Following



# Other Examples (single behavior)




- Example behaviors
  - Seek
  - Flee
  - Evasion
  - Pursuit
  - Wander
  - Arrival
  - **Obstacle Avoidance**
  - Containment
  - Wall Following
  - Path Following



# Other Examples (single behavior)



- Example behaviors
  - Seek
  - Flee
  - Evasion
  - Pursuit
  - Wander
  - Arrival
  - Obstacle Avoidance
  - Containment
  - Wall Following
  - Path Following




# Other Examples (single behavior)



- Example behaviors


- Seek
- Flee
- Evasion
- Pursuit
- Wander
- Arrival
- Obstacle Avoidance
- Containment
- Wall Following
- Path Following




# Other Examples (combined behaviors)




- Combined behaviors
  - Queuing = seek, containment, & separation
  - Flocking = alignment, cohesion, & separation



**Seek**



**Containment**




**Separation**

# Obstacle Avoidance (1)




- Force field approach
  - Obstacles have a field of repulsion
  - Boids increasingly repulsed as they approach obstacle
- Drawbacks:
  - Approaching a force in exactly the opposite direction
  - Flying alongside a wall



# Obstacle Avoidance (2)

- Steer-to-avoid approach
  - Boid only considers obstacles directly in front of it
  - Finds silhouette edge of obstacle closest to point of eventual impact
  - A vector is computed that will aim the boid at a point one body length beyond the silhouette edge




# Arbitrating Independent Behaviors



- Navigation module of boid brain to collect relevant acceleration requests and then determine single behaviorally desired acceleration
  - Weighted average according to priority
- Emergency acceleration allocated to satisfy pressing needs first
  - Example: Centering ignored in order to maneuver around obstacles

# Boids Example



# Boids Example



## boids

This is a lightweight 2D JavaScript implementation of Craig Reynolds' [Boids](#) algorithm. It's a classic example of *emergence* and a surprisingly simple way of mimicking not only flocks, but any form of swarm or herd or crowd.


Right now you're watching 477 boids being simulated at 60 frames per second.

[Source on GitHub](#)



<http://hughsk.io/boids/>

# Boids Example



<https://playcanv.as/b/RMmDJFwM/>