



Subdivision Surfaces

Adam Finkelstein
Princeton University
COS 426, Spring 2005



Modeling

- How do we ...
 - Represent 3D objects in a computer?
 - Construct 3D representations quickly/easily?
 - Manipulate 3D representations efficiently?



Different representations for different types of objects



3D Object Representations

- Raw data
 - Voxels
 - Point cloud
 - Range image
 - Polygons
- Surfaces
 - Mesh
 - Subdivision
 - Parametric
 - Implicit
- Solids
 - Octree
 - BSP tree
 - CSG
 - Sweep
- High-level structures
 - Scene graph
 - Skeleton
 - Application specific




3D Object Representations

- Raw data
 - Voxels
 - Point cloud
 - Range image
 - Polygons
- Surfaces
 - **Mesh**
 - **Subdivision**
 - Parametric
 - Implicit
- Solids
 - Octree
 - BSP tree
 - CSG
 - Sweep
- High-level structures
 - Scene graph
 - Skeleton
 - Application specific



Surfaces

- What makes a good surface representation?
 - Accurate
 - Concise
 - Intuitive specification
 - Local support
 - Affine invariant
 - Arbitrary topology
 - Guaranteed continuity
 - Natural parameterization
 - Efficient display
 - Efficient intersections




H&B Figure 10.46



Surfaces

- What makes a good surface representation?
 - Accurate
 - Concise
 - Intuitive specification
 - Local support
 - Affine invariant
 - Arbitrary topology
 - **Guaranteed continuity**
 - Natural parameterization
 - Efficient display
 - Efficient intersections



H&B Figure 10.46

Subdivision



- How do you make a smooth curve?




Zorin & Schroeder
SIGGRAPH 99
Course Notes

Subdivision Surfaces



- Coarse mesh & subdivision rule
 - Define smooth surface as limit of sequence of refinements




Zorin & Schroeder
SIGGRAPH 99
Course Notes

Key Questions



- How refine mesh?
 - Aim for properties like smoothness
- How store mesh?
 - Aim for efficiency for implementing subdivision rules




Zorin & Schroeder
SIGGRAPH 99
Course Notes

Loop Subdivision Scheme



- How refine mesh?
 - Refine each triangle into 4 triangles by splitting each edge and connecting new vertices
 - Need rules for "even / odd" (white / black) vertices




Zorin & Schroeder
SIGGRAPH 99
Course Notes

Loop Subdivision Scheme



- How position new vertices?
 - Choose locations for new vertices as weighted average of original vertices in local neighborhood




What if odd vertex only touches one triangle?
What if even vertex does not have degree 6?

Zorin & Schroeder
SIGGRAPH 99
Course Notes

Loop Subdivision Scheme



- Rules for extraordinary vertices and boundaries:



a. Masks for odd vertices

b. Masks for even vertices

Zorin & Schroeder
SIGGRAPH 99
Course Notes

Loop



- How to choose β ?
 - Analyze properties of limit surface
 - Interested in continuity of surface and smoothness
 - Involves calculating eigenvalues of matrices


» Original Loop

$$\beta = \frac{1}{n} \left(\frac{5}{8} - \left(\frac{3}{8} + \frac{1}{4} \cos \frac{2\pi}{n} \right)^2 \right)$$

» Warren

$$\beta = \begin{cases} \frac{3}{8n} & n > 3 \\ \frac{3}{16} & n = 3 \end{cases}$$

Loop Subdivision Scheme





Limit surface has provable smoothness properties!

Zorin & Schroeder
SIGGRAPH 99
Course Notes

Subdivision Schemes



- There are different subdivision schemes
 - Different methods for refining topology
 - Different rules for positioning vertices
 - » Interpolating versus approximating




Face split		
	Triangular meshes	Quad. meshes
Approximating	Loop (C^2)	Catmull-Clark (C^2)
Interpolating	Mod. Butterfly (C^1)	Kobbelt (C^1)

Vertex split	
Doo-Sabin, Midedge (C^1)	Biquartic (C^2)


Zorin & Schroeder, SIGGRAPH 99, Course Notes

Subdivision Schemes



Loop

Butterfly




Catmull-Clark

Doo-Sabin

Zorin & Schroeder
SIGGRAPH 99
Course Notes

Subdivision Schemes



Loop

Butterfly

Catmull-Clark

Doo-Sabin

Zorin & Schroeder
SIGGRAPH 99
Course Notes

Subdivision Surfaces



- Properties:
 - Accurate
 - Concise
 - Intuitive specification
 - Local support
 - Affine invariant
 - Arbitrary topology
 - Guaranteed continuity
 - Natural parameterization
 - Efficient display
 - Efficient intersections




Pixar

Key Questions



- How refine mesh?
 - Aim for properties like smoothness
- **How store mesh?**
 - Aim for efficiency for implementing subdivision rules




Zorin & Schroeder
SIGGRAPH 99
Course Notes

Polygon Meshes





- Mesh Representations
 - Independent faces
 - Vertex and face tables
 - Adjacency lists
 - Winged-Edge



Independent Faces



- Each face lists vertex coordinates
 - Redundant vertices
 - No topology information





FACE TABLE			
F ₁	(x ₁ , y ₁ , z ₁)	(x ₂ , y ₂ , z ₂)	(x ₃ , y ₃ , z ₃)
F ₂	(x ₂ , y ₂ , z ₂)	(x ₄ , y ₄ , z ₄)	(x ₃ , y ₃ , z ₃)
F ₃	(x ₂ , y ₂ , z ₂)	(x ₅ , y ₅ , z ₅)	(x ₄ , y ₄ , z ₄)

Vertex and Face Tables



- Each face lists vertex references
 - Shared vertices
 - Still no topology information





VERTEX TABLE			
V ₁	x ₁	y ₁	z ₁
V ₂	x ₂	y ₂	z ₂
V ₃	x ₃	y ₃	z ₃
V ₄	x ₄	y ₄	z ₄
V ₅	x ₅	y ₅	z ₅

FACE TABLE			
F ₁	V ₁	V ₂	V ₃
F ₂	V ₂	V ₄	V ₃
F ₃	V ₂	V ₅	V ₄

Adjacency Lists




- Store all vertex, edge, and face adjacencies
 - Efficient topology traversal
 - Extra storage



Partial Adjacency Lists




- Can we store only some adjacency relationships and derive others?



Winged Edge




- Adjacency encoded in edges
 - All adjacencies in $O(1)$ time
 - Little extra storage (fixed records)
 - Arbitrary polygons



Winged Edge



- Example:



VERTEX TABLE				
V ₁	X ₁	Y ₁	Z ₁	e ₁
V ₂	X ₂	Y ₂	Z ₂	e ₆
V ₃	X ₃	Y ₃	Z ₃	e ₃
V ₄	X ₄	Y ₄	Z ₄	e ₅
V ₅	X ₅	Y ₅	Z ₅	e ₆


EDGE TABLE									
		11		12		21		22	
e ₁	V ₁	V ₃	F ₁	e ₂	e ₂	e ₄	e ₃		
e ₂	V ₁	V ₂	F ₁	e ₁	e ₁	e ₃	e ₆		
e ₃	V ₂	V ₃	F ₁	F ₂	e ₅	e ₁	e ₄		
e ₄	V ₃	V ₄	F ₂	e ₁	e ₃	e ₇	e ₅		
e ₅	V ₂	V ₄	F ₂	F ₃	e ₃	e ₆	e ₄		
e ₆	V ₂	V ₅	F ₃	e ₅	e ₂	e ₇	e ₇		
e ₇	V ₄	V ₅	F ₃	e ₄	e ₅	e ₆	e ₆		

FACE TABLE	
F ₁	e ₁
F ₂	e ₃
F ₃	e ₅

Triangle Meshes




- Relevant properties:
 - Exactly 3 vertices per face
 - Any number of faces per vertex
- Useful adjacency structure for Loop subdivision:
 - Do not represent edges explicitly
 - Faces store refs to vertices and neighboring faces
 - Vertices store refs to adjacent faces and vertices



Assignment 3




- Interactive editing of subdivision surfaces
 - Loop subdivision scheme
 - Partial adjacency list mesh representation
 - Interactive vertex dragging



Assignment 3




- Edit coarse mesh while display subdivided mesh



Assignment 3



- Store hierarchy of meshes
 - Full triangle mesh at every level
 - Vertices store references to counterparts one level up and one level down
 - Enables efficient re-positioning of mesh vertices after interactive dragging



Summary



- Advantages:
 - Simple method for describing complex surfaces
 - Relatively easy to implement
 - Arbitrary topology
 - Local support
 - Guaranteed continuity
 - Multiresolution
- Difficulties:
 - Intuitive specification
 - Parameterization
 - Intersections

