



2.1 Functions




Introduction to Programming in Java: An Interdisciplinary Approach · Robert Sedgewick and Kevin Wayne · Copyright © 2002–2010 · 2/17/11 9:58 PM

2.1 Functions



A Foundation for Programming



Functions (Static Methods)

Java function.

- Takes zero or more input arguments.
- Returns one output value.
- Side effects (e.g., output to standard draw). more general than mathematical functions

Applications.



- Scientists use mathematical functions to calculate formulas.
- Programmers use functions to build modular programs.
- You use functions for both.

Examples.

- Built-in functions: `Math.random()`, `Math.abs()`, `Integer.parseInt()`.
- Our I/O libraries: `StdIn.readInt()`, `StdDraw.line()`, `StdAudio.play()`.
- User-defined functions: `main()`.

Anatomy of a Java Function


Java functions. Easy to write your own.



5

Flow of Control

Key point. Functions provide a **new way** to control the flow of execution.




6

Flow of Control

Key point. Functions provide a **new way** to control the flow of execution.

What happens when a function is called:

- Control transfers to the function code.
- Argument variables are assigned the values given in the call.
- Function code is executed.
- Return value is assigned in place of the function name in calling code.
- Control transfers back to the calling code.




7

Note. This is known as "pass by value."

Scope

Scope (of a name). The code that can refer to that name.

Ex. A variable's scope is code following the declaration in the block.



8

Best practice: declare variables to limit their scope.

Function Challenge 1a

Q. What happens when you compile and run the following code?

```
public class Cubes1 {  
    public static int cube(int i) {  
        int j = i * i * i;  
        return j;  
    }  
  
    public static void main(String[] args) {  
        int N = Integer.parseInt(args[0]);  
        for (int i = 1; i <= N; i++)  
            StdOut.println(i + " " + cube(i));  
    }  
}
```

```
% javac Cubes1.java  
% java Cubes1 6  
1 1  
2 8  
3 27  
4 64  
5 125  
6 216
```

9

Function Challenge 1b

Q. What happens when you compile and run the following code?

```
public class Cubes2 {  
    public static int cube(int i) {  
        int j = i * i * i;  
        return j;  
    }  
  
    public static void main(String[] args) {  
        int N = Integer.parseInt(args[0]);  
        for (int i = 1; i <= N; i++)  
            StdOut.println(i + " " + cube(i));  
    }  
}
```

10

Function Challenge 1c

Q. What happens when you compile and run the following code?

```
public class Cubes3 {  
    public static int cube(int i) {  
        i = i * i * i;  
    }  
  
    public static void main(String[] args) {  
        int N = Integer.parseInt(args[0]);  
        for (int i = 1; i <= N; i++)  
            StdOut.println(i + " " + cube(i));  
    }  
}
```

11

Function Challenge 1d

Q. What happens when you compile and run the following code?

```
public class Cubes4 {  
    public static int cube(int i) {  
        i = i * i * i;  
        return i;  
    }  
  
    public static void main(String[] args) {  
        int N = Integer.parseInt(args[0]);  
        for (int i = 1; i <= N; i++)  
            StdOut.println(i + " " + cube(i));  
    }  
}
```

12


Function Challenge 1e

Q. What happens when you compile and run the following code?

```
public class Cubes5 {
    public static int cube(int i) {
        return i * i * i;
    }

    public static void main(String[] args) {
        int N = Integer.parseInt(args[0]);
        for (int i = 1; i <= N; i++)
            StdOut.println(i + " " + cube(i));
    }
}
```

Gaussian Distribution




13

Gaussian Distribution


Standard Gaussian distribution.

- "Bell curve."
- Basis of most statistical analysis in social and physical sciences.

Ex. 2000 SAT scores follow a Gaussian distribution with mean $\mu = 1019$, stddev $\sigma = 209$.



$$\phi(x) = \frac{1}{\sqrt{2\pi}} e^{-x^2/2}$$



$$\begin{aligned} \phi(x, \mu, \sigma) &= \frac{1}{\sigma\sqrt{2\pi}} e^{-(x-\mu)^2/2\sigma^2} \\ &= \phi\left(\frac{x-\mu}{\sigma}\right) / \sigma \end{aligned}$$

Java Function for $\phi(x)$

Mathematical functions. Use built-in functions when possible; build your own when not available.

```
public class Gaussian {
    public static double phi(double x) {
        return Math.exp(-x*x / 2) / Math.sqrt(2 * Math.PI);
    }

    public static double phi(double x, double mu, double sigma) {
        return phi((x - mu) / sigma) / sigma;
    }
}
```

$\phi(x) = \frac{1}{\sqrt{2\pi}} e^{-x^2/2}$
 $\phi(x, \mu, \sigma) = \phi\left(\frac{x-\mu}{\sigma}\right) / \sigma$

Overloading. Functions with different signatures are different.

Multiple arguments. Functions can take any number of arguments.

Calling other functions. Functions can call other functions.

library or user-defined


15

16

Gaussian Cumulative Distribution Function

Goal. Compute Gaussian cdf $\Phi(z)$.

Challenge. No "closed form" expression and not in Java library.



$$\begin{aligned}\Phi(z) &= \int_{-\infty}^z \phi(x) dx \\ &= \frac{1}{2} + \phi(z) \left(z + \frac{z^3}{3} + \frac{z^5}{3 \cdot 5} + \frac{z^7}{3 \cdot 5 \cdot 7} + \dots \right)\end{aligned}$$

Taylor series

Bottom line. 1,000 years of mathematical formulas at your fingertips.

17

Java function for $\Phi(z)$

```
public class Gaussian {
    public static double phi(double x)
        // as before

    public static double Phi(double z) {
        if (z < -8.0) return 0.0;
        if (z > 8.0) return 1.0;
        double sum = 0.0, term = z;
        for (int i = 3; sum + term != sum; i += 2) {
            sum = sum + term;
            term = term * z * z / i;
        }
        return 0.5 + sum * phi(z);
    }

    public static double Phi(double z, double mu, double sigma) {
        return Phi((z - mu) / sigma);
    }
}
```

accurate with absolute error less than $8 \cdot 10^{-16}$


$\Phi(z, \mu, \sigma) = \int_{-\infty}^z \phi(z, \mu, \sigma) = \Phi((z-\mu) / \sigma)$

18

SAT Scores

Q. NCAA requires at least 820 for Division I athletes.
What fraction of test takers in 2000 do not qualify?

A. $\Phi(820, 1019, 209) \approx 0.17051$. [approximately 17%]



```
double fraction = Gaussian.Phi(820, 1019, 209);
```

Gaussian Distribution

Q. Why relevant in mathematics?
A. Central limit theorem: under very general conditions, average of a set of random variables tends to the Gaussian distribution.

Q. Why relevant in the sciences?
A. Models a wide range of natural phenomena and random processes.

- Weights of humans, heights of trees in a forest.
- SAT scores, investment returns.

Caveat.

“Everybody believes in the exponential law of errors: the experimenters, because they think it can be proved by mathematics; and the mathematicians, because they believe it has been established by observation.”

— M. Lippman in a letter to H. Poincaré

19

20

Building Functions


Functions enable you to build a new layer of abstraction.

- Takes you beyond pre-packaged libraries.
- You build the tools you need: `Gaussian.phi()`, ...

Process.

- Step 1: identify a useful feature.
- Step 2: implement it.
- Step 3: use it.
- Step 3': re-use it in **any** of your programs.

Digital Audio




21

Crash Course in Sound

Sound. Perception of the **vibration** of molecules in our eardrums.


Concert A. Sine wave, scaled to oscillate at 440Hz.

Other notes. 12 notes on chromatic scale, divided logarithmically.




note	i	frequency
A	0	440.00
A♯ or B♭	1	466.16
B	2	493.88
C	3	523.25
C♯ or D♭	4	554.37
D	5	587.33
D♯ or E♭	6	622.25
E	7	659.26
F	8	698.46
F♯ or G♭	9	739.99
G	10	783.99
G♯ or A♭	11	830.61
A	12	880.00

Notes, numbers, and waves



$$440 \times 2^{i/12}$$

Sampling. Represent curve by sampling it at regular intervals.



$$y(i) = \sin\left(\frac{2\pi \cdot i \cdot 440}{44,100}\right)$$

23

24

Musical Tone Function

Musical tone. Create a music tone of a given frequency and duration.

```
public static double[] tone(double hz, double seconds) {
    int SAMPLE_RATE = 44100;
    int N = (int) (seconds * SAMPLE_RATE);
    double[] a = new double[N+1];
    for (int i = 0; i <= N; i++) {
        a[i] = Math.sin(2 * Math.PI * i * hz / SAMPLE_RATE);
    }
    return a;
}
```

$$y(i) = \sin\left(\frac{2\pi \cdot i \cdot hz}{44,100}\right)$$

Remark. Can use arrays as function return value and/or argument.

Digital Audio in Java

Standard audio. Library for playing digital audio.

<pre>public class StdAudio</pre> <hr/> <pre>void play(String file)</pre> <pre>void play(double[] a)</pre> <pre>void play(double x)</pre> <pre>void save(String file, double[] a)</pre> <pre>double[] read(String file)</pre>	<i>play the given .wav file</i> <i>play the given sound wave</i> <i>play sample for 1/44100 second</i> <i>save to a .wav file</i> <i>read from a .wav file</i>
--	--

Concert A. Play concert A for 1.5 seconds using `StdAudio`.

```
double[] a = tone(440, 1.5);
StdAudio.play(a);
```


library developed
for this course
(also broadly useful)



Harmonics

Concert A with harmonics. Obtain richer sound by adding tones one octave above and below concert A.

880 Hz 220 Hz 440 Hz



`lo = tone(220, .0041);
lo[44] = .982`

`hi = tone(880, .0041);
hi[44] = -.693`

`h = sum(hi, lo, .5, .5);
h[44] = .5*lo[44]+.5*hi[44];
= .5*.982 - .5*-.693 = .144`

`A = tone(440, .0041);
A[44] = .374`

`sum(A, h, .5, .5);
A[44] + h[44] = .5*.144 + .5*.374
= .259`

Harmonics

```
public class PlayThatTuneDeluxe {

    // return weighted sum of two arrays
    public static double[] sum(double[] a, double[] b, double awt, double bwt) {
        double[] c = new double[a.length];
        for (int i = 0; i < a.length; i++)
            c[i] = a[i]*awt + b[i]*bwt;
        return c;
    }

    // return a note of given pitch and duration
    public static double[] note(int pitch, double duration) {
        double hz = 440.0 * Math.pow(2, pitch / 12.0);
        double[] a = tone(1.0 * hz, duration);
        double[] hi = tone(2.0 * hz, duration);
        double[] lo = tone(0.5 * hz, duration);
        double[] h = sum(hi, lo, .5, .5);
        return sum(a, h, .5, .5);
    }

    public static double[] tone(double hz, double t)
        // see previous slide

    public static void main(String[] args)
        // see next slide
    }
}
```

Harmonics


Play that tune. Read in pitches and durations from standard input, and play using standard audio.

```
public static void main(String[] args) {
    while (!StdIn.isEmpty()) {
        int pitch = StdIn.readInt();
        double duration = StdIn.readDouble();
        double[] a = note(pitch, duration);
        StdAudio.play(a);
    }
}
```

```
% more elise.txt      % java PlayThatTune < elise.txt
7 .125
6 .125
7 .125
6 .125
7 .125
2 .125
5 .125
3 .125
0 .25
```




29




30

Libraries

2.2 Libraries and Clients



Library. A module whose methods are primarily intended for use by many other programs.




Client. Program that calls a library.

API. Contract between client and implementation.

Implementation. Program that implements the methods in an API.

Random Numbers

“ The generation of random numbers is far too important to leave to chance. Anyone who considers arithmetical methods of producing random digits is, of course, in a state of sin. ”



Jon von Neumann (left), ENIAC (right)

Standard random. Our library to generate pseudo-random numbers.

```
public class StdRandom
    int uniform(int N)           integer between 0 and N-1
    double uniform(double lo, double hi) real between lo and hi
    boolean bernoulli(double p)   true with probability p
    double gaussian()           normal, mean 0, standard deviation 1
    double gaussian(double m, double s) normal, mean m, standard deviation s
    int discrete(double[] a)     i with probability a[i]
    void shuffle(double[] a)     randomly shuffle the array a[]
```

```
int getRandomNumber()
{
    return 4; // chosen by fair dice roll.
              // guaranteed to be random.
}
```

Standard Random

```
public class StdRandom {
    // between a and b
    public static double uniform(double a, double b) {
        return a + Math.random() * (b-a);
    }

    // between 0 and N-1
    public static int uniform(int N) {
        return (int) (Math.random() * N);
    }

    // true with probability p
    public static boolean bernoulli(double p) {
        return Math.random() < p;
    }

    // gaussian with mean = 0, stddev = 1
    public static double gaussian()
        /* see Exercise 1.2.27 */

    // gaussian with given mean and stddev
    public static double gaussian(double mean, double stddev) {
        return mean + (stddev * gaussian());
    }

    ...
}
```

Unit Testing

Unit test. Include `main()` to test each library.

```
public class StdRandom {
    ...

    public static void main(String[] args) {
        int N = Integer.parseInt(args[0]);
        for (int i = 0; i < N; i++) {
            StdOut.printf(" %2d ", uniform(100));
            StdOut.printf(" %8.5f ", uniform(10.0, 99.0));
            StdOut.printf(" %5b ", bernoulli(.5));
            StdOut.printf(" %7.5f ", gaussian(9.0, .2));
            StdOut.println();
        }
    }
}
```

```
% java StdRandom 5
61 21.76541  true 9.30910
57 43.64327 false 9.42369
31 30.86201  true 9.06366
92 39.59314  true 9.00896
36 28.27256  false 8.66800
```

Using a Library

```
public class RandomPoints {  
    public static void main(String args[]) {  
        int N = Integer.parseInt(args[0]);  
        for (int i = 0; i < N; i++) {  
            double x = StdRandom.gaussian(0.5, 0.2);  
            double y = StdRandom.gaussian(0.5, 0.2);  
            StdDraw.point(x, y);  
        }  
    }  
}  
  
% javac RandomPoints.java  
% java RandomPoints 10000
```

7

Standard Statistics


Ex. Library to compute statistics on an array of real numbers.

public class StdStats	
double max(double[] a)	<i>largest value</i>
double min(double[] a)	<i>smallest value</i>
double mean(double[] a)	<i>average</i>
double var(double[] a)	<i>sample variance</i>
double stddev(double[] a)	<i>sample standard deviation</i>
double median(double[] a)	<i>median</i>
void plotPoints(double[] a)	<i>plot points at (i, a[i])</i>
void plotLines(double[] a)	<i>plot lines connecting points at (i, a[i])</i>
void plotBars(double[] a)	<i>plot bars to points at (i, a[i])</i>

$$\mu = \frac{a_0 + a_1 + \cdots + a_{n-1}}{n}, \quad \sigma^2 = \frac{(a_0 - \mu)^2 + (a_1 - \mu)^2 + \cdots + (a_{n-1} - \mu)^2}{n-1}$$

mean *sample variance*

Statistics



Standard Statistics

Ex. Library to compute statistics on an array of real numbers.

```
public class StdStats {  
  
    public static double max(double[] a) {  
        double max = Double.NEGATIVE_INFINITY;  
        for (int i = 0; i < a.length; i++)  
            if (a[i] > max) max = a[i];  
        return max;  
    }  
  
    public static double mean(double[] a) {  
        double sum = 0.0;  
        for (int i = 0; i < a.length; i++)  
            sum = sum + a[i];  
        return sum / a.length;  
    }  
  
    public static double stddev(double[] a)  
        // see text  
    }  
}
```

Modular Programming



Bernoulli Trials

```

public class Bernoulli {
    public static int binomial(int N) {
        int heads = 0;
        for (int j = 0; j < N; j++)
            if (StdRandom.bernoulli(0.5)) heads++;
        return heads;
    }

    public static void main(String[] args) {
        int N = Integer.parseInt(args[0]);
        int T = Integer.parseInt(args[1]);

        int[] freq = new int[N+1];
        for (int i = 0; i < T; i++)
            freq[binomial(N)]++;

        double[] normalized = new double[N+1];
        for (int i = 0; i <= N; i++)
            normalized[i] = (double) freq[i] / T;
        StdStats.plotBars(normalized);

        double mean = N / 2.0, stddev = Math.sqrt(N) / 2.0;
        double[] phi = new double[N+1];
        for (int i = 0; i <= N; i++)
            phi[i] = Gaussian.phi(i, mean, stddev);
        StdStats.plotLines(phi);
    }
}

```

flip N fair coins; return # heads

perform T trials of N coin flips each

plot histogram of number of heads


theoretical prediction

Modular programming.

- Divide program into self-contained pieces.
- Test each piece individually.
- Combine pieces to make program.

Ex. Flip N coins. How many heads?


- Read arguments from user.
- Flip one fair coin.
- Flip N fair coins and count number of heads.
- Repeat simulation, counting number of times each outcome occurs.
- Plot histogram of empirical results.
- Compare with theoretical predictions.



12

Dependency Graph

Modular programming. Build relatively complicated program by combining several small, independent, modules.



Libraries

Why use libraries?

- Makes code easier to understand.
- Makes code easier to debug.
- Makes code easier to maintain and improve.
- Makes code easier to reuse.