

Princeton University

COS 217: Introduction to Programming Systems

GDB Reference and Tutorial

Part 1: Reference

gcc217 -g ... -o program Build with debugging information
 gdb [-d sourcefiledir] [-d sourcefiledir] ... program [corefile] Run GDB from a shell
 ESc x gdb [-d sourcefiledir] [-d sourcefiledir] ... program [corefile] Run GDB within Emacs

Miscellaneous	
quit	Exit GDB.
directory [dir1] [dir2] ...	Add directories <i>dir1</i> , <i>dir2</i> , ... to the list of directories searched for source files, or clear the directory list.
help [cmd]	Print a description of command <i>cmd</i> .

Listing the Source Code (or run within Emacs)	
list [[file:]linenum1[-linenum2]]	Print the source code lines numbered <i>linenum1</i> to <i>linenum2</i> in file <i>file</i> .
list [[file:]fn:][linenum1[-linenum2]]	Print the source code lines numbered <i>linenum1</i> to <i>linenum2</i> in function <i>fn</i> in file <i>file</i> .

Running the Program	
run [arg1][arg2] ...	Run the program with command-line arguments <i>arg1</i> , <i>arg2</i> , ...
set args arg1 arg2 ...	Set the program's command-line arguments to <i>arg1</i> , <i>arg2</i> , ...
show args	Print the program's command-line arguments.

Using Breakpoints	
info breakpoints	Print a list of all breakpoints.
break [file:]linenum	Set a breakpoint at line <i>linenum</i> in file <i>file</i> .
break [file:]fn	Set a breakpoint at the beginning of function <i>fn</i> in file <i>file</i> .
condition bnum expr	Break at breakpoint <i>bnum</i> only if expression <i>expr</i> is non-zero (TRUE).
commands [bnum] cmds	Execute commands <i>cmds</i> whenever breakpoint <i>bnum</i> is hit.
continue	Continue executing the program.
kill	Stop executing the program.
delete [bnum1][,bnum2]...	Delete breakpoints <i>bnum1</i> , <i>bnum2</i> , ..., or all breakpoints.
clear [[file:]linenum]	Clear the breakpoint at <i>linenum</i> in file <i>file</i> , or the current breakpoint.
clear [[file:]fn]	Clear the breakpoint at the beginning of function <i>fn</i> in file <i>file</i> , or the current breakpoint.
disable [bnum1][,bnum2]...	Disable breakpoints <i>bnum1</i> , <i>bnum2</i> , ..., or all breakpoints.
enable [bnum1][,bnum2]...	Enable breakpoints <i>bnum1</i> , <i>bnum2</i> , ..., or all breakpoints.

Stepping through the Program	
next	"Step over" the next line of the program.
step	"Step into" the next line of the program.
finish	"Step out" of the current function.

Examining Variables	
print expr	Print the value of expression <i>expr</i> .
print [file::]var	Print the value of variable <i>var</i> as defined in file <i>file</i> . (<i>File</i> is used to resolve static variables.)
print [function::]var	Print the value of variable <i>var</i> as defined in function <i>function</i> . (<i>Function</i> is used to resolve static variables.)
printf format, expr1, expr2, ...	Print the values expressions <i>expr1</i> , <i>expr2</i> , ... using the specified <i>format</i> string.
whatis var	Print the type of variable <i>var</i> .
ptype t	Print the definition of type <i>t</i> .
info display	Print the display list.
display expr	At each break, print the value of expression <i>expr</i> .
undisplay displaynum	Remove <i>displaynum</i> from the display list.

Examining the Call Stack	
where	Print the call stack.
backtrace	Print the call stack.
frame	Print the top of the call stack.
up	Move the context toward the bottom of the call stack.
down	Move the context toward the top of the call stack.

Working with Signals	
info signals	Print a list of all signals that the operating system makes available.
handle <i>sig</i> <i>action1</i> [<i>action2</i> ...]	When GDB receives signal <i>sig</i> , it should perform actions <i>action1</i> , <i>action2</i> , ... Valid actions are nostop, stop, print, noprint, pass, and nopass.
signal <i>sig</i>	Send the program signal <i>sig</i> .

Part 2: Tutorial

This tutorial describes how to use a minimal subset of the GDB debugger. See the summary sheet distributed in precept for more information. Also see Chapter 6 of our *Programming with GNU Software* (Loukides & Oram) textbook.

The tutorial assumes that you've created files named `testintmath.c`, `intmath.h`, and `intmath.c` in your working directory, containing the (version 4) program recently discussed in precepts. Those files are available through the course "Schedule" Web page.

Introduction

Suppose you're developing the `testintmath` (version 4) program. Further suppose that the program preprocesses, compiles, assembles, and links cleanly, but is producing incorrect results at runtime. What can you do to debug the program?

One approach is temporarily to insert calls to `printf(...)` or `fprintf(stderr, ...)` throughout the code to get a sense of the flow of control and the values of variables at critical points. That's fine, but often is inconvenient.

An alternative is to use GDB. GDB is a powerful debugger. It allows you to set breakpoints in your code, step through your executing program one line at a time, examine the values of variables at breakpoints, examine the function call stack, etc.

Building for GDB

To prepare to use GDB, build your program with the `-g` option:

```
$ gcc217 -g testintmath.c intmath.c -o testintmath
```

Doing so places extra information into the `testintmath` file that GDB uses.

Running GDB

The next step is to run GDB. You can run GDB directly from the shell, but it's much handier to run it from within Emacs. So launch Emacs, with no command-line arguments:

```
$ emacs
```

Now call the Emacs "gdb" function via these keystrokes:

```
<Esc key> x gdb <Enter key> testintmath <Enter key>
```

At this point you're executing GDB from within Emacs. GDB is displaying its (gdb) prompt.

Running your Program

Issue the "run" command to run the program:

```
(gdb) run
```

Enter 8 as the first integer, and 12 as the second integer. GDB runs the program to completion, indicating that the "Program exited normally." Incidentally, file redirection is specified as part of the "run" command. For example, the command "run < *somefile*" runs the program, redirecting standard input to *somefile*.

Using Breakpoints

Set a breakpoint at the beginnings of some functions using the "break" command:

```
(gdb) break main
(gdb) break IntMath_gcd
```

(Incidentally, another way to set a breakpoint is by specifying a file name and line number separated by a colon, for example, "break intmath.c:20".) Run the program:

```
(gdb) run
```

GDB pauses execution near the beginning of main(). It opens a second window in which it displays your source code, with the about-to-be-executed line of code highlighted.

Issue the "continue" command to tell command GDB to continue execution past the breakpoint:

```
(gdb) continue
```

GDB continues past the breakpoint at the beginning of main(), and execution is paused at a scanf(). Enter 8 as the first number. Execution is paused at the second scanf(). Enter 12 as the second number. GDB is paused at the beginning of IntMath_gcd().

Then issue another "continue" command:

```
(gdb) continue
```

Note that GDB is paused, again, at the beginning of IntMath_gcd(). (Recall the IntMath_gcd() is called twice: once by main(), and once by IntMath_lcm().)

While paused at a breakpoint, issue the "kill" command to stop execution:

```
(gdb) kill
```

Type "y" to confirm that you want GDB to stop execution.

Issue the "clear" command to get rid of a breakpoint:

```
(gdb) clear IntMath_gcd
```

At this point only one breakpoint remains: the one at the beginning of main().

Stepping through the Program

Run the program again:

```
(gdb) run
```

Execution pauses at the beginning of main(). Issue the "next" command to execute the next line of your program:

```
(gdb) next
```

Continue issuing the "next" command repeatedly until the program ends.

Run the program again:

```
(gdb) run
```

Execution pauses at the beginning of main(). Issue the "step" command to execute the next line of your program:

```
(gdb) step
```

Continue issuing the "step" command repeatedly until the program ends. Is the difference between "next" and "step" clear? The "next" command tells GDB to execute the next line, while staying at the same function call level. In contrast, the "step" command tells GDB to step into a called function.

Examining Variables

Set a breakpoint at the beginning of IntMath_gcd():

```
(gdb) break IntMath_gcd
```

Run the program until execution reaches that breakpoint:

```
(gdb) run  
(gdb) continue
```

Now issue the "print" command to examine the values of the parameters of IntMath_gcd():

```
(gdb) print iFirst  
(gdb) print iSecond
```

In general, when paused at a breakpoint you can issue the "print" command to examine the value of any expression containing variables that are in scope.

Examining the Call Stack

While paused at `IntMath_gcd()`, issue the "where" command:

```
(gdb) where
```

In response, GDB displays a call stack trace. Reading the output from bottom to top gives you a trace from a specific line of the `main()` function, through specific lines of intermediate functions, to the about-to-be-executed line.

The "where" command is particularly useful when your program is crashing via a "segmentation fault" error at runtime. When that occurs, try to make the error occur within GDB. Then, after the program has crashed, issue the "where" command. Doing so will give you a good idea of which line of your code is causing the error.

Quitting GDB

Issue the "quit" command to quit GDB:

```
(gdb) quit
```

Then, as usual, type:

```
<Ctrl-x> <Ctrl-c>
```

to exit Emacs.

Command Abbreviations

The most commonly used GDB commands have one-letter abbreviations (r, b, c, n, s, p). Also, pressing the Enter key without typing a command tells GDB to reissue the previous command.