



## 2.1, 2.2 Functions and Libraries



any program you might want to write



3

### Functions (Static Methods)

#### Java function.

- Takes zero or more input arguments.
- Returns zero or one output value.
- May cause **side effects** (e.g., output to standard draw).

more general than mathematical functions

#### Applications.



- Scientists use mathematical functions to calculate formulas.
- Programmers use functions to build modular programs.
- You** use functions for both.

#### Examples.

- Built-in functions: `Math.random()`, `Math.abs()`, `Integer.parseInt()`.
- Our I/O libraries: `StdIn.readInt()`, `StdDraw.line()`, `StdAudio.play()`.
- User-defined functions: `main()`.

### Anatomy of a Java Function

Java functions. Easy to write your own.



4

5

## Mumbojumbo Demystification, Part 2

```
public class Gambler {  
    public static void main(String[] args) {  
        int stake = Integer.parseInt(args[0]);  
        int goal = Integer.parseInt(args[1]);  
        int trials = Integer.parseInt(args[2]);  
        . . .  
        . . .  
    }  
}
```

6

## Flow of Control

**Key point.** Functions provide a **new way** to control the flow of execution.

```
public class Newton  
{  
    public static double sqrt(double c)  
    {  
        double epsilon = 1e-15;  
        if (c < 0) return Double.NaN;  
        double t = c;  
        while (Math.abs(t - c/t) > epsilon * t)  
            t = (c/t + t) / 2.0;  
        return t;  
    }  
  
    public static void main(String[] args)  
    {  
        double[] a = new double[args.length];  
        for (int i = 0; i < args.length; i++)  
            a[i] = Double.parseDouble(args[i]);  
        for (int i = 0; i < a.length; i++)  
        {  
            double x = sqrt(a[i]);  
            StdOut.println(x);  
        }  
    }  
}
```

8

## Flow of Control

**Key point.** Functions provide a **new way** to control the flow of execution.

Summary of what happens when a function is called:

- Control transfers to the function code.
- Argument variables are assigned the values given in the call.
- Function code is executed.
- Return value is assigned in place of the function name in the calling code.
- Control transfers back to the calling code.

**Note.** This technique (standard in Java) is known as "pass by value".

other languages may use different methods

9


## Scope

**Scope (of a name).** The code that can refer to that name.

**Def.** A variable's scope is code following the declaration in its block.

```
public class Newton  
{  
    public static double sqrt(double c)  
    {  
        double epsilon = 1e-15;  
        if (c < 0) return Double.NaN;  
        double t = c;  
        while (Math.abs(t - c/t) > epsilon * t)  
            t = (c/t + t) / 2.0;  
        return t;  
    }  
  
    public static void main(String[] args)  
    {  
        double[] a = new double[args.length];  
        for (int i = 0; i < args.length; i++)  
            a[i] = Double.parseDouble(args[i]);  
        for (int i = 0; i < a.length; i++)  
            System.out.println(sqrt(a[i]));  
    }  
}
```

two different variables with the same name `i`, each with two lines of scope



**Best practice:** declare variables so as to **limit** their scope.

10

## Function Call Trace (demo)

```
public class Newton
{
    public static double sqrt(double c)
    {
        double epsilon = 1e-15;
        if (c < 0) return Double.NaN;
        double t = c;
        while (Math.abs(t - c/t) > epsilon * t)
            t = (c/t + t) / 2.0;
        return t;
    }

    public static void main(String[] args)
    {
        double[] a = new double[args.length];
        for (int i = 0; i < args.length; i++)
            a[i] = Double.parseDouble(args[i]);
        for (int i = 0; i < a.length; i++)
            System.out.println(sqrt(a[i]));
    }
}
```

11

Java Visualizer  
(beta: report a bug)

Frames

Objects

sqrt:9

c	2.0
epsilon	1.0E-15
t	1.414213562373095
Return value	1.414213562373095

main:17

args	
a	
i	1

array

0	"1"	1	"2"	2	"3"
1.0	2.0	3.0			

array

0	1	2
1.0	2.0	3.0

line that has just executed [next line to execute](#)

Program output:

1.0

[Edit code](#)

<< First | < Back | Step 49 of 79 | Forward > | Last >>

## Functions Challenge 1

What happens when you compile and run the following code?

```
public class Cubes1
{
    public static int cube(int i)
    {
        int j = i * i * i;
        return j;
    }

    public static void main(String[] args)
    {
        int N = Integer.parseInt(args[0]);
        for (int i = 1; i <= N; i++)
            StdOut.println(i + " " + cube(i));
    }
}
```

49

## Functions Challenge 2

What happens when you compile and run the following code?

```
public class Cubes2
{
    public static int cube(int i)
    {
        int i = i * i * i;
        return i;
    }

    public static void main(String[] args)
    {
        int N = Integer.parseInt(args[0]);
        for (int i = 1; i <= N; i++)
            StdOut.println(i + " " + cube(i));
    }
}
```

51

### Functions Challenge 3

What happens when you compile and run the following code?

```
public class Cubes3
{
    public static int cube(int i)
    {
        i = i * i * i;
    }
    public static void main(String[] args)
    {
        int N = Integer.parseInt(args[0]);
        for (int i = 1; i <= N; i++)
            StdOut.println(i + " " + cube(i));
    }
}
```

53

### Functions Challenge 4

What happens when you compile and run the following code?

```
public class Cubes4
{
    public static int cube(int i)
    {
        i = i * i * i;
        return i;
    }
    public static void main(String[] args)
    {
        int N = Integer.parseInt(args[0]);
        for (int i = 1; i <= N; i++)
            StdOut.println(i + " " + cube(i));
    }
}
```

55

### Functions Challenge 5

What happens when you compile and run the following code?

```
public class Cubes5
{
    public static int cube(int i)
    {
        return i * i * i;
    }
    public static void main(String[] args)
    {
        int N = Integer.parseInt(args[0]);
        for (int i = 1; i <= N; i++)
            StdOut.println(i + " " + cube(i));
    }
}
```

57

### Example: Gaussian Distribution




## Gaussian Distribution

Standard Gaussian distribution.


- "Bell curve."
- Basis of most statistical analysis in social and physical sciences.

**Ex.** 2000 SAT scores follow a Gaussian distribution with

mean  $\mu = 1019$ , stddev  $\sigma = 209$ .



$$\phi(x) = \frac{1}{\sqrt{2\pi}} e^{-x^2/2}$$




$$\begin{aligned}\phi(x, \mu, \sigma) &= \frac{1}{\sigma\sqrt{2\pi}} e^{-(x-\mu)^2/2\sigma^2} \\ &= \phi\left(\frac{x-\mu}{\sigma}\right) / \sigma\end{aligned}$$

60

## Gaussian Cumulative Distribution Function

**Goal.** Compute Gaussian cdf  $\Phi(z)$ .

**Challenge.** No "closed form" expression and not in Java library.



$$\begin{aligned}\Phi(z) &= \int_{-\infty}^z \phi(x) dx \\ &= \frac{1}{2} + \phi(z) \left( z + \frac{z^3}{3} + \frac{z^5}{3 \cdot 5} + \frac{z^7}{3 \cdot 5 \cdot 7} + \dots \right)\end{aligned}$$

**Bottom line.** 1,000 years of mathematical formulas at your fingertips.

62

## Java Function for $\phi(x)$

**Mathematical functions.** Use built-in functions when possible; build your own when not available.

```
public class Gaussian
{
    public static double phi(double x)
    {
        return Math.exp(-x*x / 2) / Math.sqrt(2 * Math.PI);
    }

    public static double phi(double x, double mu, double sigma)
    {
        return phi((x - mu) / sigma) / sigma;
    }
}
```

$\phi(x, \mu, \sigma) = \phi\left(\frac{x-\mu}{\sigma}\right) / \sigma$

**Overloading.** Functions with different signatures are different.

**Multiple arguments.** Functions can take any number of arguments.

**Calling other functions.** Functions can call other functions.

library or  
user-defined

61

## Java function for $\Phi(z)$

```
public class Gaussian
{
    public static double phi(double x)
    // as before

    public static double Phi(double z)
    {
        if (z < -8.0) return 0.0;
        if (z > 8.0) return 1.0;
        double sum = 0.0, term = z;
        for (int i = 3; sum + term != sum; i += 2) {
            sum = sum + term;
            term = term * z * z / i;
        }
        return 0.5 + sum * phi(z);           accurate with absolute error
                                            less than  $8 \times 10^{-16}$ 
    }

    public static double Phi(double z, double mu, double sigma)
    {
        return Phi((z - mu) / sigma);
    }
}
```


$\Phi(z, \mu, \sigma) = \int_{-\infty}^z \phi(z, \mu, \sigma) = \Phi((z-\mu) / \sigma)$

63

## SAT Scores

**Q.** NCAA requires at least 820 for Division I athletes.  
What fraction of test takers in 2000 did not qualify?

**A.**  $\Phi(820, \mu, \sigma) \approx 0.17051$ . [approximately 17%]



```
double fraction = Gaussian.Phi(820, 1019, 209);
```

64

## Gaussian Distribution

**Q.** Why relevant in mathematics?

**A.** Central limit theorem: under very general conditions, average of a set of variables tends to the Gaussian distribution.

**Q.** Why relevant in the sciences?

**A.** Models a wide range of natural phenomena and random processes.

- Weights of humans, heights of trees in a forest.
- SAT scores, investment returns.

Caveat.

Everybody believes in the exponential law of errors: the experimenters, because they think it can be proved by mathematics; and the mathematicians, because they believe it has been established by observation. - M. Lippman in a letter to H. Poincaré

65


## Libraries

**Library.** A module (**class**) whose methods are primarily intended for use by many other programs.

**Client.** Program that calls library method(s).

**API.** Contract between client and implementation.

**Implementation.** Program that implements the methods of an API (i.e., contains the code).



66

## Libraries

**Why use libraries?**


- Makes code easier to understand.
- Makes code easier to debug.
- Makes code easier to maintain and improve.
- Makes code easier to reuse.

67

## Digital Audio

### Digital Audio

**Sampling.** Represent curve by sampling it at regular intervals.



70


## Crash Course in Sound

**Sound.** Perception of the **vibration** of molecules in our eardrums.

**Concert A.** Sine wave, scaled to oscillate at 440Hz.

**Other notes.** 12 notes on chromatic scale, divided logarithmically.

note	i	frequency
A	0	440.00
A# or B <sub>b</sub>	1	466.16
B	2	493.88
C	3	523.25
C# or D <sub>b</sub>	4	554.37
D	5	587.33
D# or E <sub>b</sub>	6	622.25
E	7	659.26
F	8	698.46
F# or G <sub>b</sub>	9	739.99
G	10	783.99
G# or A <sub>b</sub>	11	830.61
A	12	880.00



Notes, numbers, and waves

69

### Warmup: Musical Tone

**Musical tone.** Create a music tone of a given frequency and duration.

```
public class Tone
{
    public static void main(String[] args)
    {
        int sps = 44100;
        double hz      = Double.parseDouble(args[0]);
        double duration = Double.parseDouble(args[1]);
        int N = (int) (sps * duration);
        double[] a = new double[N+1];
        for (int i = 0; i <= N; i++)
            a[i] = Math.sin(2 * Math.PI * i * hz / sps);
        StdAudio.play(a);
    }
}
```

$$y(i) = \sin\left(\frac{2\pi \cdot i \cdot hz}{44,100}\right)$$

```
% java Tone 440 1.5
[ concert A for 1.5 seconds]
```



71

## Play That Tune

**Goal.** Play pitches and durations from standard input on standard audio.

```
public class PlayThatTune
{
    public static void main(String[] args)
    {
        int sps = 44100;
        while (!StdIn.isEmpty())
        {
            int pitch = StdIn.readInt();
            double duration = StdIn.readDouble();
            double hz = 440 * Math.pow(2, pitch / 12.0);
            int N = (int) (sps * duration);
            double[] a = new double[N+1];
            for (int i = 0; i <= N; i++)
                a[i] = Math.sin(2 * Math.PI * i * hz / sps);
            StdAudio.play(a);
        }
    }
}
```

```
% more elise.txt
7 .125
6 .125
7 .125
6 .125
7 .125
2 .125
5 .125
3 .125
0 .25
...
```

```
% java PlayThatTune < elise.txt
```



72

## Musical Tone Function

**Musical tone.** Create a music tone of a given frequency and duration.

```
public static double[] tone(double hz, double seconds)
{
    int SAMPLE_RATE = 44100;
    int N = (int) (seconds * SAMPLE_RATE);
    double[] a = new double[N+1];
    for (int i = 0; i <= N; i++)
        a[i] = Math.sin(2 * Math.PI * i * hz / SAMPLE_RATE);
    return a;
}
```

$$y(i) = \sin\left(\frac{2\pi \cdot i \cdot hz}{44,100}\right)$$

**Remark.** Can use arrays as function return value and/or argument.

73

## Digital Audio in Java

**Standard audio.** Library for playing digital audio.

public class StdAudio	
void play(String file)	play the given .wav file
void play(double[] a)	play the given sound wave
void play(double x)	play sample for 1/44100 second
void save(String file, double[] a)	save to a .wav file
double[] read(String file)	read from a .wav file

**Concert A.** Play concert A for 1.5 seconds using stdAudio.

```
double[] a = tone(440, 1.5);
StdAudio.play(a);
```



library developed  
for this course  
(also broadly useful)




**Remark.** Java arrays passed "by reference" (no copy made).

74


## Harmonics

**Concert A with harmonics.** Obtain richer sound by adding tones one octave above and below concert A.

880 Hz      220 Hz      440 Hz



lo = tone(220, .0041);  
lo[44] = .982




hi = tone(880, .0041);  
hi[44] = -.693



h = sum(hi, lo, .5, .5);
h[44] = .5\*lo[44]+.5\*hi[44];
=.5\*.982 - .5\*-.693 = .144



A = tone(440, .0041);
A[44] = .374



sum(A, h, .5, .5);
A[44] + h[44] = .5\*.144 + .5\*.374
= .259

75

## Harmonics

```

public class PlayThatTuneDeluxe           // improved version with Harmonics
{
    // Return weighted sum of two arrays.
    public static double[] sum(double[] a, double[] b, double awt, double bwt) {
        double[] c = new double[a.length];
        for (int i = 0; i < a.length; i++)
            c[i] = a[i]*awt + b[i]*bwt;
        return c;
    }


    // Return a note of given pitch and duration.
    public static double[] note(int pitch, double duration) {
        double hz = 440.0 * Math.pow(2, pitch / 12.0);
        double[] a = tone(1.0 * hz, duration);
        double[] hi = tone(2.0 * hz, duration);
        double[] lo = tone(0.5 * hz, duration);
        double[] h = sum(hi, lo, .5, .5);
        return sum(a, h, .5, .5);
    }

    public static double[] tone(double hz, double t)
        // see previous slide

    public static void main(String[] args)
        // see next slide
}

```

76



78

## Harmonics

[Play that tune \(deluxe version\)](#). Read in pitches and durations from standard input, and play using standard audio.

```

public static void main(String[] args)
{
    while (!StdIn.isEmpty())
    {
        int pitch = StdIn.readInt();
        double duration = StdIn.readDouble();
        double[] a = note(pitch, duration);
        StdAudio.play(a);
    }
}

```

% more elise.txt % java PlayThatTune < elise.txt

```

7 .125
6 .125
7 .125
6 .125
7 .125
2 .125
5 .125
3 .125
0 .25

```



77