




COS 217: Introduction to Programming Systems

1

Goals for Today's Class



- **Course overview**
 - Introductions
 - Course goals
 - Resources
 - Grading
 - Policies
- **Getting started with C**
 - C programming language overview



2

Introductions



- **Instructor-of-Record**
 - Vivek Pai, Ph.D. (Professor)
 - vivek@cs.princeton.edu
- **Preceptors (in alphabetical order)**
 - Robert Dondero, Ph.D. (Lead Preceptor)
 - rdondero@cs.princeton.edu
 - Iasonas Petras, Ph.D. (Lead Preceptor)
 - ipetras@cs.princeton.edu
 - Margo Flynn
 - margof@princeton.edu
 - Akshay Mittal
 - akshay@princeton.edu




3

Course Goal 1: “Programming in the Large”



- **Goal 1: “Programming in the large”**
 - Help you learn how to write large computer programs
- **Specifically, help you learn how to:**
 - Write modular code
 - Hide information
 - Manage resources
 - Handle errors
 - Write portable code
 - Test and debug your code
 - Improve your code’s performance (and when to do so)
 - Use tools to support those activities




4

Course Goal 2: “Under the Hood”



- Goal 2: “Look under the hood”
 - Help you learn what happens “under the hood” of computer systems
- Specifically, two downward tours



- Goal 2 supports Goal 1
 - Reveals many examples of effective abstractions

5

Course Goals: Why C?



- Q: Why C instead of Java?
- A: C supports Goal 1 better
 - C is a lower-level language
 - C provides more opportunities to create abstractions
 - C has some flaws
 - C’s flaws motivate discussions of software engineering principles
- A: C supports Goal 2 better
 - C facilitates language levels tour
 - C is closely related to assembly language
 - C facilitates service levels tour
 - Linux is written in C

6

Course Goals: Why Linux?



- Q: Why Linux instead of Microsoft Windows?
- A: Linux is good for education and research
 - Linux is open-source and well-specified
- A: Linux is good for programming
 - Linux is a variant of Unix
 - Unix has GNU, a rich open-source programming environment

7

Resources: Lectures and Precepts



- Lectures
 - Describe concepts at a high level
 - Slides available online at course Web site
 - Stronger influence on **exams**
- Precepts
 - Support lectures by describing concepts at a lower level
 - Support your work on assignments
 - Builds practically on a **subset** of information
- Important: Precepts begin **TODAY**

8

Precept Etiquette



- Attend **YOUR** precept
 - 130 students in one precept is bad
- Want to **CHANGE** precepts?
 - Ask Collen Kenny-McGinley (2nd floor)
 - But she can't move you into a **FULL** precept

9

Resources: Website and Listserv



- **Website**
 - Access from <http://www.cs.princeton.edu>
 - Academics → Course Schedule → COS 217
- **Piazza**
 - <http://piazza.com/class#spring2014/cos217/>
 - Instructions provided in first precept

10

Resources: Books



- Required book
 - *C Programming: A Modern Approach (Second Edition)*, King, 2008.
 - Covers the C programming language and standard libraries
- Highly recommended books
 - *The Practice of Programming*, Kernighan and Pike, 1999.
 - Covers “programming in the large”
 - (Required for COS 333)
 - *Computer Systems: A Programmer's Perspective (Second Edition)*, Bryant and O'Hallaron, 2010.
 - Covers “under the hood”
 - Some key sections are on electronic reserve
 - First edition is sufficient
 - *Programming with GNU Software*, Loukides and Oram, 1997.
 - Covers tools
- *All books are on reserve in Engineering Library*

11

Resources: Manuals




- Manuals (for reference only, available online)
 - *IA32 Intel Architecture Software Developer's Manual, Volumes 1-3*
 - *Tool Interface Standard & Executable and Linking Format*
 - *Using as, the GNU Assembler*
- See also
 - Linux **man** command
 - **man** is short for “manual”
 - For more help, type **man man**

12

Resources: Programming Environment




• Option 1



Resources: Programming Environment



• Option 2



Resources: Programming Environment



- **Other options**
 - Use your own PC/Mac/Linux computer; run GNU tools locally; run your programs locally
 - Use your own PC/Mac/Linux computer; run a non-GNU development environment locally; run your programs locally
 - Etc.
- **Notes**
 - Other options cannot be used for some assignments (esp. timing studies)
 - Instructors cannot promise support of other options
 - Strong recommendation: Use Option 1 or 2 for **all** assignments
 - First precept provides setup instructions

15

Grading



- **Seven programming assignments (30%)**
 - Working code
 - Clean, readable, maintainable code
 - On time (penalties for late submission)
 - Final assignment counts double (7.5%)
- **Exams (60%)**
 - Midterm (30%)
 - Final (30%)
- **Subjective (10%)**
 - Lecture attendance is highly encouraged
 - Precept attendance is **mandatory**
 - Be considerate in your interactions



16

Programming Assignments



- Programming assignments
 1. A “de-comment” program
 2. A string module
 3. A symbol table module
 4. IA-32 assembly language programs
 5. A buffer overrun attack
 6. A heap manager module
 7. A Unix shell
- Key part of the course
- See course “Schedule” web page for due dates/times
- First assignment is available now, due Feb 16 @ 9:00pm
- Advice: Start early to allow time for debugging (especially in the background while you are doing other things!)

17

Policies



Study the course “Policies” web page!

- Especially the assignment collaboration policies
 - Violations often involve **trial by Committee on Discipline**
 - Typical penalty is **suspension from University** for 1 academic year
 - Default penalty for course policy violation is F
- Some highlights:
 - Don’t view anyone else’s work during, before, or after the assignment time period
 - In your assignment “readme” file, properly acknowledge all resources used
 - There are course policies and university policies, with different procedures and different penalties for violation
- Ask the professor for clarifications if necessary
 - Only the professor can waive any policies (and not verbally)

18

Course Schedule



- Very generally...

Weeks	Lectures	Precepts
1-2	Intro to C (conceptual)	Intro to Linux/GNU Intro to C (mechanical)
3-6	“Pgmning in the Large”	Advanced C
6	Midterm Exam	
7	Recess	
8-13	“Under the Hood”	Assembly Language Pgmning Assignments
	Reading Period	
	Final Exam	

- See course “Schedule” web page for details


19



Any questions before we start?

20

C vs. Java: History



21

C vs. Java: Design Goals



- **Java design goals**
 - Support **object-oriented** programming
 - Allow same program to be executed on **multiple operating systems**
 - Support using **computer networks**
 - Execute code from **remote sources securely**
 - Adopt the good parts of **other languages** (esp. C and C++)
- **Implications for Java**
 - Good for **application-level** programming
 - **High-level**
 - Virtual machine insulates programmer from underlying assembly language, machine language, hardware
 - **Portability over efficiency**
 - **Security over efficiency**
 - **Security over flexibility**

22

C vs. Java: Design Goals



- C design goals
 - Support **structured** programming
 - Support **development of the Unix OS** and Unix tools
 - As Unix became popular, so did C
- Implications for C
 - Good for **system-level** programming
 - But often used for application-level programming – sometimes inappropriately
 - **Low-level**
 - Close to assembly language; close to machine language; close to hardware
 - **Efficiency over portability**
 - **Efficiency over security**
 - **Flexibility over security**

23

C vs. Java: Design Goals



- Differences in design goals explain many differences between the languages
- C's design goal explains many of its eccentricities
 - We'll see examples throughout the course

24

C vs. Java: Overview



- Dennis Ritchie on the nature of C:
 - “C has always been a language that **never attempts to tie a programmer down.**”
 - “C has always appealed to systems programmers who like the **terse, concise manner** in which powerful expressions can be coded.”
 - “C allowed programmers to (while sacrificing portability) have **direct access to many machine-level features** that would otherwise require the use of assembly language.”
 - “C is quirky, flawed, and an enormous success. While accidents of history surely helped, it evidently satisfied a need for a system implementation language **efficient enough to displace assembly language, yet sufficiently abstract and fluent to describe algorithms and interactions** in a wide variety of environments.”

25

C vs. Java: Overview (cont.)



- Bad things you **can** do in C that you **can't** do in Java
 - Shoot yourself in the foot (safety)
 - Shoot others in the foot (security)
 - Ignore wounds (error handling)
- Dangerous things you **must** do in C that you **don't** in Java
 - Explicitly manage memory via `malloc()` and `free()`
- Good things you **can** do in C, but (more or less) **must** do in Java
 - Program using the object-oriented style
- Good things you **can't** do in C but **can** do in Java
 - Write completely portable code

26

C vs. Java: Details



- Remaining slides provide some details
 - Suggestion: Use for future reference

- Slides covered briefly now, as time allows...

27

C vs. Java: Details (cont.)



	Java	C
Overall Program Structure	<pre>Hello.java: public class Hello { public static void main(String[] args) { System.out.println("Hello, world"); } }</pre>	<pre>hello.c: #include <stdio.h> int main(void) { printf("Hello, world\n"); return 0; }</pre>
Building	<pre>% javac Hello.java % ls Hello.class Hello.java %</pre>	<pre>% gcc217 hello.c % ls a.out hello.c %</pre>
Running	<pre>% java Hello Hello, world %</pre>	<pre>% a.out Hello, world %</pre>

28

C vs. Java: Details (cont.)



	Java	C
Character type	<code>char // 16-bit unicode</code>	<code>char /* 8 bits */</code>
Integral types	<code>byte // 8 bits</code> <code>short // 16 bits</code> <code>int // 32 bits</code> <code>long // 64 bits</code>	<code>(unsigned) char</code> <code>(unsigned) short</code> <code>(unsigned) int</code> <code>(unsigned) long</code>
Floating point types	<code>float // 32 bits</code> <code>double // 64 bits</code>	<code>float</code> <code>double</code> <code>long double</code>
Logical type	<code>boolean</code>	<code>/* no equivalent */</code> <code>/* use integral type */</code>
Generic pointer type	<code>// no equivalent</code>	<code>void*</code>
Constants	<code>final int MAX = 1000;</code>	<code>#define MAX 1000</code> <code>const int MAX = 1000;</code> <code>enum {MAX = 1000};</code>

29

C vs. Java: Details (cont.)



	Java	C
Arrays	<code>int [] a = new int [10];</code> <code>float [][] b =</code> <code> new float [5][20];</code>	<code>int a[10];</code> <code>float b[5][20];</code>
Array bound checking	<code>// run-time check</code>	<code>/* no run-time check */</code>
Pointer type	<code>// Object reference is an</code> <code>// implicit pointer</code>	<code>int *p;</code>
Record type	<code>class Mine {</code> <code> int x;</code> <code> float y;</code> <code>}</code>	<code>struct Mine {</code> <code> int x;</code> <code> float y;</code> <code>}</code>

30

C vs. Java: Details (cont.)



	Java	C
Strings	<code>String s1 = "Hello"; String s2 = new String("hello");</code>	<code>char *s1 = "Hello"; char s2[6]; strcpy(s2, "hello");</code>
String concatenation	<code>s1 + s2 s1 += s2</code>	<code>#include <string.h> strcat(s1, s2);</code>
Logical ops	<code>&&, , !</code>	<code>&&, , !</code>
Relational ops	<code>=, !=, >, <, >=, <=</code>	<code>=, !=, >, <, >=, <=</code>
Arithmetic ops	<code>+, -, *, /, %, unary -</code>	<code>+, -, *, /, %, unary -</code>
Bitwise ops	<code>>>, <<, >>>, &, , ^</code>	<code>>>, <<, &, , ^</code>
Assignment ops	<code>=, *=, /=, +=, -=, <<=, >>=, >>>=, =, ^=, %=</code>	<code>=, *=, /=, +=, -=, <<=, >>=, =, ^=, %=</code>

31

C vs. Java: Details (cont.)



	Java	C
if stmt	<code>if (i < 0) statement1; else statement2;</code>	<code>if (i < 0) statement1; else statement2;</code>
switch stmt	<code>switch (i) { case 1: ... break; case 2: ... break; default: ... }</code>	<code>switch (i) { case 1: ... break; case 2: ... break; default: ... }</code>
goto stmt	<code>// no equivalent</code>	<code>goto SomeLabel;</code>

32

C vs. Java: Details (cont.)



	Java	C
for stmt	<code>for (int i=0; i<10; i++) statement;</code>	<code>int i; for (i=0; i<10; i++) statement;</code>
while stmt	<code>while (i < 0) statement;</code>	<code>while (i < 0) statement;</code>
do-while stmt	<code>do { statement; ... } while (i < 0)</code>	<code>do { statement; ... } while (i < 0);</code>
continue stmt	<code>continue;</code>	<code>continue;</code>
labeled continue stmt	<code>continue SomeLabel;</code>	<code>/* no equivalent */</code>
break stmt	<code>break;</code>	<code>break;</code>
labeled break stmt	<code>break SomeLabel;</code>	<code>/* no equivalent */</code>

C vs. Java: Details (cont.)



	Java	C
return stmt	<code>return 5; return;</code>	<code>return 5; return;</code>
Compound stmt (alias block)	<code>{ statement1; statement2; }</code>	<code>{ statement1; statement2; }</code>
Exceptions	<code>throw, try-catch-finally</code>	<code>/* no equivalent */</code>
Comments	<code>/* comment */ // another kind</code>	<code>/* comment */</code>
Method / function call	<code>f(x, y, z); someObject.f(x, y, z); SomeClass.f(x, y, z);</code>	<code>f(x, y, z);</code>

34

Example C Program



```
#include <stdio.h>
#include <stdlib.h>

const double KMETERS_PER_MILE = 1.609;

int main(void) {
    int miles;
    double kmeters;
    printf("miles: ");
    if (scanf("%d", &miles) != 1) {
        fprintf(stderr, "Error: Expect a number.\n");
        exit(EXIT_FAILURE);
    }
    kmeters = miles * KMETERS_PER_MILE;
    printf("%d miles is %f kilometers.\n",
        miles, kmeters);
    return 0;
}
```

35

Summary



- Course overview
 - Goals
 - Goal 1: Learn “programming in the large”
 - Goal 2: Look “under the hood”
 - Goal 2 supports Goal 1
 - Use of C and Linux supports both goals
 - Learning resources
 - Lectures, precepts, programming environment, course listserv, textbooks
 - Course Web site: access via <http://www.cs.princeton.edu>

36

Summary



- **Getting started with C**
 - C was designed for system programming
 - Differences in design goals of Java and C explain many differences between the languages
 - Knowing C design goals explains many of its eccentricities
 - Knowing Java gives you a head start at learning C
 - C is not object-oriented, but many aspects are similar

37

Getting Started



- Check out course **Web site [soon](#)**
 - Study “Policies” page
 - First assignment is available
- Establish a reasonable **computing environment [soon](#)**
 - Instructions given in first precept

38