

Java history

- **invented mainly by James Gosling ([formerly] Sun Microsystems)**
- **1990: Oak language for embedded systems**
 - needs to be reliable, easy to change, retarget
 - efficiency is secondary
 - implemented as interpreter, with virtual machine
- **1993: renamed "Java"; use in a browser instead of a microwave**
 - Java Virtual Machine (JVM) runs in browser
- **1994: Netscape supports Java in their browser**
 - enormous hype: a viable threat to Microsoft
- **1997-2002: Sun sues Microsoft multiple times over Java**
 - MSFT found guilty of anti-competitive actions; mostly settled by 4/04
- **significant language changes in Java 1.5 (9/04)**
 - generics, auto box/unbox, for loop, annotations, ...
 - Java 1.6 (== 6.0) 12/06 is mostly incremental changes
 - Java 1.7 (7/11) also incremental
 - Java 1.8 (3/18/14) lambdas/closures

Java vs. C and C++

- **no preprocessor**
 - `import` instead of `#include`
 - constants use `static final` declaration
- **C-like basic types, operators, expressions**
 - sizes, order of evaluation are specified
- **object-oriented**
 - everything is part of some class
 - objects all derived from **Object** class
 - klunky mechanisms for converting basic \leftrightarrow object
- **references instead of pointers for objects**
 - null references, garbage collection, no destructors
 - `==` is object identity, not content identity
- **all arrays are dynamically allocated**

```
int[] a;    // a is now null
a = new int[100];
```
- **strings are more or less built in**
- **C-like control flow, but**
 - labeled `break` and `continue` instead of `goto`
 - exceptions: `try {...} catch(Exception) {...} finally {...}`
- **threads for parallelism within a single process**

Basic data types

- Java tries to specify some of the unspecified or undefined parts of C and C++
- **basic types:**
 - boolean true / false (no conversion to/from int)
 - byte 8 bit signed
 - char 16 bit unsigned (Unicode character)
 - int 32 bit signed
 - short, long, float, double
- **String is sort of built-in (an Object)**
 - "..." is a String
 - holds 16-bit Unicode chars, NOT bytes
 - does NOT have a null terminator; String.length() returns length
 - + is string concatenation operator; += appends
 - immutable: string operations make new strings

Classes & objects in Java

- **everything is part of some object**
 - all classes are derived from class Object
- **member functions & variables defined inside class**
 - internal functions should not be public, variables should never be public
- **every Object is an instance of some class**
 - created dynamically by calling *new*
- **class variable: a variable declared static in class**
 - only one instance in whole program, exists even if class is never instantiated
 - the closest thing to a global variable in Java

```
public class RE {
    static int num_REs = 0;
    public RE(String re) {
        num_REs++;
        ...
    }
    public static int RE_count() {
        return num_REs;
    }
}
```

Destruction & garbage collection

- **interpreter keeps track of what objects are currently in use**
- **memory can be released when last use is gone**
 - release does not usually happen right away
 - has to be garbage-collected
- **garbage collection happens automatically**
 - separate low-priority thread does garbage collection
- **no control over when this happens**
 - can set object reference to **null** to encourage it
- **no destructor (unlike C++)**
 - can define a `finalize()` method for a class to reclaim other resources, close files, etc.
 - no guarantee that a finalizer will ever be called
- **garbage collection is a great idea**
 - but this does not seem like a great design

I/O and file system access

- **byte I/O for raw data**
 - read(), write(), InputStream, OutputStream
- **character I/O for Unicode (Reader, Writer)**
 - InputStreamReader and OutputStreamWriter
 - BufferedReader, BufferedWriter
- **byte-at-a-time I/O**
 - System.in, .out, .err like stdin, stdout, stderr
 - read() returns next byte of input, -1 for end of file
 - any error causes an I/O Exception

```
import java.io.*;

public class cat1 {
    public static void main(String args[]) throws IOException
    {
        int b;
        while ((b = System.in.read()) != -1)
            System.out.write(b);
    }
}
```

Character I/O (char instead of byte)

- use a different set of functions for char I/O
- works properly with Unicode ('\u1234' literals)
- InputStreamReader adapts from bytes to chars
- OutputStreamWriter adapts from chars to bytes
- use Buffered(Reader|Writer) for speed

```
public class cat3 {
    public static void main(String[] args) throws IOException {
        BufferedReader in =
            new BufferedReader(new InputStreamReader(System.in));
        BufferedWriter out =
            new BufferedWriter(new OutputStreamWriter(System.out));
        String s;
        while ((s = in.readLine()) != null) {
            out.write(s);
            out.newLine();
        }
        out.flush();    // required!!
    }
}
```

Unicode (www.unicode.org)

- **universal character encoding scheme**
 - ~110,000 characters
- **UTF-16: 16 bit internal representation**
 - encodes all characters used in all languages
numeric value, name, case, directionality, ...
 - expansion mechanism for $> 2^{16}$ characters
- **UTF-8: byte-oriented external form**
 - variable-length encoding, self-synchronizing within a couple of bytes
 - ASCII compatible: 7-bit characters occupy 1 byte
 - 00000000 0bbbbbbb → 0bbbbbbb
 - 00000bbb bbbbbbbb → 110bbbb 10bbbbbb
 - bbbbbbbbb bbbbbbbb → 1110bbbb 10bbbbbb 10bbbbbb
 - analogous longer encoding for chars in extended set
- **Java supports Unicode**
 - **char** data type is 16-bit Unicode
 - **String** data type is 16-bit Unicode chars
 - `\uhhhh` is Unicode character `hhhh` (`h == hex digit`); use in `"..."` and `'.'`

try {...} catch {...}

- a method can catch exceptions

```
public void foo() {  
    try {  
        // if anything here throws an IO exception  
        // or a subclass, like FileNotFoundException  
    } catch (IOException e) {  
        // this code will be executed to deal with it  
    } finally {  
        // this is done regardless  
    }  
}
```

- or it can throw them, to be handled by caller
- a method must list exceptions it can throw
 - exceptions can be thrown implicitly or explicitly

```
public void foo() throws IOException {  
    // if anything here throws any kind of IO exception  
    // foo will throw an exception, to be handled by its caller  
}
```

With exceptions

```
public class cp2 {  
  
    public static void main(String[] args) {  
        int b;  
  
        try {  
            FileInputStream fin = new FileInputStream(args[0]);  
            FileOutputStream fout = new FileOutputStream(args[1]);  
            BufferedInputStream bin = new BufferedInputStream(fin);  
            BufferedOutputStream bout = new BufferedOutputStream(fout);  
  
            while ((b = bin.read()) != -1)  
                bout.write(b);  
            bin.close();  
            bout.close();  
        } catch (IOException e) {  
            System.err.println("IOException " + e);  
        }  
    }  
}
```

Why exceptions?

- **reduced complexity**
 - if a method returns normally, it worked
 - each statement in a **try** block knows that previous statements worked, without explicit tests
 - if the **try** exits normally, all the code in it worked
 - error code is grouped in a single place
- **can't unconsciously ignore possibility of errors**
 - have to at least think about what exceptions can be thrown

```
public static void main(String args[]) throws IOException {  
    int b;  
    while ((b = System.in.read()) != -1)  
        System.out.write(b) ;  
}
```

- **don't use exceptions for normal flow of control**
- **don't use for "normal" unusual conditions**
 - e.g., `in.read()` returns -1 for EOF instead of throwing an exception
 - should a file open that fails throw an exception?

Object hierarchy

- all objects are derived from class **Object**

Object

-> Math

-> System

-> Component -> Container -> JComponent ...

-> InputStream -> FilterInputStream -> BufferedInputStream

- **Object** has methods for **equals**, **hashCode**, **toString**, **clone**, etc.
 - normally these are extended

- **assignment vs cloning:**

```
r1 = r2;           // refer to the same object
```

```
r1 = r2.clone();  // two separate objects
```

- **default X.equals method is Object.equals**

- tests for same reference, i.e., same object

- **for other definitions of equality, overload equals**

```
class X {  
    String str;  
    public boolean equals(X r2) {  
        return str.equals(r2.str);  
    }  
}
```

Virtual functions

- in Java, all functions are implicitly *virtual*
- if a reference to a superclass type is really a reference to a subclass object, a function call with that reference calls the subclass function
- polymorphism: proper function to call is determined at run-time
 - e.g., drawing Shapes in an array:

```
draw(Shape[] sa) {  
    for (int i = 0; i < sa.length; i++)  
        sa[i].draw();  
}
```

- virtual function mechanism automatically calls the right draw() function for each object
 - a subclass may provide its own version of this function, which will be called automatically for instances of that subclass
 - the superclass can provide a default implementation
- the loop does not change if more subclasses of Shapes are added

Interfaces

- an interface is like a class
- declares a new data type
- only declares methods (not implementations) and constants
 - methods are implicitly `public`
 - constants are implicitly `public static final`
- any class can implement the interface
 - i.e., provide implementations of the interface methods
 - and can provide other methods as well
 - and can implement several interfaces

```
class foo implements bar {  
    // implementation of bar methods  
}
```

- the only way to simulate function pointers and function objects

Comparison interface for sorting

```
interface Cmp {
    int cmpf(Object x, Object y);
}

class Icmp implements Cmp { // Integer comparison
    public int cmpf(Object o1, Object o2) {
        int i1 = ((Integer) o1).intValue();
        int i2 = ((Integer) o2).intValue();
        if (i1 < i2) return -1;
        else if (i1 == i2) return 0;
        else return 1;
    }
}

class Scmp implements Cmp { // String comparison
    public int cmpf(Object o1, Object o2) {
        String s1 = (String) o1;
        String s2 = (String) o2;
        return s1.compareTo(s2);
    }
}
```

- whole lot of casting going on
- can't do an illegal cast, but don't find out till runtime

Sort function using an interface

```
void sort(Object[] v, int left, int right, Cmp cf) {
    int i, last;

    if (left >= right) // nothing to do
        return;
    swap(v, left, rand(left, right));
    last = left;
    for (i = left+1; i <= right; i++)
        if (cf.cmpf(v[i], v[left]) < 0)
            swap(v, ++last, i);
    swap(v, left, last);
    sort(v, left, last-1, cf);
    sort(v, last+1, right, cf);
}
```

```
Integer[] iarr = new Integer[n];
String[] sarr = new String[n];
Quicksort.sort(iarr, 0, n-1, new Icmp());
Quicksort.sort(sarr, 0, n-1, new Scmp());
```

Wrapper types

- **most library routines work only on Objects**
 - don't work on basic types like int
- **have to "wrap" basic types in objects to pass to library functions, store in Vectors, etc.**
 - Character, Integer, Float, Double, etc.
- **wrappers also include utility functions and values**

```
Integer I = new Integer(123); // constructor
int i = I.intValue();        // get value
i = Integer.parseInt("123"); // atoi
I = Integer.valueOf("123");  // ...
String s = I.toString();
```

```
Double D = new Double(123.45);
double d = D.doubleValue();
d = Double.parseDouble("123.45"); // atof
D = Double.valueOf("123.45");     // ...
String s = D.toString();
```

```
double atof(String str) { return Double.parseDouble(str); }
System.out.println(Double.MAX_VALUE);
```

Boxing and unboxing

- Java 1.5 autobox and unbox somewhat clean up this mess

```
Integer I = 123; // no need for new Integer()
int i = I;      // no need for I.intValue()
String s = I.toString();
```

```
Double D = 123.45;
double d = D;
d = Double.parseDouble("123.45"); // atof
D = Double.valueOf("123.45");
s = D.toString();
```

Collections and collections framework

- **"collection" == container in C++, etc.**
 - Set, List (includes array), Map
- **interfaces for standard data types**
 - abstract data types for collections
 - can do most operations independently of real type
 - include standard interface for add, remove, size, member test, ...
- **implementations (concrete representations)**
 - HashSet, TreeSet
 - ArrayList, LinkedList
 - HashMap, TreeMap
- **algorithms**
 - standard algorithms like search and sort
 - work on any Collection of any type that provides standard operations like comparison
 - "polymorphic"
- **iterators**
 - uniform mechanism for accessing each element

Collections sort

- **ArrayList is an implementation of List**
 - like Vector but better
 - adds some of its own methods, like get()
- **Collections.sort is a polymorphic algorithm**
 - specific type has to implement Comparable

```
class qsort1 {
    public static void main(String[] argv) throws IOException {
        FileReader f1 = new FileReader(argv[0]);
        BufferedReader f2 = new BufferedReader(f1);
        String s;
        List al = new ArrayList();
        while ((s = f2.readLine()) != null)
            al.add(s);
        Collections.sort(al);
        for (int j = 0; j < al.size(); j++)
            System.out.println(al.get(j));
    }
}
```

Generics, for-each

- **generics tell compiler what type a Collection holds**
 - compiler can do more type checking at compile time
- **for-each loop cleans up iterator code**

```
String s;  
List<String> al = new ArrayList<String>();  
while ((s = f2.readLine()) != null)  
    al.add(s);  
Collections.sort(al);  
for (String j : al)  
    System.out.println(j);
```

- **<?> as a type in a generic matches any type**
- **<? extends T> matches any type that extends T**
 - "bounded wildcard"

Interface example: map

- interface defines methods for something
- says nothing about the implementation

```
interface Map
    void put(String name, String value);
    String get(String name);
    // ...
}
```

- classes implement it by defining functions
- have to implement all of the interface

```
class Hashmap implements Map {
    Hashtable h;
    Hashmap() { h = new Hashtable(); }
    void put(String name, String value) {h.put(name, value); }
    String get(String name) { return h.get(name); }
```

```
class Treemap implements Map {
    RBTree t;
    Treemap() { t = new RBTree(); }
    void put(String name, String value) { ... }
    String get(String name) { ... }
```

Word frequency count

- count number of occurrences of each distinct word

```
Map<String, Integer> hs = new HashMap<String, Integer>();
```

```
String buf;
```

```
while ((buf = f2.readLine()) != null) {  
    String nv[] = buf.split("[ ]+");  
    for (int i = 0; i < nv.length; i++) {  
        Integer oldv = hs.get(nv[i]);  
        if (oldv == null)  
            hs.put(nv[i], 1);  
        else  
            hs.put(nv[i], oldv+1);  
    }  
}  
for (String n : hs.keySet()) {  
    Integer v = hs.get(n);  
    System.out.println(n + " " + v);  
}
```

Sorting: Java v. C++

```
String s;  
List<string> al = new ArrayList<string>();  
while ((s = f2.readLine()) != null)  
    al.add(s);  
Collections.sort(al);  
for (String j : al)  
    System.out.println(j);
```

```
string tmp;  
vector<string> v;  
while (getline(cin, tmp))  
    v.push_back(tmp);  
sort(v.begin(), v.end());  
copy(v.begin(), v.end(),  
      ostream_iterator<string>(cout, "\n"));
```

Word frequency count: Java

```
public class freqhash {
    public static void main(String args[]) throws IOException {
        FileReader f1 = new FileReader(args[0]);
        BufferedReader f2 = new BufferedReader(f1);

        Map<String, Integer> hs = new HashMap<String,Integer>();
        String buf;
        while ((buf = f2.readLine()) != null) {
            String nv[] = buf.split("[ ]+");
            for (int i = 0; i < nv.length; i++) {
                Integer oldv = hs.get(nv[i]);
                if (oldv == null)
                    hs.put(nv[i], 1);
                else
                    hs.put(nv[i], oldv+1);
            }
        }
        for (String n : hs.keySet()) {
            Integer v = hs.get(n);
            System.out.println(n + " " + v);
        }
    }
}
```

Word frequency count: C++ STL

```
#include <iostream>
#include <map>
#include <string>

int main() {
    string temp;
    map<string, int> v;
    map<string, int>::const_iterator i;

    while (cin >> temp)
        v[temp]++;
    for (i = v.begin(); i != v.end(); ++i)
        cout << i->second << " " << i->first << "\n";
}
```