

# **Polygonal Meshes**

COS 426, Spring 2014
Princeton University

## 3D Object Representations



#### **Points**

- Range image
- Point cloud

#### Surfaces

- Polygonal mesh
- Subdivision
- Parametric
- Implicit

#### Solids

- Voxels
- BSP tree
- CSG
- Sweep

## High-level structures

- Scene graph
- Application specific


## 3D Polygonal Mesh



Set of polygons representing a 2D surface

embedded in 3D


**Platonic Solids** 



## 3D Polygonal Mesh




Set of polygons representing a 2D surface embedded in 3D



## 3D Polygonal Mesh




Set of polygons representing a 2D surface embedded in 3D



# **3D Polygonal Meshes**





http://www.fxguide.com/featured/Comic\_Horrors\_Rocks\_Statues\_and\_VanDyke/

## 3D Polygonal Meshes



## Why are they of interest?

- Simple, common representation
- Rendering with hardware support
- Output of many acquisition tools
- Input to many simulation/analysis tools









## 3D Polygonal Meshes



### **Properties**

- ? Efficient display
- ? Easy acquisition
- ? Accurate
- ? Concise
- ? Intuitive editing
- ? Efficient editing
- ? Efficient intersections
- ? Guaranteed validity
- ? Guaranteed smoothness
- ? etc.







## **Outline**



## 

**Processing** 

Representation



### Interactive modeling

- Polygon editors
- Interchange formats

#### Scanners

- Laser range scanners
- Geological survey
- CAT, MRI, etc. (isosurfaces)

#### **Simulations**




### Interactive modeling

- Polygon editors
- Interchange formats


#### Scanners

- Laser range scanners
- Geological survey

#### **Simulations**



Sketchup



Blender




### Interactive modeling

- Polygon editors
- ➤ Interchange formats

#### Scanners

- Laser range scanners
- Geological survey

#### **Simulations**








### Interactive modeling

- Polygon editors
- Interchange formats

#### Scanners

- Laser range scanners
- Geological survey

#### **Simulations**



Digital Michelangelo Project Stanford




### Interactive modeling


- Polygon editors
- Interchange formats

#### Scanners

- Laser range scanners
- ➤ Geological survey

#### **Simulations**





Large Geometric Model Repository Georgia Tech




### Interactive modeling

- Polygon editors
- Interchange formats

#### Scanners

- Laser range scanners
- ➤ Geological survey

#### **Simulations**





## Interactive modeling


- Polygon editors
- Interchange formats

#### Scanners


- Laser range scanners
- Geological survey

#### **Simulations**

Physical processes



SGI



symscape

## **Outline**



Acquisition

Processing ←

Representation



## Analysis

- Normals
- Curvature

### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- Truncate
- Bevel



## Analysis -

- Normals
- Curvature

### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- Truncate
- Bevel




## Analysis

- > Normals
- Curvature

### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- Truncate
- Bevel






## Analysis

- Normals
- Curvature

### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- Truncate
- Bevel






Figure 32: curvature of curve at P is 1/k



## **Analysis**

- Normals
- Curvature

#### Warps -



- Rotate
- Deform

- Smooth
- Sharpen
- Truncate
- Bevel




## Analysis

- Normals
- Curvature


### Warps


- > Rotate
- Deform

- Smooth
- Sharpen
- Truncate
- Bevel












## Analysis

- Normals
- Curvature

### Warps

- Rotate
- > Deform

- Smooth
- Sharpen
- Truncate
- Bevel






## Analysis

- Normals
- Curvature

### Warps

- Rotate
- > Deform

- Smooth
- Sharpen
- Truncate
- Bevel





## Analysis

- Normals
- Curvature

### Warps

- Rotate
- Deform

#### Filters -

- Smooth
- Sharpen
- Truncate
- Bevel



## Analysis


- Normals
- Curvature

### Warps


- Rotate
- Deform

#### **Filters**

- > Smooth
- Sharpen
- Truncate
- Bevel



Thouis "Ray" Jones



Olga Sorkine



## Analysis


- Normals
- Curvature


### Warps

- Rotate
- Deform


## Filters

- Smooth
- > Sharpen
- Truncate
- Bevel





Desbrun



Weighted Average of Neighbor Vertices

Olga Sorkine




### Analysis


- Normals
- Curvature


### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- > Truncate
- Bevel










## Analysis

- Normals
- Curvature

### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- > Truncate
- Bevel






## Analysis

- Normals
- Curvature

### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- > Truncate
- Bevel







## Analysis


- Normals
- Curvature

### Warps

- Rotate
- Deform

#### **Filters**

- Smooth
- Sharpen
- > Truncate
- Bevel



Archimedean Polyhedra

http://www.uwgb.edu/dutchs/symmetry/archpol.htm





Bevel

Carlo Sėquin



Wikipedia


## **Analysis**

- Normals
- Curvature

### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- Truncate
- > Bevel













Rhombicuboctahedron

(beveled octahedron)

Octahedron



Jarek Rossignac



Conway



### Analysis

- Normals
- Curvature

### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- Truncate
- > Bevel






## Analysis

- Normals
- Curvature

### Warps

- Rotate
- Deform

- Smooth
- Sharpen
- Truncate
- > Bevel





## Remeshing

- Subdivide
- Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

- Crop
- Subtract



#### Remeshing -


- Subdivide
- Resample
- Simplify





- Fill holes
- Fix self-intersections

#### Boolean operations

- Crop
- Subtract







Subdivide face



#### Remeshing


- > Subdivide
- Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

#### Boolean operations

- Crop
- Subtract



Zorin & Schroeder



#### Remeshing


- > Subdivide
- Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

## **Boolean operations**

- Crop
- Subtract





Dirk Balfanz, Igor Guskov, Sanjeev Kumar, & Rudro Samanta,



#### Remeshing

- Subdivide
- ➤ Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

Original

Resampled

- more uniform distribution
- triangles with nicer aspect

- Crop
- Subtract



## Remeshing

- Subdivide
- Resample
- ➤ Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

- Crop
- Subtract





## Remeshing

- Subdivide
- Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

- Crop
- Subtract




## Remeshing

- Subdivide
- Resample
- Simplify

#### Topological fixup

- > Fill holes
- Fix self-intersections

- Crop
- Subtract










## Remeshing


- Subdivide
- Resample
- Simplify


## Topological fixup

- Fill holes
- Fix self-intersections

- Crop
- Subtract











## Remeshing

- Subdivide
- Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

- Crop
- Subtract




## Remeshing

- Subdivide
- Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

- > Crop
- Subtract






## Remeshing


- Subdivide
- Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

- ➤ Crop
- Subtract








## Remeshing


- Subdivide
- Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

- > Crop
- Subtract








## Remeshing


- Subdivide
- Resample
- Simplify



## Topological fixup

- Fill holes
- Fix self-intersections

- > Crop
- Subtract






## Remeshing

- Subdivide
- Resample
- Simplify

## Topological fixup

- Fill holes
- Fix self-intersections

- Crop
- > Subtract







- Surface of revolution
- Sweep




- ➤ Surface of revolution
- Sweep









- Surface of revolution
- > Sweep








- Surface of revolution
- > Sweep







- Surface of revolution
- > Sweep





# **Outline**



Acquisition

**Processing** 


Representation




# **Polygon Mesh Representation**



Important properties of mesh representation?






Large Geometric Model Repository Georgia Tech


# **Polygon Mesh Representation**



#### Important properties of mesh representation?

- Efficient traversal of topology
- Efficient use of memory
- Efficient updates






Large Geometric Model Repository Georgia Tech

# **Polygon Mesh Representation**



#### Possible data structures

- List of independent faces
- Vertex and face tables
- Adjacency lists
- Winged edge
- Half edge
- etc.





## **Independent Faces**



#### Each face lists vertex coordinates

- Redundant vertices
- No adjacency information





#### **FACE TABLE**


## **Vertex and Face Tables**




#### Each face lists vertex references

Shared vertices

Still no adjacency information (x<sub>3</sub>, y<sub>3</sub>, z<sub>3</sub>)





#### **VERTEX TABLE**

	X <sub>1</sub> X <sub>2</sub>		Z <sub>1</sub> Z <sub>2</sub>
٧3	Х3	Υ3	$Z_3$
	X <sub>4</sub> X <sub>5</sub>	Υ <sub>4</sub> Υ <sub>5</sub>	Z <sub>4</sub> Z <sub>5</sub>

#### **FACE TABLE**


F <sub>1</sub>	V <sub>1</sub>	V-	1/-
		_	٧3
F <sub>2</sub>		$V_4$	٧3
$F_3$	٧2	٧5	$V_4$


# **Adjacency Lists**



#### Store all vertex, edge, and face adjacencies

- Efficient adjacency traversal
- Extra storage







## **Partial Adjacency Lists**



Can we store only some adjacency relationships and derive others?







# Winged Edge



## Adjacency encoded in edges

- All adjacencies in O(1) time
- Little extra storage (fixed records)
- Arbitrary polygons






# Winged Edge



## Example:



VERTEX TABLE				
$V_1$	X <sub>1</sub>	Υ <sub>1</sub>	$Z_1$	e <sub>1</sub>
$V_2$	X <sub>2</sub>	Y <sub>2</sub> Y <sub>3</sub>	$Z_2$	e <sub>6</sub>
٧3	Х3	Υ3	$Z_3$	ез
$V_4$	X <sub>4</sub>	Υ <sub>4</sub> Υ <sub>5</sub>	$Z_4$	e <sub>5</sub>
٧5	X <sub>5</sub>	Υ <sub>5</sub>	Z <sub>5</sub>	e <sub>6</sub>

EDGE TABLE				11	12	21	22	
e <sub>1</sub>	٧1	٧3		F <sub>1</sub>	e <sub>2</sub>	e <sub>2</sub>	e <sub>4</sub>	е3
e <sub>2</sub>	٧1	$V_2$	F <sub>1</sub>		e <sub>1</sub>	$e_1$	$e_3$	e <sub>6</sub>
e <sub>3</sub>	٧2	٧3	F <sub>1</sub>	$F_2$	e <sub>2</sub>	e <sub>5</sub>	$e_1$	$e_4$
e <sub>4</sub>	V3	$V_4$		$F_2$	e <sub>1</sub>	ез	e <sub>7</sub>	e <sub>5</sub>
e <sub>5</sub>	٧2	$V_4$	F <sub>2</sub>	$F_3$		e <sub>6</sub>	$e_4$	e <sub>7</sub>
e <sub>6</sub>	V <sub>2</sub>	$V_5$	F <sub>3</sub>		e <sub>5</sub>	$e_2$	e <sub>7</sub>	e <sub>7</sub>
e <sub>7</sub>	٧4	V <sub>5</sub>		F <sub>3</sub>	e <sub>4</sub>	e <sub>5</sub>	e <sub>6</sub>	e <sub>6</sub>

FACE TABLE			
F <sub>1</sub>	e <sub>1</sub>		
F <sub>2</sub>	e <sub>3</sub>		
F <sub>3</sub>	e <sub>5</sub>		


# Half Edge



## Adjacency encoded in edges

- All adjacencies in O(1) time
- Little extra storage (fixed records)
- Arbitrary polygons

Similar to winged-edge, except adjacency encoded in half-edges



# Summary



## Polygonal meshes

- Most common surface representation
- Fast rendering

#### Processing operations

- Must consider irregular vertex sampling
- Must handle/avoid topological degeneracies

#### Representation

 Which adjacency relationships to store depend on which operations must be efficient

# 3D Polygonal Meshes



## **Properties**

- ? Efficient display
- ? Easy acquisition
- ? Accurate
- ? Concise
- ? Intuitive editing
- ? Efficient editing
- ? Efficient intersections
- ? Guaranteed validity
- ? Guaranteed smoothness
- ? etc.







# **3D Polygonal Meshes**



## **Properties**

- © Efficient display
- © Easy acquisition
- ⊗ Accurate
- ⊗ Concise
- ⊗ Intuitive editing
- Efficient editing
- Efficient intersections
- ⊗ Guaranteed validity
- Guaranteed smoothness



