

Where we started "Google's mission is to organize the world's information and make it universally accessible and useful" Google's mission statement, ~ 1998. World Wide Web invented by Tim Berners-Lee 1989 "A memex is a device in which an an individual stores all his books, records, and communications, and which is mechanized so that it may be consulted with exceeding speed and flexibility. It is an enlarged intimate supplement to his memory." Vannevar Bush,

As we may think, Atlantic Monthly, July 1945.



2. Algorithms & data structures indexing graph analyses random walks eigenvector computation clustering sampling aggregating compressing Algorithms meet BIG practice distributed computation



4. Evaluation

- Must have quantified
- Not just "see how well works"
- May need more than one measure
- Quantifying does not preclude human perception











The agent promptly retrieved information about Mom's prescribed treatment from the doctor's agent, looked up several lists of providers, and checked for the ones inplan for Mom's insurance within a 20-mile radius of her home and with a rating of excellent or very good on <u>trusted</u> rating services. It then began trying to find a match between available appointment times (supplied by the agents of individual providers through their Web sites) and Pete's and Lucy's busy schedules. In a few minutes the agent presented them with a plan.

Lucy's agent, having <u>complete trust</u> in Pete's agent in the context of the present task, automatically assisted by <u>supplying access certificates and shortcuts</u> to the data it had already sorted through.

13

15

Semantic Web Overview

- Initiative of W3C: WWW Consortium
 - academic, government and industry
 - begun 1994 by Tim Berners-Lee
- common frameworks for data specification
- frameworks allow sophisticated functionality

 automated understanding and use of information
- open specifications, open source
 - Allow independently written tools interoperate

14

16

18

Frameworks and Methods

- publishing and linking data

 Resource Description Framework (RDF)
- define structure
- Web Ontology Language (OWL)
- linking "knowledge organization systems"
 Simple Knowledge Organization System Reference (SKOL)
- query language
- SPARQL for RDF
- inference
- Rule Interchange Format (RIF)

RDF

- Graph model to represent resources and relationships between them

 Documents and other resources
- Formal semantics
- XML syntax
- URIs for naming –Uniform Resources Identifiers
 - Generalization of URLs
- RDF 1.1 specifications February 2014

RDF representation

- · Represents "Web resources"
 - Documents on Web
 - Generalizes to "objects" identifiable but not directly retrievable, e.g. shopping facility
- Represents metadata for resources
- Title, author, copyright of document
- Price, shipping date of an item for sale

OWL

- Advanced support for – software agents
 - Programs that "understand" and can plan and act
 - knowledge management
 Finding and exploiting complex interactions of information across sources
- Builds on RDF
- Represents ontologies
- OWL 2 standard published Oct. 27, 2009 – 2nd edition Dec. 2012



- Ontology: "representation of terms and interrelationships"
 - very general
 - not just trees
- · Has formal semantics
- Can represent relationships between classes

19





