DIJKSTRA'S ALGORITHM DEMO

Algorithms

FOURTH EDITION

ROBERT SEDGEWICK | KEVIN WAYNE

http://algs4.cs.princeton.edu

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

an edge-weighted digraph

```
0→1    5.0
0→4    9.0
0→7    8.0
1→2   12.0
1→3   15.0
1→7    4.0
2→3    3.0
2→6   11.0
3→6    9.0
4→5    4.0
4→6   20.0
4→7    5.0
5→2    1.0
5→6   13.0
7→5    6.0
7→2    7.0
```

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
→ 0	0.0	–
1		
2		
3		
4		
5		
6		
7		

choose source vertex 0

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
→ 0	0.0	-
1		
2		
3		
4		
5		
6		
7		

relax all edges adjacent from 0

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2		
3		
4	9.0	0→4
5		
6		
7	8.0	0→7

relax all edges adjacent from 0

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2		
3		
4	9.0	0→4
5		
6		
7	8.0	0→7

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2		
3		
4	9.0	0→4
5		
6		
7	8.0	0→7

choose vertex 1

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2		
3		
4	9.0	0→4
5		
6		
7	8.0	0→7

relax all edges adjacent from 1

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

relax all edges adjacent from 1

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	17.0	1→2
3	20.0	1→3
4	9.0	0→4
5		
6		
7	8.0	0→7

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

| v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	17.0	1→2
3	20.0	1→3
4	9.0	0→4
5		
6		
7	8.0	0→7

choose vertex 7

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	17.0	1→2
3	20.0	1→3
4	9.0	0→4
5		
6		
7	8.0	0→7

**relax all edges adjacent from 7**

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	15.0	7→2
3	20.0	1→3
4	9.0	0→4
5	14.0	7→5
6		
7	8.0	0→7

**relax all edges adjacent from 7**

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

| v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	15.0	7→2
3	20.0	1→3
4	9.0	0→4
5	14.0	7→5
6		
7	8.0	0→7

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	15.0	7→2
3	20.0	1→3
4	9.0	0→4
5	14.0	7→5
6		
7	8.0	0→7

select vertex 4

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	15.0	7→2
3	20.0	1→3
4	9.0	0→4
5	14.0	7→5
6		
7	8.0	0→7

**relax all edges adjacent from 4**

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	15.0	7→2
3	20.0	1→3
4	9.0	0→4
5	13.0	4→5
6	29.0	4→6
7	8.0 ✔	0→7

**relax all edges adjacent from 4**

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

| v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	15.0	7→2
3	20.0	1→3
4	9.0	0→4
5	13.0	4→5
6	29.0	4→6
7	8.0	0→7

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	15.0	7→2
3	20.0	1→3
4	9.0	0→4
5	13.0	4→5
6	29.0	4→6
7	8.0	0→7

select vertex 5

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	15.0	7→2
3	20.0	1→3
4	9.0	0→4
5	13.0	4→5
6	29.0	4→6
7	8.0	0→7

**relax all edges adjacent from 5**

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	14.0	5→2
3	20.0	1→3
4	9.0	0→4
5	13.0	4→5
6	26.0	5→6
7	8.0	0→7

**relax all edges adjacent from 5**

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

| v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	14.0	5→2
3	20.0	1→3
4	9.0	0→4
5	13.0	4→5
6	26.0	5→6
7	8.0	0→7

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	14.0	5→2
3	20.0	1→3
4	9.0	0→4
5	13.0	4→5
6	26.0	5→6
7	8.0	0→7

select vertex 2

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

| v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	14.0	5→2
3	20.0	1→3
4	9.0	0→4
5	13.0	4→5
6	26.0	5→6
7	8.0	0→7

relax all edges adjacent from 2

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
6	25.0	2→6
7	8.0	0→7

**relax all edges adjacent from 2**

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
6	25.0	2→6
7	8.0	0→7

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
6	25.0	2→6
7	8.0	0→7

select vertex 3

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
6	25.0	2→6
7	8.0	0→7

**relax all edges adjacent from 3**

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
6	25.0 ✔	2→6
7	8.0	0→7

**relax all edges adjacent from 3**

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
6	25.0	2→6
7	8.0	0→7

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
→ 6	25.0	2→6
7	8.0	0→7

select vertex 6

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
→ 6	25.0	2→6
7	8.0	0→7

relax all edges adjacent from 6

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	–
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
6	25.0	2→6
7	8.0	0→7

Dijkstra's algorithm demo

- Consider vertices in increasing order of distance from `s` (non-tree vertex with the lowest `distTo[]` value).
- Add vertex to tree and relax all edges adjacent from that vertex.

v	distTo[]	edgeTo[]
0	0.0	-
1	5.0	0→1
2	14.0	5→2
3	17.0	2→3
4	9.0	0→4
5	13.0	4→5
6	25.0	2→6
7	8.0	0→7

shortest-paths tree from vertex s