

4. GREEDY ALGORITHMS I

- ▶ coin changing
- interval scheduling
- interval partitioning
- scheduling to minimize lateness
- optimal caching



4. GREEDY ALGORITHMS I

coin changing

- interval scheduling
- ▶ interval partitioning
- scheduling to minimize lateness
- ▶ optimal caching

Lecture slides by Kevin Wayne Copyright © 2005 Pearson-Addison Wesley http://www.cs.princeton.edu/~wayne/kleinberg-tardos

Last updated on 2/20/18 1:44 PM

Coin changing

Goal. Given U. S. currency denominations { 1, 5, 10, 25, 100 }, devise a method to pay amount to customer using fewest coins.

Ex. 34¢.



Cashier's algorithm. At each iteration, add coin of the largest value that does not take us past the amount to be paid.



Cashier's algorithm

At each iteration, add coin of the largest value that does not take us past the amount to be paid.



Greedy algorithms I: quiz 1

Is the cashier's algorithm optimal?

- A. Yes, greedy algorithms are always optimal.
- **B.** Yes, for any set of coin denominations $c_1 < c_2 < ... < c_n$ provided $c_1 = 1$.
- C. Yes, because of special properties of U.S. coin denominations.
- D. No.



Properties of any optimal solution (for U.S. coin denominations)

Property. Number of pennies \leq 4. Pf. Replace 5 pennies with 1 nickel.

```
Property. Number of nickels \leq 1.
Property. Number of quarters \leq 3.
```

Property. Number of nickels + number of dimes ≤ 2 . Pf.

- Recall: ≤ 1 nickel.
- Replace 3 dimes and 0 nickels with 1 quarter and 1 nickel;
- Replace 2 dimes and 1 nickel with 1 quarter.



Cashier's algorithm (for arbitrary coin denominations)

- Q. Is cashier's algorithm optimal for any set of denominations?
- A. No. Consider U.S. postage: 1, 10, 21, 34, 70, 100, 350, 1225, 1500.
 - Cashier's algorithm: $140 \ = 100 + 34 + 1 + 1 + 1 + 1 + 1 + 1$.
 - Optimal: 140¢ = 70 + 70.

D



- A. No. It may not even lead to a feasible solution if $c_1 > 1$: 7, 8, 9.
 - Cashier's algorithm: $15 \ = 9 + ?$.
 - Optimal: $15 \ = 7 + 8$.

Optimality of cashier's algorithm (for U.S. coin denominations)

Theorem. Cashier's algorithm is optimal for U.S. coins { 1, 5, 10, 25, 100 }.

- **Pf.** [by induction on amount to be paid *x*]
 - Consider optimal way to change $c_k \le x < c_{k+1}$: greedy takes coin k.
 - We claim that any optimal solution must take coin *k*.
 - if not, it needs enough coins of type c_1, \ldots, c_{k-1} to add up to x
 - table below indicates no optimal solution can do this
 - Problem reduces to coin-changing x ck cents, which, by induction, is optimally solved by cashier's algorithm.

k	c_k	all optimal solutions must satisfy	max value of coin denominations $c_1, c_2, \ldots, c_{k-1}$ in any optimal solution
1	1	$P \leq 4$	-
2	5	$N \leq 1$	4
3	10	$N+D \leq 2$	4 + 5 = 9
4	25	$Q \leq 3$	20 + 4 = 24
5	100	no limit	75 + 24 = 99



SECTION 4.1

4. GREEDY ALGORITHMS I

- ▶ coin changing
- interval scheduling
- ▶ interval partitioning
- scheduling to minimize lateness
- ▶ optimal caching

Interval scheduling

- Job *j* starts at s_j and finishes at f_j .
- Two jobs compatible if they don't overlap.
- Goal: find maximum subset of mutually compatible jobs.



Greedy algorithms I: quiz 2

Consider jobs in some order, taking each job provided it's compatible with the ones already taken. Which rule is optimal?

- **A.** [Earliest start time] Consider jobs in ascending order of *s_j*.
- **B.** [Earliest finish time] Consider jobs in ascending order of *f*_{*j*}.
- **C.** [Shortest interval] Consider jobs in ascending order of $f_j s_j$.
- **D.** None of the above.

Interval scheduling: earliest-finish-time-first algorithm

EARLIEST-FINISH-TIME-FIRST $(n, s_1, s_2, \ldots, s_n, f_1, f_2, \ldots, f_n)$	
SORT jobs by finish times and renumber so that $f_1 \leq f_2 \leq \ldots \leq f_n$.	
$S \leftarrow \varnothing$. \longleftarrow set of jobs selected	
For $j = 1$ to n	
IF job j is compatible with S	
$S \leftarrow S \cup \{ j \}.$	
RETURN S.	

Proposition. Can implement earliest-finish-time first in $O(n \log n)$ time.

- Keep track of job *j** that was added last to *S*.
- Job *j* is compatible with *S* iff $s_i \ge f_{i^*}$.
- Sorting by finish times takes $O(n \log n)$ time.

Interval scheduling: analysis of earliest-finish-time-first algorithm

Theorem. The earliest-finish-time-first algorithm is optimal.

- Pf. [by contradiction]
 - Assume greedy is not optimal, and let's see what happens.
- Let $i_1, i_2, \dots i_k$ denote set of jobs selected by greedy.
- Let $j_1, j_2, ..., j_m$ denote set of jobs in an optimal solution with $i_1 = j_1, i_2 = j_2, ..., i_r = j_r$ for the largest possible value of r.



Greedy algorithms I: quiz 3

Suppose that each job also has a positive weight and the goal is to find a maximum weight subset of mutually compatible intervals. Is the earliest-finish-time-first algorithm still optimal?

- A. Yes, because greedy algorithms are always optimal.
- B. Yes, because the same proof of correctness is valid.
- C. No, because the same proof of correctness is no longer valid.
- **D.** No, because you could assign a huge weight to a job that overlaps the job with the earliest finish time.

Interval scheduling: analysis of earliest-finish-time-first algorithm

Theorem. The earliest-finish-time-first algorithm is optimal.

- Pf. [by contradiction]
 - Assume greedy is not optimal, and let's see what happens.
 - Let i_1, i_2, \dots, i_k denote set of jobs selected by greedy.
 - Let $j_1, j_2, ..., j_m$ denote set of jobs in an optimal solution with $i_1 = j_1, i_2 = j_2, ..., i_r = j_r$ for the largest possible value of r.





SECTION 4.1

4. GREEDY ALGORITHMS I

- ▶ coin changing
- interval scheduling
- interval partitioning
- scheduling to minimize lateness
- ▶ optimal caching

Interval partitioning

- Lecture *j* starts at s_i and finishes at f_i .
- Goal: find minimum number of classrooms to schedule all lectures so that no two lectures occur at the same time in the same room.
- Ex. This schedule uses 4 classrooms to schedule 10 lectures.



Greedy algorithms I: quiz 4

Consider lectures in some order, assigning each lecture to first available classroom (opening a new classroom if none is available). Which rule is optimal?

- **A.** [Earliest start time] Consider lectures in ascending order of *s*_j.
- **B.** [Earliest finish time] Consider lectures in ascending order of *f*_j.
- **C.** [Shortest interval] Consider lectures in ascending order of $f_j s_j$.
- **D.** None of the above.

Interval partitioning

- Lecture *j* starts at s_i and finishes at f_i .
- Goal: find minimum number of classrooms to schedule all lectures so that no two lectures occur at the same time in the same room.
- Ex. This schedule uses 3 classrooms to schedule 10 lectures.



Interval partitioning: earliest-start-time-first algorithm



Interval partitioning: earliest-start-time-first algorithm

Proposition. The earliest-start-time-first algorithm can be implemented in $O(n \log n)$ time.

- Pf. Store classrooms in a priority queue (key = finish time of its last lecture).
 - To determine whether lecture *j* is compatible with some classroom, compare *s_j* to key of min classroom *k* in priority queue.
 - To add lecture *j* to classroom *k*, increase key of classroom *k* to *fj*.
 - Total number of priority queue operations is *O*(*n*).
 - Sorting by start times takes $O(n \log n)$ time.

Remark. This implementation chooses a classroom k whose finish time of its last lecture is the earliest.

Interval partitioning: lower bound on optimal solution

Def. The depth of a set of open intervals is the maximum number of intervals that contain any given point.

Key observation. Number of classrooms needed \geq depth.

- Q. Does minimum number of classrooms needed always equal depth?
- A. Yes! Moreover, earliest-start-time-first algorithm finds a schedule whose number of classrooms equals the depth.



Interval partitioning: analysis of earliest-start-time-first algorithm

Observation. The earliest-start-time first algorithm never schedules two incompatible lectures in the same classroom.

Theorem. Earliest-start-time-first algorithm is optimal.

Pf.

- Let *d* = number of classrooms that the algorithm allocates.
- Classroom *d* is opened because we needed to schedule a lecture, say *j*, that is incompatible with a lecture in each of d 1 other classrooms.
- Thus, these *d* lectures each end after *s*_{*i*}.
- Since we sorted by start time, each of these incompatible lectures start no later than *s_i*.
- Thus, we have *d* lectures overlapping at time $s_i + \varepsilon$.
- Key observation \Rightarrow all schedules use $\ge d$ classrooms.



SECTION 4.2

4. GREEDY ALGORITHMS I

- coin changing
- interval scheduling
- interval partitioning
- scheduling to minimize lateness
- optimal caching

Scheduling to minimizing lateness

- Single resource processes one job at a time.
- Job *j* requires t_j units of processing time and is due at time d_j .
- If *j* starts at time s_j , it finishes at time $f_j = s_j + t_j$.
- Lateness: $\ell_j = \max \{ 0, f_j d_j \}.$
- Goal: schedule all jobs to minimize maximum lateness $L = \max_{j} \ell_{j}$.

	1	2	3	4	5	6
tj	3	2	1	4	3	2
d_j	6	8	9	9	14	15



Greedy algorithms I: quiz 5

Schedule jobs according to some natural order. Which order minimizes the maximum lateness?

- **A.** [shortest processing time] Ascending order of processing time *t_j*.
- **B.** [earliest deadline first] Ascending order of deadline *d_j*.
- **C.** [smallest slack] Ascending order of slack: $d_j t_j$.
- **D.** None of the above.

Minimizing lateness: earliest deadline first



SORT jobs by due times and renumber so that $d_1 \le d_2 \le \ldots \le d_n$. $t \leftarrow 0$.

```
FOR j = 1 TO n
```

Assign job *j* to interval $[t, t + t_j]$.

$$s_j \leftarrow t$$
; $f_j \leftarrow t + t_j$

$$t \leftarrow t + t_j$$
.

RETURN intervals $[s_1, f_1], [s_2, f_2], ..., [s_n, f_n].$



Minimizing lateness: no idle time

Observation 1. There exists an optimal schedule with no idle time.



Observation 2. The earliest-deadline-first schedule has no idle time.

Minimizing lateness: inversions

Def. Given a schedule <i>S</i> , an inversio	n is a pair of jobs <i>i</i> and <i>j</i> such that:
i < j but j is scheduled before i .	
	inversion if $i < j$



recall: we assume the jobs are numbered so that $d_1 \le d_2 \le \ldots \le d_n$

Observation 3. The earliest-deadline-first schedule is the unique idle-free schedule with no inversions.

1 2 3 4 5 6	. <i>n</i>
-------------	------------

Minimizing lateness: inversions

Def. Given a schedule *S*, an inversion is a pair of jobs *i* and *j* such that: i < j but *j* is scheduled before *i*.



recall: we assume the jobs are numbered so that $d_1 \le d_2 \le \ldots \le d_n$

i

Observation 4. If an idle-free schedule has an inversion, then it has an adjacent inversion.

- Pf. two inverted jobs scheduled consecutively
 - Let *i j* be a closest inversion.
- Let *k* be element immediately to the right of *j*.
- Case 1. [j > k] Then *j*-*k* is an adjacent inversion.

j k

• Case 2. [j < k] Then *i*-*k* is a closer inversion since i < j < k.



31

Minimizing lateness: inversions

Def. Given a schedule *S*, an inversion is a pair of jobs *i* and *j* such that: i < j but *j* is scheduled before *i*.



Key claim. Exchanging two adjacent, inverted jobs i and j reduces the number of inversions by 1 and does not increase the max lateness.

- Pf. Let ℓ be the lateness before the swap, and let ℓ' be it afterwards.
 - $\ell'_k = \ell_k$ for all $k \neq i, j$.
 - $\ell'_i \leq \ell_i$.

If job *j* is late,
$$\ell'_j = f'_j - d_j \quad \longleftarrow \quad \text{definition}$$

 $= f_i - d_j \quad \longleftarrow \quad j \text{ now finishes at time } f_i$
 $\leq f_i - d_i \quad \longleftarrow \quad i < j \implies d_i \le d_j$
 $\leq \ell_i$, $\leftarrow \quad \text{definition}$

Minimizing lateness: analysis of earliest-deadline-first algorithm

Theorem. The earliest-deadline-first schedule *S* is optimal.

Pf. [by contradiction]

optimal schedule can / have inversions 30

Define *S*^{*} to be an optimal schedule with the fewest inversions.

- Can assume S* has no idle time. Observation 1
- Case 1. [S^* has no inversions] Then $S = S^*$. \leftarrow Observation 3
- Case 2. [*S** has an inversion]
- exchanging jobs *i* and *j* decreases the number of inversions by 1
 without increasing the max lateness *key claim*
- contradicts "fewest inversions" part of the definition of *S** *

Greedy analysis strategies

Greedy algorithm stays ahead. Show that after each step of the greedy algorithm, its solution is at least as good as any other algorithm's.

Structural. Discover a simple "structural" bound asserting that every possible solution must have a certain value. Then show that your algorithm always achieves this bound.

Exchange argument. Gradually transform any solution to the one found by the greedy algorithm without hurting its quality.

Other greedy algorithms. Gale-Shapley, Kruskal, Prim, Dijkstra, Huffman, ...

GOOGLE'S FOO.BAR CHALLENGE

A "secret" web tool that Google uses to recruit developers.

- Triggered by specific searches related to programming.
- Algorithmic coding challenges of increasing difficulty.



GOOGLE'S FOO.BAR CHALLENGE

Š⊼≓

33

Quantum antimatter fuel comes in small pellets, which is convenient since the many moving parts of the LAMBCHOP each need to be fed fuel one pellet at a time. However, minions dump pellets in bulk into the fuel intake. You need to figure out the most efficient way to sort and shift the pellets down to a single pellet at a time.

The fuel control mechanisms have three operations:

- · Add 1 fuel pellet
- Remove 1 fuel pellet
- Divide the entire group of fuel pellets by 2 (due to the destructive energy released when a quantum antimatter pellet is cut in half, the safety controls will only allow this to happen if there is an even number of pellets)

Write a function called answer(n) which takes a positive integer n as a string and returns the minimum number of operations needed to transform the number of pellets to 1.

GOOGLE'S FOO.BAR CHALLENGE

5×P

34

Level 3 complete. You are now on level 4. Challenges to complete level: 2.

Level		100%	[======================================
Level		100%	[]
Level		100%	[]
Level	4	0%	[]
Level	5	0%	[]

Excellent! You've destroyed Commander Lambda's doomsday device and saved Bunny Planet! But there's one small problem: the LAMBCHOP was a wool-y important part of her space station, and when you blew it up, you triggered a chain reaction that's tearing the station apart. Can you rescue the imprisoned bunnies and escape before the entire thing explodes?

Type request to request a new challenge now, or come back later.

[#1] The code is strong with this one. Share solutions with a Google recruiter?

[Y]es [N]o [A]sk me later: A

Response: contact postponed. To share your progress at any time, use the recruitme command.



SECTION 4.3

4. GREEDY ALGORITHMS I

- ▶ coin changing
- ▶ interval scheduling
- ▶ interval partitioning
- scheduling to minimize lateness
- optimal caching

Optimal offline caching

Caching.

- Cache with capacity to store *k* items.
- Sequence of *m* item requests $d_1, d_2, ..., d_m$.
- Cache hit: item in cache when requested.
- Cache miss: item not in cache when requested.
 (must evict some item from cache and bring requested item into cache)

Applications. CPU, RAM, hard drive, web, browser,

Goal. Eviction schedule that minimizes the number of evictions.

Ex. k = 2, initial cache = ab, requests: a, b, c, b, c, a, b. Optimal eviction schedule. 2 evictions.



Optimal offline caching: greedy algorithms

LIFO/FIFO. Evict item brought in least (most) recently. LRU. Evict item whose most recent access was earliest. LFU. Evict item that was least frequently requested.



39

Optimal offline caching: farthest-in-future (clairvoyant algorithm)

Farthest-in-future. Evict item in the cache that is not requested until farthest in the future.



Theorem. [Bélády 1966] FF is optimal eviction schedule. Pf. Algorithm and theorem are intuitive; proof is subtle.

Greedy algorithms I: quiz 6





Reduced eviction schedules

Claim. Given any unreduced schedule *S*, can transform it into a reduced schedule *S'* with no more evictions.

- **Pf.** [by induction on number of steps *j*]
- Suppose *S* brings *d* into the cache in step *j* without a request.
- Let *c* be the item *S* evicts when it brings *d* into the cache.
- Case 1a: *d* evicted before next request for *d*.



Reduced eviction schedules

Def. A reduced schedule is a schedule that brings an item d into the cache in step j only if there is a request for d in step j and d is not already in the cache.



Reduced eviction schedules

Claim. Given any unreduced schedule *S*, can transform it into a reduced schedule *S'* with no more evictions.

- **Pf.** [by induction on number of steps *j*]
 - Suppose *S* brings *d* into the cache in step *j* without a request.
 - Let *c* be the item *S* evicts when it brings *d* into the cache.
 - Case 1a: *d* evicted before next request for *d*.
 - Case 1b: next request for *d* occurs before *d* is evicted.



Reduced eviction schedules

Claim. Given any unreduced schedule *S*, can transform it into a reduced schedule *S'* with no more evictions.

- **Pf.** [by induction on number of steps *j*]
 - Suppose *S* brings *d* into the cache in step *j* even though *d* is in cache.
 - Let *c* be the item *S* evicts when it brings *d* into the cache.
 - Case 2a: *d* evicted before it is needed.



Reduced eviction schedules

Claim. Given any unreduced schedule *S*, can transform it into a reduced schedule *S'* with no more evictions.

- **Pf.** [by induction on number of steps *j*]
 - Case 1: S brings d into the cache in step j without a request. \checkmark
 - Case 2: *S* brings *d* into the cache in step *j* even though *d* is in cache. \checkmark
 - If multiple unreduced items in step *j*, apply each one in turn, dealing with Case 1 before Case 2.

resolving Case 1 might trigger Case 2

Reduced eviction schedules

Claim. Given any unreduced schedule *S*, can transform it into a reduced schedule *S'* with no more evictions.

- **Pf.** [by induction on number of steps *j*]
 - Suppose *S* brings *d* into the cache in step *j* even though *d* is in cache.
 - Let *c* be the item *S* evicts when it brings *d* into the cache.
 - Case 2a: *d* evicted before it is needed.
 - Case 2b: *d* needed before it is evicted.



Farthest-in-future: analysis

Theorem. FF is optimal eviction algorithm.

Pf. Follows directly from the following invariant.

Invariant. There exists an optimal reduced schedule S that has the same eviction schedule as S_{FF} through the first j steps.

Pf. [by induction on number of steps *j*]

Base case: j = 0.

Let *S* be reduced schedule that satisfies invariant through *j* steps.

We produce S' that satisfies invariant after j + 1 steps.

- Let *d* denote the item requested in step j + 1.
- Since S and S_{FF} have agreed up until now, they have the same cache contents before step j + 1.
- Case 1: *d* is already in the cache. *S'* = *S* satisfies invariant.
- Case 2: d is not in the cache and S and S_{FF} evict the same item. S' = S satisfies invariant.

Farthest-in-future: analysis

Pf. [continued]

- Case 3: *d* is not in the cache; S_{FF} evicts *e*; *S* evicts $f \neq e$.
 - begin construction of S' from S by evicting e instead of f



- now S' agrees with S_{FF} for first j + 1 steps; we show that having item f in cache is no worse than having item e in cache
- let *S'* behave the same as *S* until *S'* is forced to take a different action (because either *S* evicts *e*; or because either *e* or *f* is requested)

51

Farthest-in-future: analysis



Let j' be the first step after j + 1 that S' must take a different action from S; let g denote the item requested in step j'.

- now *S* and *S'* have the same cache

- let S' behave exactly like S for the remaining requests •

Farthest-in-future: analysis

Let j' be the first step after j + 1 that S' must take a different action from S; let g denote the item requested in step j'.



• Case 3b: *g* = *f*.

Element f can't be in cache of S; let e' be the item that S evicts.

- if e' = e, S' accesses f from cache; now S and S' have same cache
- if $e' \neq e$, we make S' evict e' and bring e into the cache;

now S and S' have the same cache

We let S' behave exactly like S for remaining requests.

S' is no longer reduced, but can be transformed into a reduced schedule that agrees with FF through first j + 1 steps

Caching perspective

Online vs. offline algorithms.

- Offline: full sequence of requests is known a priori.
- Online (reality): requests are not known in advance.
- Caching is among most fundamental online problems in CS.

LIFO. Evict item brought in most recently.

LRU. Evict item whose most recent access was earliest.

FF with direction of time reversed!

Theorem. FF is optimal offline eviction algorithm.

- Provides basis for understanding and analyzing online algorithms.
- LIFO can be arbitrarily bad.
- LRU is *k*-competitive: for any sequence of requests σ , $LRU(\sigma) \le kFF(\sigma) + k$.
- Randomized marking is $O(\log k)$ -competitive.

see Section 13.8