



More on Transformations

COS 426, Spring 2019
Princeton University

Agenda





Grab-bag of topics related to transformations:

- General rotations
 - Euler angles
 - Rodrigues's rotation formula
- Maintaining camera transformations
 - First-person
 - Trackball
- How to transform normals

3D Coordinate Systems



- **Right-handed** vs. left-handed



3D Coordinate Systems



- **Right-handed** vs. left-handed
- Right-hand rule for rotations:
positive rotation = counterclockwise
rotation about axis






General Rotations



- Recall: set of rotations in 3-D is 3-dimensional
 - Rotation group $SO(3)$
 - Non-commutative
 - Corresponds to orthonormal 3×3 matrices with determinant = +1
- Need 3 parameters to represent a general rotation (Euler's rotation theorem)


Euler Angles

- Specify rotation by giving angles of rotation about 3 coordinate axes
- 12 possible conventions for order of axes, but one standard is Z-X-Z



Euler Angles


- Another popular convention: X-Y-Z
- Can be interpreted as yaw, pitch, roll of airplane



Rodrigues's Formula




- Even more useful: rotate by an arbitrary angle (1 number) about an arbitrary axis (3 numbers, but only 2 degrees of freedom since unit-length)



Rodrigues's Formula


- An arbitrary point **p** may be decomposed into its components **along** and **perpendicular** to **a**

$$\mathbf{p} = \mathbf{a} (\mathbf{p} \cdot \mathbf{a}) + [\mathbf{p} - \mathbf{a} (\mathbf{p} \cdot \mathbf{a})]$$



Rodrigues's Formula

- Rotating component **along** **a** leaves it unchanged
- Rotating component **perpendicular** to **a** (call it **$\mathbf{p}_\perp$**) moves it to **$\mathbf{p}_\perp \cos \theta + (\mathbf{a} \times \mathbf{p}_\perp) \sin \theta$**





Rodrigues' Formula

- Putting it all together:

$$\begin{aligned} \mathbf{R}\mathbf{p} &= \mathbf{a} (\mathbf{p} \cdot \mathbf{a}) + \mathbf{p}_{\perp} \cos \theta + (\mathbf{a} \times \mathbf{p}_{\perp}) \sin \theta \\ &= \mathbf{a}\mathbf{a}^T \mathbf{p} + (\mathbf{p} - \mathbf{a}\mathbf{a}^T \mathbf{p}) \cos \theta + (\mathbf{a} \times \mathbf{p}) \sin \theta \end{aligned}$$

Why?

- So: $\mathbf{R} = \mathbf{a}\mathbf{a}^T + (\mathbf{I} - \mathbf{a}\mathbf{a}^T) \cos \theta + [\mathbf{a}]_{\times} \sin \theta$

where $[\mathbf{a}]_{\times}$ is the “cross product matrix”

$$[\mathbf{a}]_{\times} = \begin{pmatrix} 0 & -a_z & a_y \\ a_z & 0 & -a_x \\ -a_y & a_x & 0 \end{pmatrix}$$

Olinde Rodrigues, "Des lois géométriques qui regissent les déplacements d'un système solide dans l'espace, et de la variation des coordonnées provenant de ces déplacements considérées indépendamment des causes qui peuvent les produire", *J. Math. Pures Appl.* **5** (1840), 380–440.

Rotating One Direction into Another



- Given two directions $\mathbf{d}_1$, $\mathbf{d}_2$ (unit length), how to find transformation that rotates $\mathbf{d}_1$ into $\mathbf{d}_2$?
 - There are many such rotations!
 - Choose rotation with minimum angle
- Axis = $\mathbf{d}_1 \times \mathbf{d}_2$
- Angle = $\arccos(\mathbf{d}_1 \cdot \mathbf{d}_2)$
- More stable numerically: $\text{atan2}(|\mathbf{d}_1 \times \mathbf{d}_2|, \mathbf{d}_1 \cdot \mathbf{d}_2)$

Agenda



Grab-bag of topics related to transformations:


- General rotations
 - Euler angles
 - Rodrigues's rotation formula
- Maintaining camera transformations
 - First-person
 - Trackball
- How to transform normals

Camera Coordinates




Canonical camera coordinate system

- Convention is right-handed (looking down $-z$ axis)
- Convenient for projection, clipping, etc.



Viewing Transformation

- Mapping from world to camera coordinates
 - Eye position maps to origin
 - Right vector maps to +X axis
 - Up vector maps to +Y axis
 - Back vector maps to +Z axis



Finding the viewing transformation



- We have the camera (in world coordinates)
- We want T taking objects from world to camera

$$p^c = T p^w$$

- Trick: find T^{-1} taking objects in camera to world

$$p^w = T^{-1} p^c$$


$$\begin{bmatrix} x' \\ y' \\ z' \\ w' \end{bmatrix} = \begin{bmatrix} a & b & c & d \\ e & f & g & h \\ i & j & k & l \\ m & n & o & p \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$



Finding the Viewing Transformation



- Trick: map from camera coordinates to world
 - Origin maps to eye position
 - Z axis maps to Back vector
 - Y axis maps to Up vector
 - X axis maps to Right vector

A diagram with four curved arrows pointing from the list items to the columns of the transformation matrix. The first arrow points from 'Origin maps to eye position' to the \$E_x\$ column. The second arrow points from 'Z axis maps to Back vector' to the \$B_x\$ column. The third arrow points from 'Y axis maps to Up vector' to the \$U_x\$ column. The fourth arrow points from 'X axis maps to Right vector' to the \$R_x\$ column.
$$\begin{bmatrix} x' \\ y' \\ z' \\ w' \end{bmatrix} = \begin{bmatrix} R_x & U_x & B_x & E_x \\ R_y & U_y & B_y & E_y \\ R_z & U_z & B_z & E_z \\ R_w & U_w & B_w & E_w \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$

- This matrix is T^{-1} so we invert it to get T ... easy!

Maintaining Viewing Transformation



For first-person camera control, need 2 operations:

- Turn: rotate(θ , 0,1,0) in **local** coordinates
- Advance: translate(0, 0, $-v \cdot \Delta t$) in **local** coordinates
- Key: transformations act on local, not global coords
- To accomplish: **right**-multiply by translation, rotation


$$\mathbf{M}_{\text{new}} \leftarrow \mathbf{M}_{\text{old}} \mathbf{T}_{-v \cdot \Delta t, z} \mathbf{R}_{\theta, y}$$

Maintaining Viewing Transformation



Object manipulation: “trackball” or “arcball” interface

- Map mouse positions to surface of a sphere



- Compute rotation axis, angle
- Apply rotation to **global** coords: **left**-multiply

$$\mathbf{M}_{\text{new}} \leftarrow \mathbf{R}_{\theta, a} \mathbf{M}_{\text{old}}$$

Agenda



Grab-bag of topics related to transformations:



- General rotations
 - Euler angles
 - Rodrigues's rotation formula
- Maintaining camera transformations
 - First-person
 - Trackball
- How to transform normals

Transforming Normals



Normals do not transform the same way as points!

- Not affected by translation
- Not affected by shear perpendicular to the normal





Transforming Normals

- Key insight: normal remains perpendicular to surface **tangent**

- Let $\mathbf{t}$ be a tangent vector and $\mathbf{n}$ be the normal

$$\mathbf{t} \cdot \mathbf{n} = 0 \quad \text{or} \quad \mathbf{t}^T \mathbf{n} = 0$$

- If matrix $\mathbf{M}$ represents an affine transformation, it transforms $\mathbf{t}$ as

$$\mathbf{t} \rightarrow \mathbf{M}_L \mathbf{t}$$

where $\mathbf{M}_L$ is the linear part (upper-left 3×3) of $\mathbf{M}$



Transforming Normals

- So, after transformation, want

$$(\mathbf{M}_L \mathbf{t})^T \mathbf{n}_{\text{transformed}} = 0$$

- But we know that

$$\mathbf{t}^T \mathbf{n} = 0$$

$$\mathbf{t}^T \mathbf{M}_L^T (\mathbf{M}_L^T)^{-1} \mathbf{n} = 0$$

$$(\mathbf{M}_L \mathbf{t})^T (\mathbf{M}_L^T)^{-1} \mathbf{n} = 0$$

- So,

$$\mathbf{n}_{\text{transformed}} = (\mathbf{M}_L^T)^{-1} \mathbf{n}$$

Transforming Normals



- Conclusion: normals transformed by *inverse transpose* of *linear part* of transformation
- Note that for rotations, inverse = transpose, so inverse transpose = identity
 - normals just rotated

COS 426 Midterm exam



- This Thursday, April 14
- Regular time/place: 3:00-4:20, Friend 006
- Covers everything through week 5:
color, image processing, shape representations
transformations (but not today's lecture)
 - Also responsible for material in required parts of
first two programming assignments
- Closed book, no electronics,
one page of notes / formulas