



<https://algs4.cs.princeton.edu>

## DYNAMIC PROGRAMMING

---

- *introduction*
- *Fibonacci numbers*
- *interview problems*
- *shortest paths in DAGs*
- *seam carving*



<https://algs4.cs.princeton.edu>

# DYNAMIC PROGRAMMING

---


- *introduction*
- *Fibonacci numbers*
- *interview problems*
- *shortest paths in DAGs*
- *seam carving*

# Dynamic programming

---

## Algorithm design paradigm.

- Break up a problem into a series of overlapping subproblems.
- Build up solutions to larger and larger subproblems.  
(caching solutions to subproblems for later reuse)



**Richard Bellman, \*46**

## Application areas.

- Operations research: multistage decision processes, control theory, optimization, ...
- Computer science: AI, compilers, systems, graphics, databases, robotics, theory, ....
- Economics.
- Bioinformatics.
- Information theory.
- Tech job interviews.



**Bottom line.** Powerful technique; broadly applicable.



# Dynamic programming algorithms









## Some famous examples.

- System R algorithm for optimal join order in relational databases.
- Needleman-Wunsch/Smith-Waterman for sequence alignment.
- Cocke-Kasami-Younger for parsing context-free grammars.
- Bellman-Ford-Moore for shortest path.
- De Boor for evaluating spline curves.
- Viterbi for hidden Markov models.
- Unix diff for comparing two files.
- Avidan-Shamir for seam carving. ← see Assignment 6
- **NP**-complete graph problems on trees (vertex color, vertex cover, independent set, ...).
- ...




















# Dynamic programming books



pp. 284–289







# DYNAMIC PROGRAMMING

---

- *introduction*
- ***Fibonacci numbers***
- *interview problems*
- *shortest paths in DAGs*
- *seam carving*




# Fibonacci numbers

Fibonacci numbers. 0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, ...


$$F_i = \begin{cases} 0 & \text{if } i = 0 \\ 1 & \text{if } i = 1 \\ F_{i-1} + F_{i-2} & \text{if } i > 1 \end{cases}$$



Leonardo Fibonacci



3



5



8



13



21



34



55



89



# Fibonacci numbers: naïve recursive approach

---


Fibonacci numbers. 0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, ...

$$F_i = \begin{cases} 0 & \text{if } i = 0 \\ 1 & \text{if } i = 1 \\ F_{i-1} + F_{i-2} & \text{if } i > 1 \end{cases}$$

Goal. Given  $n$ , compute  $F_n$ .

Naïve recursive approach:

```
public static long fib(int i)
{
    if (i == 0) return 0;
    if (i == 1) return 1;
    return fib(i-1) + fib(i-2);
}
```



How long to compute `fib(80)` using the naïve recursive algorithm?

- A. Less than 1 second.
- B. About 1 minute.
- C. More than 1 hour.
- D. Overflows a 64-bit long integer.


# Fibonacci numbers: recursion tree and exponential growth

Exponential waste. Same **overlapping subproblems** are solved repeatedly.

Ex. To compute `fib(6)`:

- `fib(5)` is called 1 time.
- `fib(4)` is called 2 times.
- `fib(3)` is called 3 times.
- `fib(2)` is called 5 times.
- `fib(1)` is called  $F_n = F_6 = 8$  times.

$$F_n \sim \phi^n, \quad \phi = \frac{1 + \sqrt{5}}{2} \approx 1.618$$



running time = # subproblems  $\times$  cost per subproblem



# Fibonacci numbers: top-down dynamic programming (memoization)

---

## Memoization.

- Maintain an **array** (or **symbol table**) to remember all computed values.
- If value to compute is known, just return it;  
otherwise, compute it; remember it; and return it.

```
public static long fib(int i)
{
    if (i == 0) return 0;
    if (i == 1) return 1;
    if (f[i] == 0) f[i] = fib(i-1) + fib(i-2);
    return f[i];
}
```

assume global long array f[], initialized to 0 (unknown)

**Impact.** Solves each subproblem  $F_i$  only once;  $\Theta(n)$  time and space to compute  $F_n$ .


# Fibonacci numbers: bottom-up dynamic programming (tabulation)

---

## Tabulation.

- Build computation from the “bottom up.”
- Solve small subproblems and save solutions.
- Use those solutions to solve larger subproblems.

```
public static long fib(int n)
{
    long[] f = new long[n+1];
    f[0] = 0;
    f[1] = 1;
    for (int i = 2; i <= n; i++)
        f[i] = f[i-1] + f[i-2];
    return f[n];
}
```



**Impact.** Solves each subproblem  $F_i$  only once;  $\Theta(n)$  time and space to compute  $F_n$ ; no recursion.

# Fibonacci numbers: further improvements

---

## Performance improvements.

- Reduce space by maintaining only two most recent Fibonacci numbers.

```
public static long fib(int n) {  
    int f = 0, g = 1;  
    for (int i = 0; i < n; i++) {  
        g = f + g;  
        f = g - f;  
    }  
    return f;  
}
```

← f and g are consecutive  
Fibonacci numbers

- Exploit additional properties of problem:

$$F_n = \left\lfloor \frac{\phi^n}{\sqrt{5}} \right\rfloor, \quad \phi = \frac{1 + \sqrt{5}}{2}$$

$$\begin{pmatrix} 1 & 1 \\ 1 & 0 \end{pmatrix}^i = \begin{pmatrix} F_{i+1} & F_i \\ F_i & F_{i-1} \end{pmatrix}$$



# Dynamic programming recap

---

## Dynamic programming.

- Divide a complex problem into a number of simpler **overlapping subproblems**.  
[ define  $n + 1$  subproblems, where subproblem  $i$  is computing Fibonacci number  $i$  ]
- Define a **recurrence relation** to solve larger subproblems from smaller subproblems.  
[ easy to solve subproblem  $i$  if we know solutions to subproblems  $i - 1$  and  $i - 2$  ]

$$F_i = \begin{cases} 0 & \text{if } i = 0 \\ 1 & \text{if } i = 1 \\ F_{i-1} + F_{i-2} & \text{if } i > 1 \end{cases}$$

- **Store solutions** to each of these subproblems, solving each subproblem only once.  
[ store solution to subproblem  $i$  in array entry  $f[i]$  ]
- Use stored solutions to solve the original problem.  
[ solution to subproblem  $n$  is original problem ]




<https://algs4.cs.princeton.edu>

# DYNAMIC PROGRAMMING

---

- *introduction*
- *Fibonacci numbers*
- *interview problems*
- *shortest paths in DAGs*
- *seam carving*

# HOUSE PAINTING PROBLEM



- Goal.** Given a row of  $n$  black houses, paint some orange so that:
- Maximize total profit, where  $profit(i)$  = profit from painting house  $i$  orange.
  - Constraint: no two adjacent houses painted orange.




$i$	1	2	3	4	5	6
$profit(i)$	10	9	13	20	30	25

profit for painting houses 1, 4, and 6 orange  
(10+ 20 + 25 = 55)



# HOUSE PAINTING PROBLEM: DYNAMIC PROGRAMMING FORMULATION



**Goal.** Given a row of  $n$  black houses, paint some orange so that:

- Maximize total profit, where  $profit(i)$  = profit from painting house  $i$  orange.
- Constraint: no two adjacent houses painted orange.

**Subproblems.**  $OPT(i)$  = max profit to paint houses  $1, \dots, i$ .

**Optimal value.**  $OPT(n)$ .

$i$	0	1	2	3	4	5	6
$profit(i)$		10	9	13	20	30	25
$OPT(i)$	0	10	10	23	30	53	55

$$\begin{aligned} OPT(6) &= \max \left\{ \overbrace{OPT(5)}^{\text{keep house 6 black}}, \overbrace{profit(6) + OPT(4)}^{\text{paint house 6 orange}} \right\} \\ &= \max \{ 53, 25 + 30 \} \\ &= 55 \end{aligned}$$

# HOUSE PAINTING PROBLEM: DYNAMIC PROGRAMMING FORMULATION



**Goal.** Given a row of  $n$  black houses, paint some orange so that:

- Maximize total profit, where  $profit(i)$  = profit from painting house  $i$  orange.
- Constraint: no two adjacent houses painted orange.

**Subproblems.**  $OPT(i)$  = max profit to paint houses  $1, \dots, i$ .

**Optimal value.**  $OPT(n)$ .

**Binary choice.** To compute  $OPT(i)$ , either:

- Don't paint house  $i$  orange:  $OPT(i - 1)$ .
- Paint house  $i$  orange:  $profit(i) + OPT(i - 2)$ .

optimal substructure  
(optimal solution can be constructed from  
optimal solutions to smaller subproblems)

take best

**Dynamic programming recurrence.**

$$OPT(i) = \begin{cases} 0 & \text{if } i = 0 \\ profit(1) & \text{if } i = 1 \\ \max \{ OPT(i - 1), profit(i) + OPT(i - 2) \} & \text{if } i \geq 2 \end{cases}$$

# HOUSE PAINTING: NAÏVE RECURSIVE IMPLEMENTATION



Naïve recursive approach:

```
private int opt(int i) {  
    if (i == 0) return 0;  
    if (i == 1) return profit[1];  
    return Math.max(opt(i-1), profit[i] + opt(i-2));  
}
```

Dynamic programming recurrence.

$$OPT(i) = \begin{cases} 0 & \text{if } i = 0 \\ profit(1) & \text{if } i = 1 \\ \max \{ OPT(i-1), profit(i) + OPT(i-2) \} & \text{if } i \geq 2 \end{cases}$$



What is running time of the naïve recursive algorithm as a function of  $n$ ?

- A.  $\Theta(n)$
- B.  $\Theta(n^2)$
- C.  $\Theta(c^n)$  for some  $c > 1$ .
- D.  $\Theta(n!)$


```
private int opt(int i) {  
    if (i == 0) return 0;  
    if (i == 1) return profit[1];  
    return Math.max(opt(i-1), profit[i] + opt(i-2));  
}
```

*“ Those who cannot remember the  
past are condemned to repeat it. ”*

— **Dynamic Programming**

*(Jorge Agustín Nicolás Ruiz de Santayana y Borrás)*

# HOUSING PAINTING: BOTTOM-UP IMPLEMENTATION



Bottom-up DP implementation.

```
int[] opt = new int[n+1];  
opt[0] = 0;  
opt[1] = profit[1];  
for (int i = 2; i <= n; i++)  
    opt[i] = Math.max(opt[i-1], profit[i] + opt[i-2]);
```


solutions to smaller subproblems already available

$$OPT(i) = \begin{cases} 0 & \text{if } i = 0 \\ profit(1) & \text{if } i = 1 \\ \max \{ OPT(i-1), profit(i) + OPT(i-2) \} & \text{if } i \geq 2 \end{cases}$$


**Proposition.** Computing  $OPT(n)$  takes  $\Theta(n)$  time and uses  $\Theta(n)$  extra space.



# HOUSING PAINTING: TRACE




Bottom-up DP implementation trace.



<i>i</i>	0	1	2	3	4	5	6
<i>profit(i)</i>		10	9	13	20	30	25
<i>OPT(i)</i>	0	10	10	23	30	53	55


$OPT(i)$  = max profit for painting houses 1, 2, ..., i

# HOUSING PAINTING: BACKTRACE



Q. We computed the **optimal value**. How to reconstruct an **optimal solution**?

A. Trace back path that led to optimal value.



$OPT(i)$  = max profit for painting houses 1, 2, ..., i

# COIN CHANGING



**Problem.** Given  $n$  coin denominations  $\{d_1, d_2, \dots, d_n\}$  and a target value  $V$ , find the fewest coins needed to make change for  $V$  (or report impossible).

**Ex.** Coin denominations =  $\{1, 10, 25, 100\}$ ,  $V = 131$ .

**Greedy (8 coins).**  $131¢ = 100 + 25 + 1 + 1 + 1 + 1 + 1 + 1$ .


**Optimal (5 coins).**  $131¢ = 100 + 10 + 10 + 10 + 1$ .



8 coins  
(131¢)




5 coins  
(131¢)



vending machine  
(out of nickels)


**Remark.** Greedy algorithm is optimal for U.S. coin denominations  $\{1, 5, 10, 25, 100\}$ .



Which subproblems for coin changing problem?

- A.  $OPT(i)$  = fewest coins needed to make change for target value  $V$  using only coin denominations  $d_1, d_2, \dots, d_i$ .
- B.  $OPT(v)$  = fewest coins needed to make change for amount  $v$ , for  $v = 0, 1, 2, \dots, V$ .
- C. Either A or B.
- D. Neither A nor B.

# COIN CHANGING: DYNAMIC PROGRAMMING FORMULATION



**Problem.** Given  $n$  coin denominations  $\{ d_1, d_2, \dots, d_n \}$  and a target value  $V$ , find the fewest coins needed to make change for  $V$  (or report impossible).

**Subproblems.**  $OPT(v)$  = fewest coins needed to make change for amount  $v$ .

**Optimal value.**  $OPT(V)$ .

**Ex.** Coin denominations  $\{ 1, 5, 8 \}$  and  $V = 10$ .


$v$	0¢	1¢	2¢	3¢	4¢	5¢	6¢	7¢	8¢	9¢	10¢
# coins	0	1	2	3	4	1	2	3	1	2	2



$$\begin{aligned} OPT(10) &= \min \{ 1 + OPT(10 - 1), 1 + OPT(10 - 5), 1 + OPT(10 - 8) \} \\ &= \min \{ 1 + 2, 1 + 1, 1 + 2 \} \\ &= 2 \end{aligned}$$



# COIN CHANGING: DYNAMIC PROGRAMMING FORMULATION



**Problem.** Given  $n$  coin denominations  $\{d_1, d_2, \dots, d_n\}$  and a target value  $V$ , find the fewest coins needed to make change for  $V$  (or report impossible).

**Subproblems.**  $OPT(v)$  = fewest coins needed to make change for amount  $v$ .

**Optimal value.**  $OPT(V)$ .

**Multiway choice.** To compute  $OPT(v)$ ,

- Select a coin of denomination  $d_i \leq v$  for some  $i$ .
- Use fewest coins to make change for  $v - d_i$ .

← take best  
(among all coin denominations)

← optimal substructure


**Dynamic programming recurrence.**

$$OPT(v) = \begin{cases} 0 & \text{if } v = 0 \\ \min_{i : d_i \leq v} \{ 1 + OPT(v - d_i) \} & \text{if } v > 0 \end{cases}$$

notation: *min* is over all coin denominations of value  $\leq v$



# COIN CHANGING: BOTTOM-UP IMPLEMENTATION



Bottom-up DP implementation.

```
int[] opt = new int[V+1];
opt[0] = 0;

for (int v = 1; v <= V; v++)
{
    // opt[v] = min_i { 1 + opt[v - d[i]] }
    opt[v] = INFINITY;
    for (int i = 1; i <= n; i++)
        if (d[i] <= v)
            opt[v] = Math.min(opt[v], 1 + opt[v - d[i]]);
}
```

$$OPT(v) = \begin{cases} 0 & \text{if } v = 0 \\ \min_{i : d_i \leq v} \{ 1 + OPT(v - d_i) \} & \text{if } v > 0 \end{cases}$$

**Proposition.** DP algorithm takes  $\Theta(n V)$  time and uses  $\Theta(V)$  extra space.

**Note.** Not polynomial in input size; underlying problem is **NP**-complete.

$\nearrow$   
 $n, \log V$



<https://algs4.cs.princeton.edu>

# DYNAMIC PROGRAMMING

---

- *introduction*
- *Fibonacci numbers*
- *interview problems*
- *shortest paths in DAGs*
- *seam carving*

# Shortest paths in directed acyclic graphs: dynamic programming formulation

**Problem.** Given a DAG with positive edge weights, find shortest path from  $s$  to  $t$ .

**Subproblems.**  $distTo(v)$  = length of shortest  $s \rightsquigarrow v$  path.


**Goal.**  $distTo(t)$ .

**Multiway choice.** To compute  $distTo(v)$ :

- Select an edge  $e = u \rightarrow v$  entering  $v$ .
- Concatenate with shortest  $s \rightsquigarrow u$  path.

↑  
optimal substructure

← take best among  
 $distTo(u) + weight(e)$



**Dynamic programming recurrence.**

$$distTo(v) = \begin{cases} 0 & \text{if } v = s \\ \min_{e = u \rightarrow v} \{ distTo(u) + weight(e) \} & \text{if } v \neq s \end{cases}$$

notation:  $min$  is over all edges that enter  $v$


# Shortest paths in directed acyclic graphs: bottom-up solution

**Bottom-up DP implementation.** Takes  $\Theta(E + V)$  time with two tricks:

- Solve subproblems in **topological order**.  $\longleftarrow$  ensures that “small” subproblems are solved before “large” ones
- Form reverse digraph  $G^R$  (to support iterating over edges incident **to** vertex  $v$ ).

**Equivalent (but simpler) computation.** Relax vertices in topological order.


```
Topological topological = new Topological(G);  
for (int v : topological.order())  
    for (DirectedEdge e : G.adj(v))  
        relax(e);
```



**Backtracing.** Can find the shortest paths themselves by maintaining `edgeTo[]` array.



Given a DAG, how to find **longest path** from  $s$  to  $t$  in  $\Theta(E + V)$  time?



longest path from  $s$  to  $t$  in a DAG (all edge weights = 1)


- A. Negate edge weights; use DP algorithm to find shortest path.
- B. Replace *min* with *max* in DP recurrence.
- C. Either A or B.
- D. No poly-time algorithm is known (**NP**-complete).

# Shortest paths in DAGs and dynamic programming

## DP subproblem dependency digraph.

- Vertex  $v$  corresponds to subproblem  $v$ .
- Edge  $v \rightarrow w$  means subproblem  $v$  must be solved before subproblem  $w$ .
- Digraph must be a DAG. Why?

Ex 1. Modeling the coin changing problem as a **shortest path** problem in a DAG.



coin denominations = { 1, 5, 8 },  $V = 10$






# Shortest paths in DAGs and dynamic programming

## DP subproblem dependency digraph.

- Vertex  $v$  corresponds to subproblem  $v$ .
- Edge  $v \rightarrow w$  means subproblem  $v$  must be solved before subproblem  $w$ .
- Digraph must be a DAG. Why?

Ex 2. Modeling the house painting problem as a **longest path** problem in a DAG.





<https://algs4.cs.princeton.edu>

# DYNAMIC PROGRAMMING

---

- *introduction*
- *Fibonacci numbers*
- *interview problems*
- *shortest paths in DAGs*
- *seam carving*

# Content-aware resizing

---

**Seam carving.** [Avidan-Shamir] Resize an image without distortion for display on cell phones and web browsers.



<https://www.youtube.com/watch?v=vIFCV2spKtg>



# Content-aware resizing

---

**Seam carving.** [Avidan-Shamir] Resize an image without distortion for display on cell phones and web browsers.



**In the wild.** Photoshop, ImageMagick, GIMP, ...






# Content-aware resizing

---

To find vertical seam in a picture:


- Grid graph: vertex = pixel; edge = from pixel to 3 downward neighbors (SW, S, SE).
- Weight of pixel = “energy function” of 4 neighboring pixels (N, E, S, W).



# Content-aware resizing

To find vertical seam in a picture:

- Grid graph: vertex = pixel; edge = from pixel to 3 downward neighbors (SW, S, SE).
- Weight of pixel = “energy function” of 4 neighboring pixels (N, E, S, W).
- Seam = shortest path (sum of vertex weights) from top to bottom.




# Content-aware resizing

---

To remove vertical seam in a picture:

- Delete pixels on seam (one in each row).





# Content-aware resizing: dynamic programming formulation


---

**Problem.** Find a min energy path from top to bottom.

**Subproblems.**  $distTo(col, row)$  = energy of min energy path from any top pixel to pixel  $(col, row)$ .

**Goal.**  $\min \{ distTo(col, H-1) \}$ .

**Dynamic programming recurrence.** For you to figure out in Assignment 6.




# Summary

---

How to design a dynamic programming algorithm.

- Find good subproblems. 💡
- Develop DP recurrence for optimal value.
  - optimal substructure
  - overlapping subproblems
- Determine dependency order in which to solve subproblems.
- Cache computed results to avoid unnecessary re-computation.
- Reconstruct the solution: backtrace or save extra state.



© Copyright 2023 Robert Sedgewick and Kevin Wayne