

COS 217: Introduction to Programming Systems

Building C Programs & Implementing DFAs in C



PRINCETON UNIVERSITY



Agenda

Building simple C programs

- examine 4-stage build process for `charcount`

"DFA model" character processing programs

- `upper`: demonstrate ctype library for character data
- `upper1`: DFA model
- `upper1`: develop a C program to implement the DFA


Next time: design decisions in `charcount`, `upper`, `upper1`



Last time: The `charcount` Program

Functionality:

- Read all characters from standard input stream
- Write to standard output stream the number of characters read





Last time: The charcount Program

The program:

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void) {
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF) {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```



Last time: charcount Building and Running

```
$ gcc217 charcount.c
$ ls
.
..
a.out
$ gcc217 charcount.c -o charcount
$ ls
.
..
a.out
charcount
$
```



charcount Build Process in Detail

Question:

- Exactly what happens when you issue the command
`gcc217 charcount.c -o charcount`

Answer: Four steps

- Preprocess
- Compile
- Assemble
- Link



charcount Build Process in Detail

The starting point:

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

- C language
- Missing declarations of `getchar()` and `printf()`
- Missing definitions of `getchar()` and `printf()`



charcount Build Process: Preprocessor

Command to preprocess:

- `gcc217 -E charcount.c > charcount.i`

Preprocessor functionality

- Removes comments
- Handles preprocessor directives



charcount Build Process: Preprocessor

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{  int c;
   int charCount = 0;
   c = getchar();
   while (c != EOF)
   {  charCount++;
      c = getchar();
   }
   printf("%d\n", charCount);
   return 0;
}
```

Preprocessor removes
comment (this is A1!)



charcount Build Process: Preprocessor

charcount.c

```
#include <stdio.h>
/* Write to stdout the number of
   chars in stdin. Return 0. */
int main(void)
{
    int c;
    int charCount = 0;
    c = getchar();
    while (c != EOF)
    {
        charCount++;
        c = getchar();
    }
    printf("%d\n", charCount);
    return 0;
}
```

Preprocessor replaces
#include <stdio.h>
with contents of
/usr/include/stdio.h

Preprocessor replaces
EOF with -1



charcount Build Process: Preprocessor

The result

charcount.i

```
...
int getchar();
int printf(char *fmt, ...);
...

int main(void)
{ int c;
  int charCount = 0;
  c = getchar();
  while (c != -1)
  { charCount++;
    c = getchar();
  }
  printf("%d\n", charCount);
  return 0;
}
```

- C language
- Without comments
- Without preprocessor directives
- Contains code from stdio.h:
declarations of getchar() and printf()
- Missing **definitions** of getchar() and printf()
- Contains value for EOF



charcount Build Process: Compiler

Command to compile:

- `gcc217 -S charcount.i`

Compiler functionality

- Translate from C to assembly language
- Use function declarations to check calls of `getchar()` and `printf()`



charcount Build Process: Compiler

charcount.i

```
...
int getchar();
int printf(char *fmt, ...);
...
int main(void)
{  int c;
   int charCount = 0;
   c = getchar();
   while (c != -1)
   {  charCount++;
      c = getchar();
   }
   printf("%d\n", charCount);
   return 0;
}
```

- Compiler sees function **declarations**
- These give compiler enough information to check subsequent calls of `getchar()` and `printf()`



charcount Build Process: Compiler

charcount.i

```
...
int getchar();
int printf(char *fmt, ...);
...
int main(void)
{  int c;
   int charCount = 0;
   c = getchar();
   while (c != -1)
   {  charCount++;
      c = getchar();
   }
   printf("%d\n", charCount);
   return 0;
}
```

- Definition of `main()` function
- Compiler checks calls of `getchar()` and `printf()`
- Compiler translates C code to assembly language directives and instructions progressively



charcount Build Process: Compiler

The result:
charcount.s

```
.LC0: .section .rodata
       .string "%d\n"

       .section .text
       .global main
main:  stp    x29, x30, [sp, -32]!
       add    x29, sp, 0
       str    wzr, [x29,24]
       bl     getchar
       str    w0, [x29,28]
       b      .L2

.L3:   ldr    w0, [x29,24]
       add    w0, w0, 1
       str    w0, [x29,24]
       bl     getchar
       str    w0, [x29,28]

.L2:   ldr    w0, [x29,28]
       cmn    w0, #1
       bne    .L3
       adrp   x0, .LC0
       add    x0, x0, :lo12:.LC0
       ldr    w1, [x29,24]
       bl     printf
       mov    w0, 0
       ldp    x29, x30, [sp], 32
       ret
```


- Assembly language
- Missing definitions of
getchar() and printf()



charcount Build Process: Assembler

Command to assemble:

- gcc217 -c charcount.s



Assembler functionality

- Translate from assembly language to machine language



charcount Build Process: Assembler

The result:

charcount.o

Machine language
version of the
program

No longer human
readable

- Machine language
- (Still!) Missing definitions of
`getchar()` and `printf()`



charcount Build Process: Linker

Command to link:

- `gcc217 charcount.o -o charcount`

Linker functionality

- Resolve references within the code
- Fetch machine language code from the standard C library (`/usr/lib/libc.a`) to make the program complete
- Produce final executable



charcount Build Process: Linker

The result:

charcount

Machine language
version of the
program

No longer human
readable

- Machine language
- Contains definitions of
getchar() and printf()

Complete! Executable!



Agenda

Building simple C programs

- examine 4-stage build process for charcount

"DFA model" character processing programs

- upper: demonstrate ctype library for character data
- upper1: DFA model
- upper1: develop a C program to implement the DFA


Next time: design decisions in charcount, upper, upper1



Getting closer: upper

Functionality

- Read all chars from stdin
- Convert each lower-case alphabetic char to upper case
 - Leave other kinds of chars alone
- Write result to stdout





upper (starting at Version 3 ... 1 and 2 next time!)

```
#include <stdio.h>
#include <ctype.h>
int main(void)
{ int c;
    while ((c = getchar()) != EOF)
    { if (islower(c))
        c = toupper(c);
        putchar(c);
    }
    return 0;
}
```



ctype.h Functions

```
$ man islower
```

NAME

isalnum, isalpha, isascii, isblank, iscntrl, isdigit, isgraph,
islower, isprint, ispunct, isspace, isupper, isxdigit –
character classification routines

SYNOPSIS

```
#include <ctype.h>
int isalnum(int c);
int isalpha(int c);
int isascii(int c);
int isblank(int c);
int iscntrl(int c);
int isdigit(int c);
int isgraph(int c);
int islower(int c);
int isprint(int c);
int ispunct(int c);
int isspace(int c);
int isupper(int c);
int isxdigit(int c);
```

These functions check
whether *c*, which must
have the value of an
unsigned char or EOF,
falls into a certain
character class.

...

islower() checks for a
lowercase character.



ctype.h Functions

```
$ man toupper
```

NAME

toupper, tolower – convert letter to upper or lower case

SYNOPSIS

```
#include <ctype.h>
int toupper(int c);
int tolower(int c);
```

DESCRIPTION

toupper() converts the letter c to upper case, if possible.

tolower() converts the letter c to lower case, if possible.

If c is not an unsigned char value, or EOF, the behavior of these functions is undefined.

RETURN VALUE

The value returned is that of the converted letter, or c if the conversion was not possible.



It's important to be inclusive!



What build tool will be limited (and thus complain with a warning) if we omit the library preprocessor directive?

- A: Preprocessor
- B: Compiler
- C: Assembler
- D: Linker

```
#include <stdio.h>
#include <ctype.h>
int main(void)
{ int c;
    while ((c = getchar()) != EOF)
    { if (islower(c))
        c = toupper(c);
        putchar(c);
    }
    return 0;
}
```

B: Compiler gives warning that it hasn't seen declaration for `islower` or `toupper`
... but build does ultimately succeed.



Agenda

Building simple C programs

- examine 4-stage build process for charcount

"DFA model" character processing programs

- upper: demonstrate ctype library for character data
- **upper1: DFA model**
- upper1: develop a C program to implement the DFA


Next time: design decisions in charcount, upper, upper1



The upper1 program

Functionality

- Read all chars from stdin
- Capitalize the first letter of each word
 - “cos 217 rocks” ⇒ “Cos 217 Rocks”
- Write result to stdout




What we need:

1. to recognize when we're “*in a word*” vs “*not in a word*”
2. to reason about what to do with that information in a systematic way



Deterministic Finite Automaton

Deterministic Finite State Automaton (DFA)



- States, one of which is designated as the start
- Transitions labeled by individual or categories of chars
- Optionally, actions on transitions
- Usually (but not here) a notion of accept ✓ and reject ✗ states



Agenda

Building simple C programs

- examine 4-stage build process for charcount

"DFA model" character processing programs

- upper: demonstrate ctype library for character data
- upper1: DFA model
- upper1: develop a C program to implement the DFA


Next time: design decisions in charcount, upper, upper1



upper1 Version 1

```
#include <stdio.h>
#include <cctype.h>
int main(void) {
    int c;
    int state = 0;
    while ((c = getchar()) != EOF) {
        switch (state) {
            case 0:
                if (isalpha(c)) {
                    putchar(toupper(c)); state = 1;
                } else {
                    putchar(c); state = 0;
                }
                break;
            case 1:
                if (isalpha(c)) {
                    putchar(c); state = 1;
                } else {
                    putchar(c); state = 0;
                }
                break;
        }
    }
    return 0;
}
```

That's a B.
What's wrong?





upper1 Toward Version 2

Problem:

- The program works, but...
- States should have names

Solution:

- Define your own named constants:
- `enum Statetype {NORMAL, INWORD};`
 - Define an enumeration type
(a type with literals that are semantically meaningful names for a subset of integer values)
- `enum Statetype state;`
 - Define a variable of that type



upper1 Version 2

```
...
enum Statetype {NORMAL, INWORD};
int main(void) {
    int c;
    enum Statetype state = NORMAL;
    while ((c = getchar()) != EOF) {
        switch (state) {
            case NORMAL:
                if (isalpha(c)) {
                    putchar(toupper(c)); state = INWORD;
                } else {
                    putchar(c); state = NORMAL;
                }
                break;
            case INWORD:
                if (isalpha(c)) {
                    putchar(c); state = INWORD;
                } else {
                    putchar(c); state = NORMAL;
                }
                break;
        }
    }
    return 0;
}
```

That's a B+.
What's wrong?



upper1 Toward Version 3

Problem:

- The program works, but...
- Deeply nested statements
- No modularity

Solution:

- Handle each state in a separate function



upper1 Version 3

```
#include <stdio.h>
#include <ctype.h>
enum Statetype {NORMAL, INWORD};

enum Statetype
handleNormalState(int c)
{
    enum Statetype state;
    if (isalpha(c)) {
        putchar(toupper(c));
        state = INWORD;
    } else {
        putchar(c);
        state = NORMAL;
    }
    return state;
}
```

```
enum Statetype
handleInwordState(int c)
{
    enum Statetype state;
    if (!isalpha(c)) {
        putchar(c);
        state = NORMAL;
    } else {
        putchar(c);
        state = INWORD;
    }
    return state;
}
```

```
int main(void)
{
    int c;
    enum Statetype state = NORMAL;
    while ((c = getchar()) != EOF) {
        switch (state) {
            case NORMAL:
                state = handleNormalState(c);
                break;
            case INWORD:
                state = handleInwordState(c);
                break;
        }
    }
    return 0;
}
```

That's an A-
What's wrong?



Agenda

Building simple C programs

- examine 4-stage build process for `charcount`

"DFA model" character processing programs

- `upper`: demonstrate ctype library for character data
- `upper1`: DFA model
- `upper1`: develop a C program to implement the DFA


Next time: design decisions in `charcount`, `upper`, `upper1`

more C language design decisions and features



Sample Exam Question (Fall 2015, Exam 1)

State concisely what sequences (and only those sequences) this four-state DFA accepts. Assume all sequence characters are either ‘0’ or ‘1’, that the leftmost state is the initial state, and that the rightmost state is the only accept state. (6 points / 100)





Appendix:

Additional DFA Examples


Another DFA Example

Does the string have “nano” in it?

- “banano” \Rightarrow yes
- “nnnnnnnnnanoff” \Rightarrow yes
- “bananananonano” \Rightarrow yes
- “banananananashbanana” \Rightarrow no

Double circle is accepting state

Single circle is rejecting state





Yet Another DFA Example

Old (Hard!) Exam Question

Compose a DFA to identify whether or not
a string is a floating-point literal

Valid literals

- “-34”
- “78.1”
- “+298.3”
- “-34.7e-1”
- “34.7E-1”
- “7.”
- “.7”
- “999.99e99”

Invalid literals

- “abc”
- “-e9”
- “1e”
- “+”
- “17.9A”
- “0.38+”
- “.”
- “38.38f9”