



## GEOMETRIC APPLICATIONS OF BSTs

---


- ▶ *1d range search*
- ▶ *line segment intersection*
- ▶ *k-d trees*
- ▶ *context*

<https://algs4.cs.princeton.edu>


# Overview

---

This lecture. Intersections among **geometric objects**.



2d orthogonal range search



line segment intersection





Applications. CAD, games, movies, virtual reality, databases, GIS, ...

Efficient solutions. **Binary search trees** (and extensions).

# Overview

---

This lecture. Only the tip of the iceberg.



# GEOMETRIC APPLICATIONS OF BSTs

---

- *1d range search*
- *line segment intersection*
- *k-d trees*
- *context*



ROBERT SEDGEWICK | KEVIN WAYNE

<https://algs4.cs.princeton.edu>

# 1d range search

Extension of ordered symbol table.

- Insert key-value pair.
- Search for key  $k$ .
- Delete key  $k$  (and associated value).
- **1d range search:** find all keys between  $k_1$  and  $k_2$ .

Application. Database queries.

Geometric interpretation.

- Keys are point on a line.
- Find points in a given 1d interval.



insert B	B
insert D	B D
insert A	A B D
insert I	A B D I
insert H	A B D H I
insert F	A B D F H I
insert P	A B D F H I P
search G to K	H I



Design an efficient algorithm for 1d range search in a sorted array.

What is its worst-case running time as a function of both  $m$  and  $n$ ?

- A.  $\Theta(\log m)$
- B.  $\Theta(\log n)$
- C.  $\Theta(\log n + m)$
- D.  $\Theta(m + n)$

*number of matching keys*

*number of keys*

# 1d range search: elementary implementations

---

Unordered list/array. Slow insert; slow range search.

Sorted array. Slow insert; fast range search.

order of growth of running time for 1d range search

data structure	insert	range search
unordered list/array	$n$	$n$
sorted array	$n$	$\log n + m$
goal	$\log n$	$\log n + m$


$m$  = number of keys that match  
 $n$  = number of keys

## 1d range search: BST implementation

1d range search. Find all keys between  $k_1$  and  $k_2$ .

- Recursively find all keys in left subtree (if any could fall in range).
- Check key in current node.
- Recursively find all keys in right subtree (if any could fall in range).

range search [D...Q]



Proposition. Takes  $\Theta(\log n + m)$  time in the worst case.

Pf. Nodes examined = { search path to  $k_1$  }  $\cup$  { search path to  $k_2$  }  $\cup$  { matches }.

$\Theta(\log n)$

$\Theta(\log n)$

$\Theta(m)$

# 1d range search: summary of performance

---

Unordered list/array. Slow insert; slow range search.

Sorted array. Slow insert; fast range search.

Balanced BST. Fast insert; fast range search.

order of growth of running time for 1d range search

data structure	insert	range search
unordered list/array	$n$	$n$
sorted array	$n$	$\log n + m$
balanced BST	$\log n$	$\log n + m$

$m$  = number of keys that match  
 $n$  = number of keys

# GEOMETRIC APPLICATIONS OF BSTs

---

- ▶ *1d range search*
- ▶ ***line segment intersection***
- ▶ *k-d trees*
- ▶ *context*




ROBERT SEDGEWICK | KEVIN WAYNE

<https://algs4.cs.princeton.edu>

# Orthogonal line segment intersection

Given  $n$  horizontal and vertical line segments, find all intersections.



Brute-force  $\Theta(n^2)$  algorithm. Check all pairs of line segments for intersection.

# Microprocessors and geometry



---

Early 1970s. microprocessor design became a **geometric** problem.

- Very Large Scale Integration (VLSI).
- Computer-Aided Design (CAD).


## Design-rule checking.

- Certain wires cannot intersect.
- Certain spacing needed between different types of wires.
- Debugging = line segment (or rectangle) intersection.



# Orthogonal line segment intersection: sweep-line algorithm

Non-degeneracy assumption. All  $x$ - and  $y$ -coordinates are distinct.




# Orthogonal line segment intersection: sweep-line algorithm



Sweep vertical line from left to right. [  $x$ -coordinates define events ]

- Horizontal segment (left endpoint): insert  $y$ -coordinate into BST.
- Horizontal segment (right endpoint): remove  $y$ -coordinate from BST.
- Vertical segment: 1d range search for interval of  $y$ -endpoints.



## Orthogonal line segment intersection: sweep-line analysis

Proposition. The sweep-line algorithm takes  $\Theta(n \log n + m)$  time in the worst case to find all  $m$  intersections among  $n$  horizontal and vertical line segments.

Pf.

- Sort  $x$ -coordinates.  $[n \log n]$
- Insert  $y$ -coordinates into BST.  $[n \log n]$
- Delete  $y$ -coordinates from BST.  $[n \log n]$
- 1d range searches in BST.  $[n \log n + m]$



$$(\log n + m_1) + (\log n + m_2) + (\log n + m_3) + \dots$$

*$n \log n$  and  $m$  are incomparable terms  
(neither is a lower-order term)*

Bottom line. Sweep line reduces 2d orthogonal line segment intersection to 1d range search.

# Sweep-line algorithm: context





The **sweep-line algorithm** is a powerful technique in computational geometry.

## Geometric intersection.

- General line-segment intersection.
- Axis-aligned rectangle intersection.
- ...

## More problems (solvable with sweep-line algorithms).

- Convex hull (Andrew's algorithm).
- Voronoi diagram (Fortune's algorithm).
- Rendering computer graphics (scanline algorithm).
- ...



# GEOMETRIC APPLICATIONS OF BSTs

---

- ▶ *1d range search*
- ▶ *line segment intersection*
- ▶ ***k-d trees***
- ▶ *context*



ROBERT SEDGEWICK | KEVIN WAYNE

<https://algs4.cs.princeton.edu>

# Two-dimensional orthogonal range search

---

Extension of ordered symbol table to 2d keys.


- Insert a 2d key.
- Search for a 2d key.
- 2d orthogonal range search: find all keys that lie in a 2d range.

Applications. Networking, circuit design, databases, ...

Geometric interpretation.

- Keys are point in the plane.
- Find points in a given *h–v* rectangle.

↑  
*rectangle is axis-aligned*



# Space-partitioning trees


Use a **tree** to represent a recursive subdivision of 2d space.

**Grid.** Divide space uniformly into squares.


**Quadtree.** Recursively divide space into four quadrants.

**2d tree.** Recursively divide space into two halfplanes.


**BSP tree.** Recursively divide space into two regions.




Grid



Quadtree



2d tree





BSP tree


# Space-partitioning trees: applications

## Applications.


- Ray tracing.
- Flight simulators.
- N-body simulation.
- Collision detection.
- Astronomical databases.
- Nearest neighbor search.
- Adaptive mesh generation.
- 2d orthogonal range search.
- Accelerate rendering in Doom.
- Hidden surface removal and shadow casting.




Grid



Quadtree




2d tree





BSP tree

## 2d tree demo: insertion





Recursively partition plane into two halfplanes.





Where to insert point K in the 2d tree below?





- A. Left child of G.
- B. Left child of J.
- C. Right child of J.
- D. Right child of I.



## 2d tree: representation

Data structure. BST, but alternate using  $x$ - and  $y$ -coordinates as key.

- Even levels: compare  $x$ -coordinates.
- Odd levels: compare  $y$ -coordinates.




## 2d tree demo: range search



**Goal.** Find all points in a query rectangle.

- Check if query rectangle contains point in node.
- Recursively search left/bottom and right/top subtrees.
- Optimization: prune subtree if it can't contain a point in rectangle.





## 2d tree demo: range search



**Goal.** Find all points in a query rectangle.

- Check if query rectangle contains point in node.
- Recursively search left/bottom and right/top subtrees.
- Optimization: prune subtree if it can't contain a point in rectangle.








**Suppose we explore the right/top subtree before the left/bottom subtree in range search. What effect would it have on typical inputs?**

- A.** Returns wrong answer.
- B.** Explores more nodes.
- C.** Both A and B.
- D.** Neither A nor B.


## 2d tree demo: nearest neighbor





Goal. Find closest point to query point.



## 2d tree demo: nearest neighbor



- Check distance from point in node to query point.
- Recursively search left/bottom and right/top subtrees.
- Optimization 1: prune subtree if it can't contain a closer point.
- Optimization 2: explore subtree toward the query point first.





**Suppose we always explore the left/bottom subtree before the right/top subtree in nearest-neighbor search. What effect will it have on typical inputs?**

- A.** Returns wrong answer.
- B.** Explores more nodes.
- C.** Both A and B.
- D.** Neither A nor B.


## 2d tree: Java implementation

Q. How to implement a 2d-tree?

A. Explicit node data type for binary tree.

```
private class KdTreeST<Value> {  
    private Node root;  
    private int n;  
  
    private class Node {  
  
        private Point2D p;  
        private Value value;  
  
        private Node left, right;  
        private Node parent;  
  
        private RectHV rect;  
        ...  
    }  
    ...  
}  
  
facilitates pruning in range search  
and nearest neighbor search  
(RectHV has several useful methods)
```

*each node stores a rectangle  
corresponding to subdivision of plane*



**see Assignment 4**

## 2d tree: performance

---


**Typical case.** 2d trees are useful in practice because of  $\Theta(\log n)$  performance on typical inputs.

**Worst case.** If 2d tree is unbalanced, core operation take  $\Theta(n)$  time in worst case.

**Balanced.** Even if 2d tree is balanced, nearest neighbor search takes  $\Theta(n)$  time in worst case.

order of growth of running time in a 2d tree

operation	typical	worst
insertion	$\log n$	$n$
2d range search	$\log n + m$	$n$
nearest neighbor	$\log n$	$n$




$m$  = number of keys that match  
 $n$  = number of keys

# GEOMETRIC APPLICATIONS OF BSTs

---

- *1d range search*
- *line segment intersection*
- *k-d trees*
- **context**



ROBERT SEDGEWICK | KEVIN WAYNE



<https://algs4.cs.princeton.edu>

# K-d tree

---

**K-d tree.** Recursively partition  $k$ -dimensional space into 2 halfspaces.

**Implementation.** BST, but cycle through dimensions à la 2d trees.



**Efficient, simple data structure for processing  $k$ -dimensional data.**

- Widely used.
- Adapts well to high-dimensional and clustered data.
- Discovered by an undergrad in an algorithms class!

## Flocking birds



Q. Which “natural algorithm” do starlings, migrating geese, cranes, bait balls of fish, and flashing fireflies use to flock?




<https://www.youtube.com/watch?v=XH-groCeKbE>



**Boids.** Three simple rules lead to complex emergent flocking behavior:

- **Flock centering (cohesion):** move toward the center of mass of  $k$  nearest boids.
- **Direction matching (alignment):** update velocity toward average velocity of  $k$  nearest boids.
- **Collision avoidance (separation):** point away from  $k$  nearest boids.



<https://www.youtube.com/watch?v=nbbd5uby0sY>


# N-body simulation

---

**Goal.** Simulate the motion of  $n$  particles, mutually affected by gravity.

**Brute force.** For each pair of particles, compute force:  $F = \frac{G m_1 m_2}{r^2}$ .

**Running time.** Time per step is  $\Theta(n^2)$ .



[https://www.youtube.com/watch?v=ua7YIN4eL\\_w](https://www.youtube.com/watch?v=ua7YIN4eL_w)

## Appel's algorithm for n-body simulation

---

**Key idea.** Suppose that a particle is in a galaxy far, far away from a cluster of particles.

- Treat the cluster of particles as a single aggregate particle.
- Compute force between particle and **center of mass** of aggregate.



# Appel's algorithm for n-body simulation

---

- Build 3d-tree with  $n$  particles as nodes.
- Store center-of-mass of subtree in each node.
- To compute total force acting on a particle, traverse tree, but stop as soon as distance from particle to subdivision is sufficiently large.

SIAM J. SCI. STAT. COMPUT.  
Vol. 6, No. 1, January 1985

© 1985 Society for Industrial and Applied Mathematics  
008



## AN EFFICIENT PROGRAM FOR MANY-BODY SIMULATION\*

ANDREW W. APPEL†

**Abstract.** The simulation of  $N$  particles interacting in a gravitational force field is useful in astrophysics, but such simulations become costly for large  $N$ . Representing the universe as a tree structure with the particles at the leaves and internal nodes labeled with the centers of mass of their descendants allows several simultaneous attacks on the computation time required by the problem. These approaches range from algorithmic changes (replacing an  $O(N^2)$  algorithm with an algorithm whose time-complexity is believed to be  $O(N \log N)$ ) to data structure modifications, code-tuning, and hardware modifications. The changes reduced the running time of a large problem ( $N = 10,000$ ) by a factor of four hundred. This paper describes both the particular program and the methodology underlying such speedups.

Impact. Running time per step is  $O(n \log n) \implies$  enables new research.

# Geometric applications of BSTs

problem	example	solution
<b>1d range search</b>	... • • ... • • • • • • • • ... • • ... • • • • • • • •	<i>binary search tree</i>
<b>2d orthogonal line segment intersection</b>		<i>sweep line</i> <i>(reduces to 1d range search)</i>
<b>2d range search</b> <b>k-d range search</b>		<i>2d tree</i> <i>k-d tree</i>

# Credits

---

image	source	license
<i>Iceberg</i>	<a href="#">Adobe Stock</a>	<a href="#">education license</a>
<i>Fortune's Algorithm</i>	<a href="#">Kevin Schaal</a>	
<i>Return to Castle Wolfenstein</i>	<a href="#">FilmWeb</a>	
<i>Doom 3</i>	<a href="#">IXBT Labs</a>	
<i>3d-Tree</i>	<a href="#">Wikimedia</a>	<a href="#">GPL v2</a>
<i>Starlings on Otmoor</i>	<a href="#">YouTube</a>	
<i>Flocking Boid Simulation</i>	<a href="#">Gavin Wood</a>	
<i>Vivaldi Summer Movement 3</i>	<a href="#">John Harrison</a>	<a href="#">CC BY-SA 3.0</a>
<i>N-Body Simulation</i>	<a href="#">YouTube</a>	
<i>Andromeda Galaxy</i>	Jason Ware / NASA	
<i>Flight of the Starlings</i>	National Geographic	

